avenli 2027 COLLECTION

Frame Round PLUS

POOL

©2026 SHANGHAI JILONG ECONOMY DEVELOPMENT CO.,LTD.
ALL RIGHTS RESERVED. PRINTED IN CHINA.

Tel:+86-21-58942200 E-mail:info@jilong.com Web: www.jleisure-global.com

avenli

POOL



2021

COLLECTION

ABOUT US

Over 30 Years of Experience

Jilong is a leading manufacturer and exporter of plastic leisure products, with over 30 years of expertise in R&D, quality manufacturing, and global sales. Guided by practicality, innovation, and efficiency, we operate modern facilities supported by strong infrastructure and a stable, skilled workforce. Located within 300 km of Shanghai, our integrated production capabilities cover PVC film, lamination, printing, welding, packaging, and accessory assembly, enabling us to deliver reliable quality and competitive costs.

VERTICALLY INTEGRATED

JILONG has established a vertically integrated production system from raw materials to finished products, covering PVC film, silkscreen printing, high-frequency welding, sewing, packaging, and assembly.

WORLD WIDE VISION

JILONG distributes its products to major retailers in over 50 countries and regions, including Europe, North America, Australia, and Asia. This strong international presence has made us a trusted global supplier of plastic leisure products.

INNOVATION DRIVEN

JILONG's R&D team develops hundreds of new products each year, focusing on design, quality, and compliance with international standards. We closely monitor global market trends and safety regulations, while our in-house laboratory rigorously tests and verifies product performance.



SHANGHAI Headquarter



JIANGSU Factory

QUALIFICATION

Our company operates in accordance with international management standards and industry regulations. We place strong emphasis on internal management and employee training to ensure compliance, and we have obtained the relevant certifications.



avenli



SunClub



Zray



PATHFINDER



PartyAlive

PRODUCT &BRANDS

Five Sub-Brands One Diverse Leisure World

JILONG proudly offers a diverse portfolio of five distinctive sub-brands, each focused on a unique lifestyle and product category. From the relaxing spa and air bed experience of Avenli, to the adventurous spirit of Zray paddle boards, the fun and excitement of SunClub water toys and pools, and the durable leisure sports products of Pathfinder, our brand family serves a wide range of consumer needs and lifestyles—ensuring that everyone can find something to enjoy.

SAFETY & QUALITY

QUALITY ASSURANCE

Throughout the entire production process, we apply a fully traceable quality management system. Records and image documentation are captured at every key stage, including incoming raw material inspection, testing of restricted substances, product durability testing, in-line quality monitoring, finished product inflation inspection, and container loading. This ensures that every shipment meets relevant safety requirements and that our products are reliable and consistent.



High-quality PVC materials used in production



State-of-the-art in-house laboratory and cooperation with third-party testing institutions



Durability Testing



Tightly controlled production process



24-hour inflation test before packing, with random inspection before shipment



Container loading records and photos

REGULATORY COMPLIANCE

We maintain close cooperation with internationally recognized testing institutions and stay up to date with the latest regulations and standards. This helps ensure that our products comply with the laws and safety requirements of the markets in which they are sold, protecting consumers and supporting reliable global distribution.

EUROPE

REGULATION (EC) No 1907/2006
"concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH)"

DIRECTIVE 2011/65/EU
"The Restriction of the use of certain Hazardous Substances in electrical and electronic equipment (RoHS)"

DIRECTIVE 2014/30/EU
" Electromagnetic Compatibility Directive"

DIRECTIVE 2014/35/EU
" Low Voltage Directive (LVD)"

DIRECTIVE 2012/19/EU
"Waste Electrical and Electronic Equipment Directive (WEEE)"

EN 16927
"Mini-pools - Specific requirements including safety and test methods for mini-pools"

EN 16582
"Domestic swimming pools- safety and test methods"

AMERICA

UL 1081
"Swimming Pool Pumps, Filters, and Chlorinators
CSA C22.2#108:2014 Ed.5
Liquid Pumps"

FCC 47 CFR PART 15
"Federal Communications Commissio (FCC) Rules, 47 CFR Part 15"

ASTM F2666
"Standard Specification for Aboveground Portable Pools for Residential Use"

AUSTRALIA

Consumer Goods (Portable Swimming Pools) Safety Standard 2013

SALES & MARKETING

We have over 30 years of experience in the inflatables industry to support our global partners.
We are constantly upgrading our packaging, sales promotion material, product manuals and other sales tools to service customers around the world, including big retail-chains, internet sellers, distributors, independent shops,etc.



SOCIAL MEDIA

EXHIBITION

GLOBAL SALES SUPPORT

With a complete marketing support system, we help partners expand sales channels and strengthen brand visibility worldwide. From product display and promotional materials to exhibition resources and digital media content, we provide professional tools to support distributors, retailers and online sellers in different markets.

SUPPORT

Most of the products are equipped with instructions to guide consumers to use the product correctly.
Jilong has established an online information access platform. Consumers can quickly check and download e-manuals and review FAQs of related products by logging on to our website.

Visit website: https://www.jlei-sure-global.com/

Select corresponding information according to product categories

Product packaging and photos can be downloaded

If Manual & FAQ is not helpful, please send email to asssupport@jilong.com

INNOVATIONS

LAMI-TECH™ ADVANCED LINER TECHNOLOGY

LAMI-TECH™ reinforced liner combines premium PVC and high-strength mesh layers to deliver enhanced durability, puncture resistance, and long-lasting performance for everyday outdoor use.





ANTI-CORROSION TECH

NO TOOLS REQUIRED

REPAIR KIT

20 mins
EASY INSTALLATION

REINFORCED FRAME TUBE

The reinforced frame tube system is designed to provide superior load-bearing capacity and structural stability, even under dynamic water movement and external forces.

TRI-SHIELD™


3-Layer Anti-Corrosion & Anti-Rust Technology

High-Strength Structural Steel

All-Weather Protection

Reinforced Load Capacity

TRI SHIELD™



MAX-SHIELD™

Enhanced stability for larger structures

Higher load-bearing capacity

Structural reinforcement and anti-deformation design

MAX SHIELD™




Fiber Fit Frame™

Lightweight innovation with high strength-to-weight ratio

Corrosion-free

Premium durability & longevity

Fiber Fit Frame™



FRAME CONNECTOR SYSTEM

Fast & Secure Pool Assembly

CONNECTOR PIC.		1 	2 	3 	4 	1 	2 
TECHNOLOGY	**Classic**	**TriForce Connect™**				**SnapLock™**	
FEATURES	Simple & Reliable T-Joint · Easy top-rail and leg connection · Stable support for standard round pools · Practical and cost-effective structure	3-Way Structural Connector · T-shaped 3-way support design · Stronger connection between rail and leg · Reliable stability for round frame pools	Reinforced Stability Connector · Enhanced joint locking structure · Improves frame rigidity · Helps reduce shaking during use	Heavy-Duty Locking Connector · Advanced locking for larger pools · Stronger rail engagement · Designed for Frame Plus pool structures	Fiberglass Rail Connector · Dedicated design for fiberglass tubes · Lightweight yet strong connection · Corrosion-resistant structure	Quick Pin-Lock Connector · Fast alignment and locking · Tool-free assembly · Secure connection for oval and rectangular pools	Instant Snap-Fit Connector · Click-to-lock connection · Faster setup and disassembly · User-friendly tool-free design
COMPATIBLE POOL SERIES	Frame Round Pools	Frame Round Pools	Frame Round Pools	Frame Plus Round Pools	Fiber Fit Frame™ Pools	Frame Rectangular Pools & Frame Oval Pools	Frame Rectangular Pools & Frame Oval Pools
COMPATIBLE POOL ITEM NO.	17798,17799,17800,17801	12515, 12254	12434, 12427	12015, 12016, 12336, 12363, 12022, 12270, 12437, 12268, 12439, 12023	12247, 12248, 12419, 12417, 12334, 12445, 12431, 12415	17803, 17804, 17805, 17723, 12343, 17023, 17728	12017, 17727, 12351, 12147, 12212, 12259, 12024
COMPATIBLE POOL PIC.							

CONTENTS

13
KIDS POOLS



21
PROMPT SET™ POOLS



27
FRAME ROUND POOLS



35
FRAME PLUS ROUND POOLS



47
FRAME PLUS CLEAN VIEW POOLS



53
Fiber Fit Frame™ POOLS



63
FRAME OVAL POOLS



69
FRAME RECTANGULAR POOLS



85
FRAME PLUS RECTANGULAR POOLS



93
INFLATABLE DROP-STITCH POOL



97
PORTABLE ICE BATH TUBS



105
POOL ACCESSORIES

107 FILTRATION
121 MAINTENANCE
133 LADDERS
137 COMFORT & AMBIENCE
141 POOL COVERS & GROUND CLOTHS

KIDS POOL SERIES

Brighten your summer with our Kids Pool Series, featuring colorful cartoon designs that kids love.

Thoughtfully designed for imaginative water play and quick setup, so the fun can begin right away.



LAMI-TECH™ MATERIAL

Engineered for high strength with dense materials for superior weather resistance and long-lasting durability.

Repair Kit: Supplied with a repair kit to support on-site maintenance and extended service life.

No Tools Required: Designed for straightforward assembly without the need for specialized tools.

10 Mins Easy Installation: Efficient installation process, typically completed within 10 minutes.

KIDS' PROMPT SET™ POOLS					
5ft x 15in/ 1.5m x 38cm PG.15	5ft x 16.5in/ 1.5m x 41cm PG.15	5ft x 16.5in/ 1.5m x 41cm PG.15	6.75ft x 18.5in/ 2.05m x 47cm PG.16	5ft x 16.5in/ 1.5m x 41cm PG.16	69in x 24.5in/ 1.75m x 62cm PG.16
69in x 24.5in/ 1.75m x 62cm PG.17	69in x 24.5in/ 1.75m x 62cm PG.17	69in x 24.5in/ 1.75m x 62cm PG.17	69in x 24.5in/ 1.75m x 62cm PG.18	69in x 24.5in/ 1.75m x 62cm PG.18	6.75ft x 18.5in/ 2.05m x 47cm PG.18

KIDS' FRAME POOLS				SHADED CANOPY POOLS	
48in x 48in x 13in/ 1.22m x 1.22m x 33cm PG.19	48in x 48in x 13in/ 1.22m x 1.22m x 33cm PG.19	60in x 60in x 13in/ 1.52m x 1.52m x 33cm PG.19	5ft x 15.7in/ 1.52m x 40cm PG.20	5ft x 15.7in/ 1.52m x 40cm PG.20	8ft x 20in/ 2.4m x 51cm PG.20







SEA ANIMAL PROMPT SET™ POOL

WATER CAPACITY(80%):114 GAL.(430L)

ITEM#	SIZE	CASE PACK	CASE WEIGHT
17544	5ft x 15in/ 1.5m x 38cm	0.045cbm/ 6pcs/ctn	11.51KG/25.38LB

Conforms to EN71
Inflatable top ring support the liner
Heavy gauge LAMI-TECH™ Material walls provide lasting durability
Easy setup and convenient storage
AGE 3+



PINEAPPLE PROMPT SET™ POOL

WATER CAPACITY(80%):121 GAL.(457L)

ITEM#	SIZE	CASE PACK	CASE WEIGHT
17790	5ft x 16.5in/ 1.5m x 41cm	0.045cbm/ 6pcs/ctn	11.98KG/26.42LB

PVC inflatable top ring
Heavy gauge LAMI-TECH™ Material wall
Easy installation and convenient storage
AGE 3+



ORANGE PROMPT SET™ POOL

WATER CAPACITY(80%):121 GAL.(457L)

ITEM#	SIZE	CASE PACK	CASE WEIGHT
17789	5ft x 16.5in/ 1.5m x 41cm	0.045cbm/ 6pcs/ctn	12.8KG/28.22LB

PVC Inflatable top ring
Heavy gauge LAMI-TECH™ Material wall
Easy installation and convenient storage
AGE 3+

OCEAN WORLD PROMPT SET™ POOL

WATER CAPACITY(75%):226 GAL.(855L)

ITEM#	SIZE	CASE PACK	CASE WEIGHT
17788	6.75ft x 18.5in/ 2.05m x 47cm	0.014cbm/ 1pc/ctn	3.45KG/7.61LB

Conforms to EN16927
PVC inflatable top ring
Heavy gauge LAMI-TECH™ Material wall
Easy installation and convenient storage
AGE 3+





3D BEE SPRAY PROMPT SET™ POOL

WATER CAPACITY(80%):121 GAL.(457L)

ITEM#	SIZE	CASE PACK	CASE WEIGHT
12010	5ft x 16.5in/ 1.5m x 41cm	0.053cbm/ 6pcs/ctn	13.55KG/29.88LB

Lovely animal shape
PVC inflatable top ring
Heavy gauge LAMI-TECH™ Material wall
Easy installation and convenient storage
AGE 3+



3D WHALE SPRAY PROMPT SET™ POOL

WATER CAPACITY(80%):302 GAL.(1143L)

ITEM#	SIZE	CASE PACK	CASE WEIGHT
17399	69in x 24.5in/ 1.75m x 62cm	0.013cbm/ 1pc/ctn	3.4KG/7.50LB

Conforms to EN16927
Lovely figure animal shape
PVC Inflatable top ring
Heavy gauge LAMI-TECH™ Material wall
Easy set up and convenient storage
AGE 3+







3D FROG PROMPT SET™ POOL

WATER CAPACITY(80%):302 GAL.(1143L)

ITEM#	SIZE	CASE PACK	CASE WEIGHT
17398	69in x 24.5in/ 1.75m x 62cm	0.015cbm/ 1pc/ctn	3.62KG/7.98LB

Conforms to EN16927
Lovely figure animal shape
PVC Inflatable top ring
Heavy gauge LAMI-TECH™ Material wall
Easy set up and convenient storage
AGE 3+



3D DINOSAUR SPRAY PROMPT SET™ POOL

WATER CAPACITY(80%):302 GAL.(1143L)

ITEM#	SIZE	CASE PACK	CASE WEIGHT
17786	69in x 24.5in/ 1.75m x 62cm	0.015cbm/ 1pc/ctn	3.78KG/8.33LB

Conforms to EN16927
Lovely animal shape
PVC Inflatable top ring
Heavy gauge LAMI-TECH™ Material wall
Easy installation and convenient storage
AGE 3+



3D CRAB PROMPT SET™ POOL

WATER CAPACITY(80%):302 GAL.(1143L)

ITEM#	SIZE	CASE PACK	CASE WEIGHT
12433	69in x 24.5in/ 1.75m x 62cm	0.015cbm/ 1pc/ctn	3.36KG/7.41LB

Conforms to EN16927
Lovely figure animal shape
PVC inflatable top ring
Heavy gauge LAMI-TECH™ Material wall
Easy set up and convenient storage
AGE 3+

3D PUFFER PROMPT SET™ POOL

New

WATER CAPACITY(80%):302 GAL.(1143L)

ITEM#	SIZE	CASE PACK	CASE WEIGHT
12453	69in x 24.5in/ 1.75m x 62cm	0.015cbm/ 1pc/ctn	3.45KG/7.61LB

Conforms to EN16927
Lovely animal shape
Removable puffer mouth as a toss ring
PVC inflatable top ring
Heavy gauge LAMI-TECH™ Material wall
Easy installation and convenient storage
AGE 3+



3D PENGUIN PROMPT SET™ POOL

New

WATER CAPACITY(80%):302 GAL.(1143L)

ITEM#	SIZE	CASE PACK	CASE WEIGHT
12502	69in x 24.5in/ 1.75m x 62cm	0.015cbm/ 1pc/ctn	3.36KG/7.41LB

Conforms to EN16927
Lovely animal shape
PVC inflatable top ring
Heavy gauge LAMI-TECH™ Material wall
Easy installation and convenient storage
AGE 3+



3D ELEPHANT SPRAY PROMPT SET™ POOL

WATER CAPACITY(80%):226 GAL.(855L)

ITEM#	SIZE	CASE PACK	CASE WEIGHT
17821	6.75ft x 18.5in/ 2.05m x 47cm	0.015cbm/ 1pc/ctn	3.6KG/7.94LB

Conforms to EN16927
Lovely animal shape
PVC Inflatable top ring
Heavy gauge LAMI-TECH™ Material wall
Easy installation and convenient storage
AGE 3+









TODDLER FRAME POOL

WATER CAPACITY(90%):105 GAL.(399L)

ITEM#	SIZE	CASE PACK	CASE WEIGHT
12348	48in x 48in x 13in/ 1.22m x 1.22m x 33cm	0.059cbm/ 3pcs/ctn	13.2KG/29.11LB

Conforms to EN71
Ideal for garden use
Easy installation
Steel frame with plastic corner joints
AGE 3+



KIDS FRAME POOL(PINK)

WATER CAPACITY(90%):105 GAL.(399L)

ITEM#	SIZE	CASE PACK	CASE WEIGHT
12325	48in x 48in x 13in/ 1.22m x 1.22m x 33cm	0.059cbm/ 3pcs/ctn	12.18KG/26.86LB

Conforms to EN71
Easy installation
Steel frame with plastic corner joints
AGE 3+



KIDS FRAME POOL(PURPLE)

WATER CAPACITY(90%):167 GAL.(633L)

ITEM#	SIZE	CASE PACK	CASE WEIGHT
12327	60in x 60in x 13in/ 1.52m x 1.52m x 33cm	0.059cbm/ 3pcs/ctn	15.15KG/33.41LB

Conforms to EN71
Easy installation
Steel frame with plastic corner joints
AGE 3+

KIDS SPLASH PLAY POOL

New

WATER CAPACITY(90%):127 GAL.(480L)

ITEM#	SIZE	CASE PACK	CASE WEIGHT
12450	5ft x 15.7in/ 1.52m x 40cm	0.025cbm/ 1pc	6.249KG/13.78LB

Conforms to EN71
Unique prints for kids to enjoy beach fun at home
Easy installation with
Stable frame structure ensures safety
AGE 3+



JUNIOR CANOPY SPRAY FRAME POOL

New

WATER CAPACITY(90%):127 GAL.(480L)

ITEM#	SIZE	CASE PACK	CASE WEIGHT
12449	5ft x 15.7in/ 1.52m x 40cm	0.030cbm/ 1pc	7.446KG/16.42LB

Conforms to EN71
Unique prints for kids to enjoy beach fun at home
UV resistance sunshade effectively blocks sun exposure
The sprinkler shower is great fun and helps keep the kids cool
Adjustable mist settings cater to varying preferences and needs
Easy installation with quick hose connection for added convenience
Stable frame structure ensures safety
AGE 3+



FAMILY CANOPY SPRAY FRAME POOL

WATER CAPACITY(90%):428 GAL.(1617L)

ITEM#	SIZE	CASE PACK	CASE WEIGHT
12350	8ft x 20in/ 2.4m x 51cm	0.014cbm/ 1pc/ctn	10.9KG/24.03LB

Conforms to EN16582
Unique prints for kids to enjoy beach fun at home
UV resistance Sunshade effectively blocks sun exposure
The sprinkler shower is great fun and helps keep the kids cool
Adjustable mist settings cater to varying preferences and needs
Easy installation with quick hose connection for added convenience
Stable frame structure ensures safety
AGE 6+



PROMPT SET™
POOL SERIES

Enjoy quick and effortless backyard swimming with our Prompt Set™ Pool Series.

Simply inflate the top ring and fill with water — the pool rises as it fills, Easy to set up, drain and store, it is designed for convenient family fun all summer long.



LAMI-TECH™ MATERIAL

Engineered for high strength with dense materials for superior weather resistance and long-lasting durability.

Repair Kit: Supplied with a repair kit to support on-site maintenance and extended service life.

No Tools Required: Designed for straightforward assembly without the need for specialized tools.

10 Mins Easy Installation: Efficient installation process, typically completed within 10 minutes.

20 IN. / 51 CM		25 - 30 IN. / 63 - 76 CM	
5.5ft x 20in/ 1,68m x 51cm PG.24	6ft x 20in/ 1,83m x 51cm PG.24	8ft x 25in/ 2,44m x 63cm PG.24	10ft x 30in/ 3,05m x 76cm PG.25

33 - 36 IN. / 76 - 90 CM		48 IN. / 122 CM	33 - 36 IN. / 84 - 90 CM	
12ft x 30in/ 3,66m x 76cm PG.25	12ft x 36in/ 3,66m x 90cm PG.25	12ft x 48in/ 3,66m x 122cm PG.26	14ft x 33in/ 4,27m x 84cm PG.26	15ft x 36in/ 4,57m x 90cm PG.26

PROMPT SET™ POOLS



LAMI-TECH™ MATERIAL
Engineered for high strength with dense materials for superior weather resistance and long-lasting durability.



PACKAGING
1. Color box
2. White box with color sticker

Repair Kit: Supplied with a repair kit to support on-site maintenance and extended service life.

No Tools Required: Designed for straightforward assembly without the need for specialized tools.

10 Mins Easy Installation: Efficient installation process, typically completed within 10 minutes.

5.5FT x 20IN / (1.68m x 51cm)
WATER CAPACITY(80%): 211Gal(800L)

ITEM	FILTER PUMP	CASE PACK	CASE WEIGHT
12014	N/A	0.045CBM/3PC	8.5KG/25.38LB

6FT x 20IN / (1.83m x 51cm)
WATER CAPACITY(80%): 250Gal(950L)

ITEM	FILTER PUMP	CASE PACK	CASE WEIGHT
12025	N/A	0.014CBM/1PC	3.17KG/6.99LB

8FT x 25IN / (2.44m x 63cm)
WATER CAPACITY(80%): 548GAL (2074L)

ITEM	FILTER PUMP	FILTER CARTRIDGE	VOLTAGE	CASE PACK	CASE WEIGHT
17792	—	—	—	0.018CBM/1PC	5.23KG/11.53LB
17792A	—	—	—	0.018CBM/1PC	5.23KG/11.53LB
17792XX	330Gal/H(1249L/H)	S	220-240V	0.032CBM/1SET	6.95KG/15.32LB
17792US	330Gal/H(1249L/H)	S	110V	0.032CBM/1SET	6.95KG/15.32LB
17792CA	330Gal/H(1249L/H)	S	110V	0.032CBM/1SET	7.1KG/15.66LB
17792AU	330Gal/H(1249L/H)	S	220-240V	0.032CBM/1SET	7.1KG/15.66LB

17792: Global market(US/CA/AU Excluded), 1 water inlet and 1 water outlet
17792A: US/CA/AU market, 1 water inlet and 2 water outlet
17792XX include 17792EU, 17792FR, 17792DE, 17792GB



10FT x 30IN / (3.05m x 76cm)

WATER CAPACITY(80%): 956GAL (3618L)

ITEM	FILTER PUMP	FILTER CARTRIDGE	VOLTAGE	CASE PACK	CASE WEIGHT
17793	—	—	—	0.025CBM/1PC	8.23KG/18.15LB
17793A	—	—	—	0.025CBM/1PC	8.03KG/17.71LB
17793XX	330Gal/H(1249L/H)	S	220-240V	0.045CBM/1SET	9.39KG/20.70LB
17793US	330Gal/H(1249L/H)	S	110V	0.045CBM/1SET	11KG/24.26LB
17793CA	330Gal/H(1249L/H)	S	110V	0.045CBM/1SET	9.75KG/21.50LB
17793AU	330Gal/H(1249L/H)	S	220-240V	0.045CBM/1SET	9.75KG/21.50LB

17793: Global market(US/CA/AU Excluded), 1 water inlet and 1 water outlet
17793A: US/CA/AU market, 1 water inlet and 2 water outlet
17793XX include 17793EU, 17793FR, 17793DE, 17793GB

12FT x 30IN / (3.66m x 76cm)

WATER CAPACITY(80%): 1421GAL (5377L)

ITEM	FILTER PUMP	FILTER CARTRIDGE	VOLTAGE	CASE PACK	CASE WEIGHT
17794	—	—	—	0.040CBM/1PC	11.93KG/26.31LB
17794A	—	—	—	0.040CBM/1PC	11.38KG/25.09LB
17794XX	330Gal/H(1249L/H)	S	220-240V	0.060CBM/1SET	13.7KG/30.21LB
17794US	330Gal/H(1249L/H)	S	110V	0.060CBM/1SET	13.1KG/28.89LB
17794CA	330Gal/H(1249L/H)	S	110V	0.060CBM/1SET	13.1KG/28.89LB
17794AU	330Gal/H(1249L/H)	S	220-240V	0.060CBM/1SET	13.1KG/28.89LB

17794: Global market(US/CA/AU Excluded), 1 water inlet and 1 water outlet
17794A: US/CA/AU market, 1 water inlet and 2 water outlet
17794XX include 17794EU, 17794FR, 17794DE, 17794GB

12FT x 36IN / (3.66m x 90cm)

WATER CAPACITY(80%): 1758GAL (6654L)

ITEM	FILTER PUMP	FILTER CARTRIDGE	VOLTAGE	SAFETY LADDER	STD LADDER	CASE PACK	CASE WEIGHT
17795	—	—	—	—	—	0.046CBM/1PC	13.6KG/29.99LB
17795A	—	—	—	—	—	0.046CBM/1PC	12.6KG/27.78LB
17795XX	330Gal/H(1249L/H)	S	220-240V	√	—	0.181CBM/1SET	26.5KG/58.43LB
17795RU	330Gal/H(1249L/H)	S	220-240V	—	√	0.152CBM/1SET	22.61KG/49.86LB
17795US	330Gal/H(1249L/H)	S	110V	—	√	0.152CBM/1SET	23.44KG/51.69LB
17795CA	330Gal/H(1249L/H)	S	110V	—	√	0.152CBM/1SET	23.44KG/51.69LB
17795AU	330Gal/H(1249L/H)	S	220-240V	—	√	0.152CBM/1SET	23.44KG/51.69LB

17795: Global market(US/CA/AU Excluded), 1 water inlet and 1 water outlet
17795A: US/CA/AU market, 1 water inlet and 2 water outlet
17795RU: 220-240V pump set, standard ladder version
17795XX include 17795EU, 17795FR, 17795DE, 17795GB

12FT x 48IN / (3.66M x 122CM)

New

WATER CAPACITY(80%):2507GAL(9490L)

ITEM	FILTER PUMP	FILTER CARTRIDGE	VOLTAGE	SAFETY LADDER	STD LADDER	CASE PACK	CASE WEIGHT
12525	—	—	—	—	—	0.115CBM/1PC	17.5KG/38.59LB
12525A	—	—	—	—	—	0.115CBM/1PC	17.5KG/38.59LB
12525XX	530Gal/H(2006L/H)	M	220-240V	√	—	0.229CBM/1SET	33.65KG/74.2LB
12525RU	530Gal/H(2006L/H)	M	220-240V	—	√	0.220CBM/1SET	33.65KG/74.2LB
12525US	530Gal/H(2006L/H)	L	110V	—	√	0.220CBM/1SET	32.95KG/72.65LB
12525CA	530Gal/H(2006L/H)	L	110V	—	√	0.220CBM/1SET	32.68KG/72.06LB
12525AU	530Gal/H(2006L/H)	M	220-240V	—	√	0.220CBM/1SET	32.12KG/70.82LB

12525: Global market(US/CA/AU Excluded), 1 water inlet and 1 water outlet
12525A: US/CA/AU market, 1 water inlet and 2 water outlet
12525RU: 220-240V pump set, standard ladder version
12525XX include 12525EU,12525FR,12525DE,12525GB

14FT x 33IN / (4.27m x 84cm)

WATER CAPACITY(80%): 2065GAL (7820L)

ITEM	FILTER PUMP	FILTER CARTRIDGE	VOLTAGE	CASE PACK	CASE WEIGHT
17796	—	—	—	0.060CBM/1PC	16.3KG/35.94LB
17796A	—	—	—	0.060CBM/1PC	16.3KG/35.94LB
17796XX	330Gal/H(1249L/H)	S	220-240V	0.095CBM/1SET	20.3KG/44.76LB
17796US	330Gal/H(1249L/H)	S	110V	0.095CBM/1SET	19.5KG/43.00LB
17796CA	330Gal/H(1249L/H)	S	110V	0.095CBM/1SET	19.5KG/43.00LB
17796AU	330Gal/H(1249L/H)	S	220-240V	0.095CBM/1SET	19.5KG/43.00LB

17796: Global market(US/CA/AU Excluded), 1 water inlet and 1 water outlet
17796A: US/CA/AU market, 1 water inlet and 2 water outlet
17796XX include 17796EU, 17796FR, 17796DE, 17796GB

15FT x 36IN / (4.57m x 90cm)

WATER CAPACITY(80%): 2688GAL (10175L)

ITEM	FILTER PUMP	FILTER CARTRIDGE	VOLTAGE	SAFETY LADDER	STD LADDER	POOL COVER	CASE PACK	CASE WEIGHT
17797	—	—	—	—	—	—	0.093CBM/1PC	21.5KG/47.41LB
17797A	—	—	—	—	—	—	0.093CBM/1PC	22.21KG/48.97LB
17797XX	530Gal/H(2006L/H)	M	220-240V	√	—	√	0.200CBM/1SET	36.5KG/80.48LB
17797RU	530Gal/H(2006L/H)	M	220-240V	—	√	√	0.197CBM/1SET	32.84KG/72.41LB
17797US	530Gal/H(2006L/H)	L	110V	—	√	√	0.197CBM/1SET	34.01KG/74.99LB
17797CA	530Gal/H(2006L/H)	L	110V	—	√	√	0.197CBM/1SET	34.01KG/74.99LB
17797AU	530Gal/H(2006L/H)	M	220-240V	—	√	√	0.197CBM/1SET	34.01KG/74.99LB

17797: Global market(US/CA/AU Excluded), 1 water inlet and 1 water outlet
17797A: US/CA/AU market, 1 water inlet and 2 water outlet
17797RU: 220-240V pump set, standard ladder version
17797XX: include 17797EU, 17797FR, 17797DE, 17797GB

FRAME ROUND
POOL SERIES

Engineered for lasting summer fun, Frame Round Pool Series features our signature TRI-SHIELD™ rust-resistant frame system.

Designed for effortless tool-free assembly, it delivers robust structural stability, enhanced UV protection, and superior corrosion resistance — built to withstand years of outdoor use.



LAMI-TECH™ MATERIAL
Engineered for high strength with dense materials for superior weather resistance and long-lasting durability.



TRI-SHIELD™
3-layer anti-rust steel frame for reliable outdoor durability.



Classic



TriForce Connect™

30 IN. / 76 CM		33 - 30 IN. / 84 - 76 CM				39.5 IN. / 100 CM
10ft x 30in/ 3,05m x 76cm PG.30	12ft x 30in/ 3,66m x 76cm PG.30	14ft x 33in/ 4,27m x 84cm PG.30	8ft x 30in/ 2,44m x 76cm PG.32	10ft x 30in/ 3,05m x 76cm PG.32	12ft x 30in/ 3,66m x 76cm PG.34	12ft x 39,5in/ 3,66m x 100cm PG.34
						



Corrosion-resistant construction for reliable performance in long-term outdoor and poolside applications.

No Tools Required: Designed for straightforward assembly without the need for specialized tools.

Repair Kit:Supplied with a repair kit to support on-site maintenance and extended service life.

15 mins Easy Installation:Efficient installation process,typically completed within 15 minutes.

FRAME ROUND POOLS



LAMI-TECH™ MATERIAL
Engineered for high strength with dense materials for superior weather resistance and long-lasting durability.



TRI-SHIELD™
3-layer anti-rust steel frame for reliable outdoor durability.



Classic



PACKAGING
1. Color box with shrink
2. White box with color sticker with shrink film
3. White box with color sticker, outer carton

Corrosion-resistant construction for reliable performance in long-term outdoor and poolside applications.

Repair Kit: Supplied with a repair kit to support on-site maintenance and extended service life.

No Tools Required: Designed for straightforward assembly without the need for specialized tools.

15 Mins Easy Installation: Efficient installation process, typically completed within 15 minutes.



10FT x 30IN / (3.05m x 76cm)

WATER CAPACITY(90%): 1158GAL (4383L)

ITEM	FILTER PUMP	FILTER CARTRIDGE	VOLTAGE	CASE PACK	CASE WEIGHT
17798	—	—	—	0.058CBM/1PC	17KG/37.49LB
17798A	—	—	—	0.058CBM/1PC	17KG/37.49LB
17798XX	330Gal/H(1249L/H)	S	220-240V	0.083CBM/1SET	19.76KG/43.57LB
17798FR	330Gal/H(1249L/H)	S	220-240V	0.105CBM/1SET	19.3KG/42.56LB
17798US	330Gal/H(1249L/H)	S	110V	0.105CBM/1SET	20KG/44.10LB
17798CA	330Gal/H(1249L/H)	S	110V	0.105CBM/1SET	20KG/44.10LB
17798AU	330Gal/H(1249L/H)	S	220-240V	0.105CBM/1SET	20KG/44.10LB

17798: Global market(US/CA/AU Excluded), 1 water inlet and 1 water outlet
17798A: US/CA/AU market, 1 water inlet and 2 water outlet
17798XX include 17798EU, 17798DE, 17798GB

12FT x 30IN / (3.66m x 76cm)

WATER CAPACITY(90%): 1617GAL (6125L)

ITEM	FILTER PUMP	FILTER CARTRIDGE	VOLTAGE	CASE PACK	CASE WEIGHT
17799	—	—	—	0.077CBM/1PC	22.4KG/49.39LB
17799A	—	—	—	0.077CBM/1PC	22.4KG/49.39LB
17799XX	330Gal/H(1249L/H)	S	220-240V	0.098CBM/1SET	24.5KG/54.02LB
17799US	330Gal/H(1249L/H)	S	110V	0.130CBM/1SET	24.5KG/54.02LB
17799CA	330Gal/H(1249L/H)	S	110V	0.130CBM/1SET	25.5KG/56.23LB
17799AU	330Gal/H(1249L/H)	S	220-240V	0.130CBM/1SET	26KG/57.33LB

17799: Global market(US/CA/AU Excluded), 1 water inlet and 1 water outlet
17799A: US/CA/AU market, 1 water inlet and 2 water outlet
17799XX include 17799EU, 17799FR, 17799DE, 17799GB

14FT x 33IN / (4.27m x 84cm)

WATER CAPACITY(90%): 2508GAL (9495L)

ITEM	FILTER PUMP	FILTER CARTRIDGE	VOLTAGE	CASE PACK	TOTAL WEIGHT
17800	—	—	—	0.120CBM/1PC	34.1KG/75.19LB
17800A	—	—	—	0.120CBM/1PC	37.8KG/83.35LB
17800XX	530Gal/H(2006L/H)	M	220-240V	0.196CBM/1SET	36KG/79.38LB
17800US	530Gal/H(2006L/H)	L	110V	0.196CBM/1SET	37.8KG/83.35LB
17800CA	530Gal/H(2006L/H)	L	110V	0.196CBM/1SET	37.8KG/83.35LB
17800AU	530Gal/H(2006L/H)	M	220-240V	0.196CBM/1SET	37.8KG/83.35LB

17800: Global market(US/CA/AU Excluded), 1 water inlet and 1 water outlet
17800A: US/CA/AU market, 1 water inlet and 2 water outlet
17800XX include 17800EU, 17800FR, 17800DE, 17800GB

FRAME ROUND POOLS



LAMI-TECH™ MATERIAL
Engineered for high strength with dense materials for superior weather resistance and long-lasting durability.





TRI-SHIELD™
3-layer anti-rust steel frame for reliable outdoor durability.



TriForce Connect™



PACKAGING
White box with color sticker with shrink film

Corrosion-resistant construction for reliable performance in long-term outdoor and poolside applications.

Repair Kit: Supplied with a repair kit to support on-site maintenance and extended service life.

No Tools Required: Designed for straightforward assembly without the need for specialized tools.

15 Mins Easy Installation: Efficient installation process, typically completed within 15 minutes.

8FT x 30IN / (2.44M x 76CM)

WATER CAPACITY(90%): 732GAL(2770L)

ITEM	FILTER PUMP	FILTER CARTRIDGE	VOLTAGE	CASE PACK	CASE WEIGHT
12515	—	—	—	0.054CBM/1PC	13.4KG/29.55LB
12515A	—	—	—	0.054CBM/1PC	13.4KG/29.55LB
12515XX	330Gal/H(1249L/H)	S	220-240V	0.074CBM/1SET	14.9KG/32.85LB
12515US	330Gal/H(1249L/H)	S	110V	0.077CBM/1SET	16KG/35.28LB
12515CA	330Gal/H(1249L/H)	S	110V	0.077CBM/1SET	15.64KG/34.49LB
12515AU	330Gal/H(1249L/H)	S	220-240V	0.073CBM/1SET	15.03KG/33.14LB

12515: Global market(US/CA/AU excluded), 1 water inlet and 1 water outlet
12515A: US/CA/AU market, 1 water inlet and 2 water outlet
12515XX include 12515EU, 12515FR, 12515DE, 12515GB

10FT x 30IN / (3.05m x 76cm)

WATER CAPACITY(90%): 1158GAL (4383L)

ITEM	FILTER PUMP	FILTER CARTRIDGE	VOLTAGE	CASE PACK	CASE WEIGHT
12254	—	—	—	0.056CBM/1PC	16.64KG/36.69LB
12254A	—	—	—	0.056CBM/1PC	16.64KG/36.69LB
12254XX	330Gal/H(1249L/H)	S	220-240V	0.076CBM/1SET	18.46KG/40.70LB
12254US	330Gal/H(1249L/H)	S	110V	0.105CBM/1SET	19.07KG/42.05LB
12254CA	330Gal/H(1249L/H)	S	110V	0.105CBM/1SET	19.07KG/42.05LB
12254AU	330Gal/H(1249L/H)	S	220-240V	0.105CBM/1SET	19.07KG/42.05LB

12254 :Global market (US/CA/AU excluded), 1 water inlet and 1 water outlet
12254A:US/CA/AU market, 1 water inlet and 2 water outlet
12254XX include 12254EU, 12254FR, 12254DE, 12254GB

FRAME ROUND POOLS



LAMI-TECH™ MATERIAL
Engineered for high strength with dense materials for superior weather resistance and long-lasting durability.



TRI-SHIELD™
3-layer anti-rust steel frame for reliable outdoor durability.



TriForce Connect™



PACKAGING
White box with color sticker with shrink film

Corrosion-resistant construction for reliable performance in long-term outdoor and poolside applications.

Repair Kit: Supplied with a repair kit to support on-site maintenance and extended service life.

No Tools Required: Designed for straightforward assembly without the need for specialized tools.

15 Mins Easy Installation: Efficient installation process, typically completed within 15 minutes.

12FT x 30IN / (3.66m x 76cm)

WATER CAPACITY(90%): 1617GAL (6125L)

ITEM	FILTER PUMP	FILTER CARTRIDGE	VOLTAGE	CASE PACK	CASE WEIGHT
12434	—	—	—	0.094CBM/1PC	21.03KG/46.37LB
12434A	—	—	—	0.094CBM/1PC	21.03KG/46.37LB
12434XX	330Gal/H(1249L/H)	S	220-240V	0.122CBM/1SET	23.3KG/51.38LB
12434FR	330Gal/H(1249L/H)	S	220-240V	0.160CBM/1SET	23.3KG/51.38LB
12434US	330Gal/H(1249L/H)	S	110V	0.160CBM/1SET	23.3KG/51.38LB
12434CA	330Gal/H(1249L/H)	S	110V	0.160CBM/1SET	22.8KG/50.27LB
12434AU	330Gal/H(1249L/H)	S	220-240V	0.160CBM/1SET	22.4KG/49.39LB

12434: Global market (US/CA/AU excluded), 1 water inlet and 1 water outlet
12434A:US/CA/AU market, 1 water inlet and 2 water outlet
12434XX include 12434EU, 12434DE, 12434GB

12FT x 39.5IN / (3.66m x 100cm)

WATER CAPACITY(90%): 2328GAL(8812L)

ITEM	FILTER PUMP	FILTER CARTRIDGE	VOLTAGE	SAFETY LADDER	STD LADDER	CASE PACK	CASE WEIGHT
12427	—	—	—	—	—	0.130CBM/1PC	25KG/55.13LB
12427A	—	—	—	—	—	0.130CBM/1PC	25KG/55.13LB
12427XX	530Gal/H(2006L/H)	M	220-240V	√	—	0.238CBM/1SET	35.13KG/77.46LB
12427US	530Gal/H(2006L/H)	L	110V	—	√	0.238CBM/1SET	41.5KG/91.51LB
12427CA	530Gal/H(2006L/H)	L	110V	—	√	0.238CBM/1SET	41.5KG/91.51LB
12427AU	530Gal/H(2006L/H)	M	220-240V	—	√	0.238CBM/1SET	41.5KG/91.51LB

12427: Global market (US/CA/AU excluded), 1 water inlet and 1 water outlet
12427A: US/CA/AU market, 1 water inlet and 2 water outlet
12427XXinclude: 12427EU, 12427FR, 12427DE, 12427GB



FRAME PLUS ROUND
POOL SERIES

The Frame Plus Round Pool Series delivers spacious, versatile outdoor fun, Built with our premium TRI-SHIELD™ protection system, each pool features double-galvanized frames for long-lasting rust resistance, paired with the TriForce Connect™ Lock System and oval frame design for exceptional structural strength and stability.



LAMI-TECH™ MATERIAL
Engineered for high strength with dense materials for superior weather resistance and long-lasting durability.



MAX-SHIELD™
Heavy-duty steel frame for enhanced stability and larger pool support.



TriForce Connect™



30 IN. / 76 CM			39.5 - 48 IN. / 100 - 122 CM		33 - 42 IN. / 84 - 107 CM		48 IN. / 122 CM	42 - 48 IN. / 107 - 122 CM	
12ft x 30in/ 3,66m x 76cm PG.38	10ft x 30in/ 3,05m x 76cm PG.40	12ft x 30in/ 3,66m x 76cm PG.40	12ft x 39,5in/ 3,66m x 100cm PG.41	12ft x 48in/ 3,66m x 122cm PG.41	14ft x 33in/ 4,27m x 84cm PG.41	14ft x 42in/ 4,27m x 107cm PG.41	14ft x 48in/ 4,27m x 122cm PG.42	15ft x 42in/ 4,57m x 107cm PG.42	15ft x 48in/ 4,57m x 122cm PG.42

30 IN. / 76 CM		39.5 IN. / 100 CM	48 IN. / 122 CM	33 - 42 IN. / 84 - 107 CM		48 IN. / 122 CM	42 IN. / 107 CM	48 IN. / 122 CM
10ft x 30in/ 3,05m x 76cm PG.44	12ft x 30in/ 3,66m x 76cm PG.44	12ft x 39,5in/ 3,66m x 100cm PG.45	12ft x 48in/ 3,66m x 122cm PG.45	14ft x 33in/ 4,27m x 84cm PG.45	14ft x 42in/ 4,27m x 107cm PG.45	14ft x 48in/ 4,27m x 122cm PG.46	15ft x 42in/ 4,57m x 107cm PG.46	15ft x 48in/ 4,57m x 122cm PG.46

Advanced anti-corrosion technology ensures stable performance in humid and chemically treated pool environments.

Repair Kit:Supplied with a repair kit to support on-site maintenance and extended service life.

No Tools Required: Designed for straightforward assembly without the need for specialized tools.

FRAME PLUS ROUND POOLS

LAMI-TECH™ MATERIAL
Engineered for high strength with dense materials for superior weather resistance and long-lasting durability.



MAX-SHIELD™
Heavy-duty steel frame for enhanced stability and larger pool support.



TriForce Connect™



PACKAGING
1. White box with color sticker with shrink film
2. White box with color sticker, outer carton

12FT x 30IN / (3.66m x 76cm)
WATER CAPACITY(90%): 1786GAL(6765L)

ITEM	FILTER PUMP	FILTER CARTRIDGE	VOLTAGE	CASE PACK	CASE WEIGHT
12016EU	330Gal/H(1249L/H)	S	220-240V	0.107CBM/1SET	25.5KG/56.23LB

Advanced anti-corrosion technology ensures stable performance in humid and chemically treated pool environments.

Repair Kit: Supplied with a repair kit to support on-site maintenance and extended service life.

No Tools Required: Designed for straightforward assembly without the need for specialized tools.

20 Mins Easy Installation: Efficient installation process, typically completed within 20 minutes.

OUTER WALL
CLASSIC BLUE

INNER WALL



FRAME PLUS ROUND POOLS



LAMI-TECH™ MATERIAL
Engineered for high strength with dense materials for superior weather resistance and long-lasting durability.





MAX-SHIELD™
Heavy-duty steel frame for enhanced stability and larger pool support.



TriForce Connect™



PACKAGING
1. White box with color sticker with shrink film
2. White box with color sticker, outer carton

Advanced anti-corrosion technology ensures stable performance in humid and chemically treated pool environments.

Repair Kit: Supplied with a repair kit to support on-site maintenance and extended service life.

No Tools Required: Designed for straightforward assembly without the need for specialized tools.

20 Mins Easy Installation: Efficient installation process, typically completed within 20 minutes.

10FT x 30IN / (3.05M x 76CM)

WATER CAPACITY(90%): 1235GAL(4672L)

ITEM	FILTER PUMP	FILTER CARTRIDGE	VOLTAGE	CASE PACK	CASE WEIGHT
12015V63	—	—	—	0.077CBM/1PC	18.2KG/40.13LB
12015AV63	—	—	—	0.077CBM/1PC	18.2KG/40.13LB
12015XXV63	330Gal/H(1249L/H)	S	220-240V	0.096CBM/1SET	20.5KG/45.20LB
12015USV63	330Gal/H(1249L/H)	S	110V	0.096CBM/1SET	20.79KG/45.84LB
12015CAV63	330Gal/H(1249L/H)	S	110V	0.096CBM/1SET	20.79KG/45.84LB
12015AUV63	330Gal/H(1249L/H)	S	220-240V	0.096CBM/1SET	20.79KG/45.84LB

12015V63: Global market(US/ CA/ AU Excluded), 1 water inlet and 1 water outlet
12015AV63: US/ CA/ AU market, 1 water inlet and 2 water outlet
12015XXV63 include 12015EUV63,12015FRV63, 12015DEV63, 12015GBV63

12FT x 30IN / (3.66M x 76CM)


WATER CAPACITY(90%): 1786GAL(6765L)

ITEM	FILTER PUMP	FILTER CARTRIDGE	VOLTAGE	CASE PACK	CASE WEIGHT
12016V63	—	—	—	0.088CBM/1PC	23.5KG/51.82LB
12016AV63	—	—	—	0.088CBM/1PC	24KG/52.92LB
12016XXV63	330Gal/H(1249L/H)	S	220-240V	0.107CBM/1SET	24.5KG/54.02LB
12016USV63	330Gal/H(1249L/H)	S	110V	0.107CBM/1SET	24.59KG/54.22LB
12016CAV63	330Gal/H(1249L/H)	S	110V	0.107CBM/1SET	24.59KG/54.22LB
12016AUV63	330Gal/H(1249L/H)	S	220-240V	0.107CBM/1SET	24.59KG/54.22LB

12016V63: Global market(US/CA/AU Excluded), 1 water inlet and 1 water outlet
12016AV63: US/CA/AU market, 1 water inlet and 2 water outlet
12016XXV63 include 12016EUV63, 12016FRV63, 12016DEV63, 12016GBV63



OUTER WALL
LIGHT GRAY



INNER WALL





12FT x 39.5IN / (3.66M x 100CM)

WATER CAPACITY(90%): 2329GAL(8816L)

ITEM	FILTER PUMP	FILTER CARTRIDGE	VOLTAGE	SAFETY LADDER	STD LADDER	CASE PACK	CASE WEIGHT
12336V63	—	—	—	—	—	0.102CBM/1PC	29.18KG/64.34LB
12336AV63	—	—	—	—	—	0.102CBM/1PC	29.18KG/64.34LB
12336XXV63	530Gal/H(2006L/H)	M	220-240V	√	—	0.202CBM/1SET	42.39KG/93.47LB
12336RUV63	530Gal/H(2006L/H)	M	220-240V	—	√	0.202CBM/1SET	42.39KG/93.47LB
12336USV63	530Gal/H(2006L/H)	L	110V	—	√	0.205CBM/1SET	41.04KG/90.49LB
12336CAV63	530Gal/H(2006L/H)	L	110V	—	√	0.205CBM/1SET	41.04KG/90.49LB
12336AUV63	530Gal/H(2006L/H)	M	220-240V	—	√	0.205CBM/1SET	41.04KG/90.49LB

12336V63: Global market(US/CA/AU Excluded), 1 water inlet and 1 water outlet
12336AV63: US/ CA/ AU market, 1 water inlet and 2 water outlet
12336RUV63:220-240V pump set, standard ladder version
12336XXV63 include 12336EUV63, 12336FRV63, 12336DEV63, 12336GBV63

12FT x 48IN / (3.66M x 122CM)

WATER CAPACITY(90%): 2820GAL(10677L)

ITEM	FILTER PUMP	FILTER CARTRIDGE	VOLTAGE	SAFETY LADDER	STD LADDER	POOL COVER	CASE PACK	CASE WEIGHT
12363V63	—	—	—	—	—	—	0.141CBM/1PC	37.83KG/83.42LB
12363AV63	—	—	—	—	—	—	0.141CBM/1PC	37.83KG/83.42LB
12363XXV63	530Gal/H(2006L/H)	M	220-240V	√	—	√	0.292CBM/1SET	58.34KG/128.64LB
12363USV63	530Gal/H(2006L/H)	L	110V	—	√	√	0.292CBM/1SET	56.3KG/124.14LB
12363CAV63	530Gal/H(2006L/H)	L	110V	—	√	√	0.292CBM/1SET	56.3KG/124.14LB
12363AUV63	530Gal/H(2006L/H)	M	220-240V	—	√	√	0.292CBM/1SET	56.3KG/124.14LB

12363V63: Global market(US/CA/AU Excluded) , 1 water inlet and 1 water outlet
12363AV63: US/ CA/ AU market, 1 water inlet and 2 water outlet
12363XXV63 include 12363EUV63, 12363FRV63, 12363DEV63, 12363GBV63

14FT x 33IN / (4.27M x 84CM)

WATER CAPACITY(90%): 2859GAL(10825L)

ITEM	FILTER PUMP	FILTER CARTRIDGE	VOLTAGE	CASE PACK	CASE WEIGHT
12022V63	—	—	—	0.126CBM/1PC	35.92KG/79.20LB
12022AV63	—	—	—	0.126CBM/1PC	36.4KG/80.26LB
12022XXV63	530Gal/H(2006L/H)	M	220-240V	0.162CBM/1SET	38.24KG/84.32LB
12022USV63	530Gal/H(2006L/H)	L	110V	0.165CBM/1SET	39.24KG/86.52LB
12022CAV63	530Gal/H(2006L/H)	L	110V	0.165CBM/1SET	39.24KG/86.52LB
12022AUV63	530Gal/H(2006L/H)	M	220-240V	0.165CBM/1SET	39.24KG/86.52LB

12022V63: Global market(US/CA/AU Excluded), 1 water inlet and 1 water outlet
12022AV63: US/ CA/ AU market, 1 water inlet and 2 water outlet
12022XXV63 include 12022EUV63, 12022FRV63, 12022DEV63, 12022GBV63

14FT x 42IN / (4.27M x 107CM)

WATER CAPACITY(90%): 3341GAL(12650L)

ITEM	FILTER PUMP	FILTER CARTRIDGE	VOLTAGE	SAFETY LADDER	STD LADDER	POOL COVER	CASE PACK	CASE WEIGHT
12270XXV63	800Gal/H(3028L/H)	M	220-240V	√	—	√	0.326CBM/1SET	66.02KG/145.57LB
12270RUV63	800Gal/H(3028L/H)	M	220-240V	—	√	√	0.310CBM/1SET	66.02KG/145.57LB
12270USV63	800Gal/H(3028L/H)	L	110V	—	√	√	0.310CBM/1SET	66.02KG/145.57LB
12270CAV63	800Gal/H(3028L/H)	L	110V	—	√	√	0.310CBM/1SET	66.02KG/145.57LB
12270AUV63	800Gal/H(3028L/H)	M	220-240V	—	√	√	0.310 CBM/1SET	66.02KG/145.57LB

12270RUV63 :220-240V pump set, standard ladder version
12270XXV63 include 12270EUV63 , 12270FRV63, 12270DEV63, 12270GBV63

14FT x 48IN / (4.27M x 122CM)

WATER CAPACITY(90%): 3809GAL(14418L)

ITEM	FILTER PUMP	FILTER CARTRIDGE	VOLTAGE	SAFETY LADDER	STD LADDER	POOL COVER	CASE PACK	CASE WEIGHT
12437XXV63	800Gal/H(3028L/H)	M	220-240V	√	—	√	0.337CBM/1SET	69.7KG/153.69LB
12437USV63	800Gal/H(3028L/H)	L	110V	—	√	√	0.337CBM/1SET	80KG/176.40LB
12437CAV63	800Gal/H(3028L/H)	L	110V	—	√	√	0.337CBM/1SET	80KG/176.40LB
12437AUV63	800Gal/H(3028L/H)	M	220-240V	—	√	√	0.337CBM/1SET	80KG/176.40LB

12437XXV63 include 12437EUV63, 12437FRV63, 12437DEV63, 12437GBV63

15FT x 42IN / (4.57M x 107CM)

WATER CAPACITY(90%): 3892GAL(14736L)

ITEM	FILTER PUMP	FILTER CARTRIDGE	VOLTAGE	SAFETY LADDER	STD LADDER	POOL COVER	CASE PACK	CASE WEIGHT
12268XXV63	800Gal/H(3028L/H)	M	220-240V	√	—	√	0.326CBM/1SET	70.57KG/155.61LB
12268RUV63	800Gal/H(3028L/H)	M	220-240V	—	√	√	0.310CBM/1SET	70.57KG/155.61LB
12268USV63	800Gal/H(3028L/H)	L	110V	—	√	√	0.310CBM/1SET	70.57KG/155.61LB
12268CAV63	800Gal/H(3028L/H)	L	110V	—	√	√	0.310CBM/1SET	70.57KG/155.61LB
12268AUV63	800Gal/H(3028L/H)	M	220-240V	—	√	√	0.310CBM/1SET	70.57KG/155.61LB

12268RUV63:220-240V pump set, standard ladder version
12268XXV63 include 12268EUV63, 12268FRV63, 12268DEV63, 12268GBV63

15FT x 48IN / (4.57M x 122CM)

WATER CAPACITY(90%):4436GAL(16800L)

ITEM	FILTER PUMP	FILTER CARTRIDGE	VOLTAGE	SAFETY LADDER	STD LADDER	POOL COVER	CASE PACK	CASE WEIGHT
12439XXV63	800Gal/H(3028L/H)	M	220-240V	√	—	√	0.337CBM/1SET	75.55KG/166.59LB
12439USV63	800Gal/H(3028L/H)	L	110V	—	√	√	0.337CBM/1SET	75.65KG/166.81LB
12439CAV63	800Gal/H(3028L/H)	L	110V	—	√	√	0.337CBM/1SET	85KG/187.43LB
12439AUV63	800Gal/H(3028L/H)	M	220-240V	—	√	√	0.337CBM/1SET	85KG/187.43LB

12439XXV63 include 12439EUV63, 12439FRV63, 12439DEV63, 12439GBV63

FRAME PLUS ROUND POOLS



LAMI-TECH™ MATERIAL
Engineered for high strength with dense materials for superior weather resistance and long-lasting durability.





MAX-SHIELD™
Heavy-duty steel frame for enhanced stability and larger pool support.



TriForce Connect™



PACKAGING
1. White box with color sticker with shrink film
2. White box with color sticker, outer carton

Advanced anti-corrosion technology ensures stable performance in humid and chemically treated pool environments.

Repair Kit: Supplied with a repair kit to support on-site maintenance and extended service life.

No Tools Required: Designed for straightforward assembly without the need for specialized tools.

20 Mins Easy Installation: Efficient installation process, typically completed within 20 minutes.

10FT x 30IN / (3.05M x 76CM)

WATER CAPACITY(90%): 1235GAL(4672L)

ITEM	FILTER PUMP	FILTER CARTRIDGE	VOLTAGE	CASE PACK	CASE WEIGHT
12015V64	—	—	—	0.077CBM/1PC	18.24KG/40.22LB
12015AV64	—	—	—	0.077CBM/1PC	18.24KG/40.22LB
12015XXV64	330Gal/H(1249L/H)	S	220-240V	0.096CBM/1SET	20.5KG/45.20LB
12015USV64	330Gal/H(1249L/H)	S	110V	0.096CBM/1SET	20.79KG/45.84LB
12015CAV64	330Gal/H(1249L/H)	S	110V	0.096CBM/1SET	20.79KG/45.84LB
12015AUV64	330Gal/H(1249L/H)	S	220-240V	0.096CBM/1SET	20.79KG/45.84LB

12015V64: Global market(US/ CA/ AU Excluded), 1 water inlet and 1 water outlet
12015AV64: US/ CA/ AU market, 1 water inlet and 2 water outlet
12015XXV64 include 12015EUV64, 12015FRV64, 12015DEV64, 12015GBV64

12FT x 30IN / (3.66M x 76CM)

WATER CAPACITY(90%): 1786GAL(6765L)

ITEM	FILTER PUMP	FILTER CARTRIDGE	VOLTAGE	CASE PACK	CASE WEIGHT
12016V64	—	—	—	0.088CBM/1PC	23.5KG/51.82LB
12016AV64	—	—	—	0.088CBM/1PC	24KG/52.92LB
12016XXV64	330Gal/H(1249L/H)	S	220-240V	0.107CBM/1SET	24.5KG/54.02LB
12016USV64	330Gal/H(1249L/H)	S	110V	0.107CBM/1SET	24.59KG/54.22LB
12016CAV64	330Gal/H(1249L/H)	S	110V	0.107CBM/1SET	24.59KG/54.22LB
12016AUV64	330Gal/H(1249L/H)	S	220-240V	0.107CBM/1SET	24.59KG/54.22LB

12016V64: Global market(US/CA/AU Excluded), 1 water inlet and 1 water outlet
12016AV64: US/CA/AU market, 1 water inlet and 2 water outlet
12016XXV64 include 12016EUV64, 12016FRV64, 12016DEV64, 12016GBV64



OUTER WALL
BLACK WOOD



INNER WALL





12FT x 39.5IN / (3.66M x 100CM)

WATER CAPACITY(90%): 2329GAL(8816L)

ITEM	FILTER PUMP	FILTER CARTRIDGE	VOLTAGE	SAFETY LADDER	STD LADDER	CASE PACK	CASE WEIGHT
12336V64	—	—	—	—	—	0.102CBM/1PC	29.18KG/64.34LB
12336AV64	—	—	—	—	—	0.102CBM/1PC	29.18KG/64.34LB
12336XXV64	530Gal/H(2006L/H)	M	220-240V	√	—	0.202CBM/1SET	42.39KG/93.47LB
12336RUV64	530Gal/H(2006L/H)	M	220-240V	—	√	0.202CBM/1SET	42.39KG/93.47LB
12336USV64	530Gal/H(2006L/H)	L	110V	—	√	0.205CBM/1SET	41.04KG/90.49LB
12336CAV64	530Gal/H(2006L/H)	L	110V	—	√	0.205CBM/1SET	41.04KG/90.49LB
12336AUV64	530Gal/H(2006L/H)	M	220-240V	—	√	0.205CBM/1SET	41.04KG/90.49LB

12336V64: Global market(US/CA/AU Excluded), 1 water inlet and 1 water outlet
12336AV64: US/ CA/ AU market, 1 water inlet and 2 water outlet
12336RUV64:220-240V pump set, standard ladder version
12336XXV64 include 12336EUV64, 12336FRV64, 12336DEV64, 12336GBV64

12FT x 48IN / (3.66M x 122CM)

WATER CAPACITY(90%): 2820GAL(10677L)

ITEM	FILTER PUMP	FILTER CARTRIDGE	VOLTAGE	SAFETY LADDER	STD LADDER	POOL COVER	CASE PACK	CASE WEIGHT
12363V64	—	—	—	—	—	—	0.141CBM/1PC	37.83KG/83.42LB
12363AV64	—	—	—	—	—	—	0.141CBM/1PC	37.83KG/83.42LB
12363XXV64	530Gal/H(2006L/H)	M	220-240V	√	—	√	0.292CBM/1SET	58.34KG/128.64LB
12363USV64	530Gal/H(2006L/H)	L	110V	—	√	√	0.292CBM/1SET	56.3KG/124.14LB
12363CAV64	530Gal/H(2006L/H)	L	110V	—	√	√	0.292CBM/1SET	56.3KG/124.14LB
12363AUV64	530Gal/H(2006L/H)	M	220-240V	—	√	√	0.292CBM/1SET	56.3KG/124.14LB

12363V64: Global market(US/CA/AU Excluded), 1 water inlet and 1 water outlet
12363AV64: US/ CA/ AU market, 1 water inlet and 2 water outlet
12363XXV64 include 12363EUV64, 12363FRV64, 12363DEV64, 12363GBV64

14FT x 33IN / (4.27M x 84CM)

WATER CAPACITY(90%): 2859GAL(10825L)

ITEM	FILTER PUMP	FILTER CARTRIDGE	VOLTAGE	CASE PACK	CASE WEIGHT
12022V64	—	—	—	0.126CBM/1PC	35.92KG/79.20LB
12022AV64	—	—	—	0.126CBM/1PC	36.4KG/80.26LB
12022XXV64	530Gal/H(2006L/H)	M	220-240V	0.162CBM/1SET	38.24KG/84.32LB
12022USV64	530Gal/H(2006L/H)	L	110V	0.165CBM/1SET	39.24KG/86.52LB
12022CAV64	530Gal/H(2006L/H)	L	110V	0.165CBM/1SET	39.24KG/86.52LB
12022AUV64	530Gal/H(2006L/H)	M	220-240V	0.165CBM/1SET	39.24KG/86.52LB

12022V64: Global market(US/CA/AU Excluded), 1 water inlet and 1 water outlet
12022AV64: US/ CA/ AU market, 1 water inlet and 2 water outlet
12022XXV64 include 12022EUV64, 12022FRV64, 12022DEV64, 12022GBV64

14FT x 42IN / (4.27M x 107CM)

WATER CAPACITY(90%): 3341GAL(12650L)

ITEM	FILTER PUMP	FILTER CARTRIDGE	VOLTAGE	SAFETY LADDER	STD LADDER	POOL COVER	CASE PACK	CASE WEIGHT
12270XXV64	800Gal/H(3028L/H)	M	220-240V	√	—	√	0.326CBM/1SET	66.02KG/145.57LB
12270RUV64	800Gal/H(3028L/H)	M	220-240V	—	√	√	0.310CBM/1SET	66.02KG/145.57LB
12270USV64	800Gal/H(3028L/H)	L	110V	—	√	√	0.310CBM/1SET	66.02KG/145.57LB
12270CAV64	800Gal/H(3028L/H)	L	110V	—	√	√	0.310CBM/1SET	66.02KG/145.57LB
12270AUV64	800Gal/H(3028L/H)	M	220-240V	—	√	√	0.310 CBM/1SET	66.02KG/145.57LB

12270RUV64:220-240V pump set, standard ladder version
12270XXV64 include 12270EUV64, 12270FRV64, 12270DEV64, 12270GBV64

14FT x 48IN / (4.27M x 122CM)

WATER CAPACITY(90%): 3809GAL(14418L)

ITEM	FILTER PUMP	FILTER CARTRIDGE	VOLTAGE	SAFETY LADDER	STD LADDER	POOL COVER	CASE PACK	CASE WEIGHT
12437XXV64	800Gal/H(3028L/H)	M	220-240V	√	—	√	0.337CBM/1SET	80KG/176.40LB
12437USV64	800Gal/H(3028L/H)	L	110V	—	√	√	0.337CBM/1SET	80KG/176.40LB
12437CAV64	800Gal/H(3028L/H)	L	110V	—	√	√	0.337CBM/1SET	80KG/176.40LB
12437AUV64	800Gal/H(3028L/H)	M	220-240V	—	√	√	0.337CBM/1SET	80KG/176.40LB

12437XXV64 include 12437EUV64, 12437FRV64, 12437DEV64, 12437GBV64

15FT x 42IN / (4.57M x 107CM)

WATER CAPACITY(90%): 3892GAL(14736L)

ITEM	FILTER PUMP	FILTER CARTRIDGE	VOLTAGE	SAFETY LADDER	STD LADDER	POOL COVER	CASE PACK	CASE WEIGHT
12268XXV64	800Gal/H(3028L/H)	M	220-240V	√	—	√	0.326CBM/1SET	70.57KG/155.61LB
12268RUV64	800Gal/H(3028L/H)	M	220-240V	—	√	√	0.310CBM/1SET	70.57KG/155.61LB
12268USV64	800Gal/H(3028L/H)	L	110V	—	√	√	0.310CBM/1SET	70.57KG/155.61LB
12268CAV64	800Gal/H(3028L/H)	L	110V	—	√	√	0.310CBM/1SET	70.57KG/155.61LB
12268AUV64	800Gal/H(3028L/H)	M	220-240V	—	√	√	0.310CBM/1SET	70.57KG/155.61LB

12268RUV64:220-240V pump set, standard ladder version
12268XXV64 include 12268EUV64, 12268FRV64, 12268DEV64, 12268GBV64

15FT x 48IN / (4.57M x 122CM)

WATER CAPACITY(90%):4436GAL(16800L)

ITEM	FILTER PUMP	FILTER CARTRIDGE	VOLTAGE	SAFETY LADDER	STD LADDER	POOL COVER	CASE PACK	CASE WEIGHT
12439XXV64	800Gal/H(3028L/H)	M	220-240V	√	—	√	0.337CBM/1SET	73.02KG/161.01LB
12439USV64	800Gal/H(3028L/H)	L	110V	—	√	√	0.337CBM/1SET	72.32KG/159.47LB
12439CAV64	800Gal/H(3028L/H)	L	110V	—	√	√	0.337CBM/1SET	72.32KG/159.47LB
12439AUV64	800Gal/H(3028L/H)	M	220-240V	—	√	√	0.337CBM/1SET	71.49KG/157.64LB

12439XXV64 include 12439EUV64, 12439FRV64, 12439DEV64, 12439GBV64

FRAME PLUS CLEAN VIEW
POOL SERIES

Frame Plus Clean View Above-Ground Pool Series.

Featuring MAX-SHIELD™ rust-resistant steel frame, clean view transparent side window for unobstructed views & safety monitoring, tool-free quick setup, and multi-shape options for backyard family fun.



LAMI-TECH™ MATERIAL
Engineered for high strength with dense materials for superior weather resistance and long-lasting durability.



MAX-SHIELD™
Heavy-duty steel frame for enhanced stability and larger pool support.



TriForce Connect™

Advanced anti-corrosion technology ensures stable performance in humid and chemically treated pool environments.

Repair Kit: Supplied with a repair kit to support on-site maintenance and extended service life.

No Tools Required: Designed for straightforward assembly without the need for specialized tools.

20 Mins Easy Installation: Efficient installation process, typically completed within 20 minutes.

33 IN. / 84 CM	48 IN. / 122 CM
14ft x 33in/ 4.27m x 84cm PG.50	15ft x 48in/ 4.57m x 122cm PG.52

FRAME PLUS CLEAN VIEW POOLS



LAMI-TECH™ MATERIAL
Engineered for high strength with dense materials for superior weather resistance and long-lasting durability.





MAX-SHIELD™
Heavy-duty steel frame for enhanced stability and larger pool support.



TriForce Connect™



PACKAGING
White box with color sticker with shrink film

Advanced anti-corrosion technology ensures stable performance in humid and chemically treated pool environments.

Repair Kit: Supplied with a repair kit to support on-site maintenance and extended service life.


No Tools Required: Designed for straightforward assembly without the need for specialized tools.

20 Mins Easy Installation: Efficient installation process, typically completed within 20 minutes.

14FT x 33IN / (4.27M x 84CM)
WATER CAPACITY(90%): 2859GAL(10825L)

ITEM	FILTER PUMP	FILTER CARTRIDGE	VOLTAGE	CASE PACK	CASE WEIGHT
12022V91	—	—	—	0.192CBM/1PC	35.3KG/77.84LB
12022AV91	—	—	—	0.192CBM/1PC	35.3KG/77.84LB
12022XXV91	530Gal/H(1136L/H)	M	220-240V	0.254CBM/1SET	38.24KG/84.32LB
12022USV91	530Gal/H(1136L/H)	L	110V	0.264CBM/1SET	39.22KG/86.48LB
12022CAV91	530Gal/H(1136L/H)	L	110V	0.264CBM/1SET	39.22KG/86.48LB
12022AUV91	530Gal/H(1136L/H)	M	220-240V	0.264CBM/1SET	39.22KG/86.48LB

12022V91: Global market(US/CA/AU Excluded), 1 water inlet and 1 water outlet
12022AV91:US/CA/AU market, 1 water inlet and 2 water outlet
12022XXV91 include 12022EUV91, 12022FRV91, 12022DEV91, 12022GBV91



OUTER WALL
BLACK MARBLE



INNER WALL



PORTHOLES ×2

- Swim underwater and enjoy looking at your garden at the same time.
- The portholes also add another way to monitor the swimmers in the pool from the outside.



FRAME PLUS CLEAN VIEW POOLS



LAMI-TECH™ MATERIAL
Engineered for high strength with dense materials for superior weather resistance and long-lasting durability.





MAX-SHIELD™
Heavy-duty steel frame for enhanced stability and larger pool support.



TriForce Connect™



PACKAGING
White box with color sticker with shrink film

Advanced anti-corrosion technology ensures stable performance in humid and chemically treated pool environments.

Repair Kit: Supplied with a repair kit to support on-site maintenance and extended service life.

No Tools Required: Designed for straightforward assembly without the need for specialized tools.

20 Mins Easy Installation: Efficient installation process, typically completed within 20 minutes.

15FT x 48IN / (4.57M x 122CM)

WATER CAPACITY(90%):4436GAL(16800L)

ITEM	FILTER PUMP	FILTER CARTRIDGE	VOLTAGE	SAFETY LADDER	STD LADDER	POOL COVER	CASE PACK	CASE WEIGHT
12439XXV65	800Gal/H(3028L/H)	M	220-240V	√	—	√	0.433CBM/1SET	73.02KG/161.01LB
12439RUV65	800Gal/H(3028L/H)	M	220-240V	—	√	√	0.433CBM/1SET	73.02KG/161.01LB
12439USV65	800Gal/H(3028L/H)	L	110V	—	√	√	0.433CBM/1SET	73.02KG/161.01LB
12439CAV65	800Gal/H(3028L/H)	L	110V	—	√	√	0.433CBM/1SET	73.02KG/161.01LB
12439AUV65	800Gal/H(3028L/H)	M	220-240V	—	√	√	0.433CBM/1SET	73.02KG/161.01LB

12439XXV65 include 12439EUV65, 12439FRV65, 12439DEV65, 12439GBV65
12439RUV65: 220-240V pump set, standard ladder version



OUTER WALL
BROWN WOOD



INNER WALL



PORTHOLES ×2

- Swim underwater and enjoy looking at your garden at the same time.
- The portholes also add another way to monitor the swimmers in the pool from the outside.



CLIMB-RESISTANT SAFETY DEVICE
Included only with pools 122 cm / 48 in and above.


Fiber Fit Frame™
POOL SERIES

Built with patented Fiber Fit Frame™ technology for exceptional corrosion resistance and unmatched long-term durability.


This series features a tool-less design for effortless, time-saving installation, letting you spend less time setting up and more time enjoying carefree summer fun in your backyard.



LAMI-TECH™ MATERIAL
Engineered for high strength with dense materials for superior weather resistance and long-lasting durability.



Fiber Fit Frame™
Lightweight fiberglass frame, corrosion-free and easy to assemble.



TriForce Connect™



30 IN. / 76 CM		39.5 - 48 IN. / 100 - 122 CM		33 - 48 IN. / 84 - 122 CM		42 - 48 IN. / 107 - 122 CM	
10ft x 30in/ 3,05m x 76cm PG.56	12ft x 30in/ 3,66m x 76cm PG.57	12ft x 39,5in/ 3,66m x 100cm PG.57	12ft x 48in/ 3,66m x 122cm PG.57	14ft x 33in/ 4,27m x 84cm PG.58	14ft x 48in/ 4,27m x 122cm PG.58	15ft x 42in/ 4,57m x 107cm PG.58	15ft x 48in/ 4,57m x 122cm PG.58
10ft x 30in/ 3,05m x 76cm PG.60	12ft x 30in/ 3,66m x 76cm PG.61	12ft x 39,5in/ 3,66m x 100cm PG.61	12ft x 48in/ 3,66m x 122cm PG.61	14ft x 33in/ 4,27m x 84cm PG.62	14ft x 48in/ 4,27m x 122cm PG.62	15ft x 42in/ 4,57m x 107cm PG.62	15ft x 48in/ 4,57m x 122cm PG.62



Advanced anti-corrosion technology ensures stable performance in humid and chemically treated pool environments.



No Tools Required: Designed for straightforward assembly without the need for specialized tools.



Repair Kit:Supplied with a repair kit to support on-site maintenance and extended service life.



20 Mins Easy Installation:Efficient installation process,typically completed within 20 minutes.

Fiber Fit Frame™ POOLS



LAMI-TECH™ MATERIAL
Engineered for high strength with dense materials for superior weather resistance and long-lasting durability.



Fiber Fit Frame™
Lightweight fiberglass frame, corrosion-free and easy to assemble.



TriForce Connect™



PACKAGING
White box with color sticker with shrink film

Advanced anti-corrosion technology ensures stable performance in humid and chemically treated pool environments.

Repair Kit: Supplied with a repair kit to support on-site maintenance and extended service life.

No Tools Required: Designed for straightforward assembly without the need for specialized tools.

20 Mins Easy Installation: Efficient installation process, typically completed within 20 minutes.



10FT x 30IN / (3.05M x 76CM)

WATER CAPACITY(90%): 1235GAL(4672L)

ITEM	FILTER PUMP	FILTER CARTRIDGE	VOLTAGE	CASE PACK	CASE WEIGHT
12247V54	—	—	—	0.089CBM/1PC	21.92KG/48.33LB
12247AV54	—	—	—	0.089CBM/1PC	22KG/48.51LB
12247XXV54	330Gal/H(1249L/H)	S	220-240V	0.110CBM/1SET	23.6KG/52.04LB
12247USV54	330Gal/H(1249L/H)	S	110V	0.110CBM/1SET	21.5KG/47.41LB
12247CAV54	330Gal/H(1249L/H)	S	110V	0.110CBM/1SET	21.5KG/47.41LB
12247AUV54	330Gal/H(1249L/H)	S	220-240V	0.110CBM/1SET	21.5KG/47.41LB

12247V54: Global market(US/ CA/ AU Excluded), 1 water inlet and 1 water outlet
12247AV54: US/ CA/ AU market, 1 water inlet and 2 water outlet
12247XXV54 include 12247EUV54, 12247FRV54, 12247DEV54, 12247GBV54



OUTER WALL
BROWN WOOD



INNER WALL



12FT x 30IN / (3.66M x 76CM)

WATER CAPACITY(90%): 1786GAL(6765L)

ITEM	FILTER PUMP	FILTER CARTRIDGE	VOLTAGE	CASE PACK	CASE WEIGHT
12248V54	—	—	—	0.099CBM/1PC	25.35KG/55.90LB
12248AV54	—	—	—	0.099CBM/1PC	25.4KG/56.01LB
12248XXV54	330Gal/H(1249L/H)	S	220-240V	0.127CBM/1SET	25.5KG/56.23LB
12248USV54	330Gal/H(1249L/H)	S	110V	0.127CBM/1SET	25.5KG/56.23LB
12248CAV54	330Gal/H(1249L/H)	S	110V	0.127CBM/1SET	25.5KG/56.23LB
12248AUV54	330Gal/H(1249L/H)	S	220-240V	0.127CBM/1SET	25.5KG/56.23LB

12248V54: Global market(US/ CA/ AU Excluded), 1 water inlet and 1 water outlet
12248AV54: US/ CA/ AU market, 1 water inlet and 2 water outlet
12248XXV54 include 12248EUV54, 12248FRV54, 12248DEV54, 12248GBV54

12FT x 39.5IN / (3.66M x 100CM)

WATER CAPACITY(90%):2329GAL(8816L)

ITEM	FILTER PUMP	FILTER CARTRIDGE	VOLTAGE	SAFETY LADDER	STD LADDER	CASE PACK	CASE WEIGHT
12419V54	—	—	—	—	—	0.119CBM/1PC	28.6KG/63.06LB
12419AV54	—	—	—	—	—	0.119CBM/1PC	28.6KG/63.06LB
12419XXV54	530Gal/H(2006L/H)	M	220-240V	√	—	0.207CBM/1SET	40.7KG/89.74LB
12419RUV54	530Gal/H(2006L/H)	M	220-240V	—	√	0.198CBM/1SET	38.9KG/85.77LB
12419USV54	530Gal/H(2006L/H)	L	110V	—	√	0.198CBM/1SET	39.9KG/87.98LB
12419CAV54	530Gal/H(2006L/H)	L	110V	—	√	0.198CBM/1SET	39.9KG/87.98LB
12419AUV54	530Gal/H(2006L/H)	M	220-240V	—	√	0.198CBM/1SET	39.9KG/87.98LB

12419V54: Global market(US/ CA/ AU Excluded), 1 water inlet and 1 water outlet
12419AV54: US/ CA/ AU market, 1 water inlet and 2 water outlet
12419RUV54: 220-240V pump set, standard ladder version
12419XXV54 include 12419EUV54, 12419FRV54, 12419DEV54, 12419GBV54

12FT x 48IN / (3.66M x 122CM)

WATER CAPACITY(90%):2820GAL(10677L)

ITEM	FILTER PUMP	FILTER CARTRIDGE	VOLTAGE	SAFETY LADDER	STD LADDER	CASE PACK	CASE WEIGHT
12417V54	—	—	—	—	—	0.153CBM/1PC	37KG/81.59LB
12417AV54	—	—	—	—	—	0.153CBM/1PC	37KG/81.59LB
12417XXV54	530Gal/H(2006L/H)	M	220-240V	√	—	0.308CBM/1SET	58.14KG/128.20LB
12417RUV54	530Gal/H(2006L/H)	M	220-240V	—	√	0.292CBM/1SET	54.5KG/120.17LB
12417USV54	530Gal/H(2006L/H)	L	110V	—	√	0.292CBM/1SET	55.5KG/122.38LB
12417CAV54	530Gal/H(2006L/H)	L	110V	—	√	0.292CBM/1SET	55.5KG/122.38LB
12417AUV54	530Gal/H(2006L/H)	M	220-240V	—	√	0.292CBM/1SET	55.5KG/122.38LB

12417V54: Global market(US/ CA/ AU Excluded), 1 water inlet and 1 water outlet
12417AV54: US/ CA/ AU market, 1 water inlet and 2 water outlet
12417RUV54: 220-240V pump set, standard ladder version
12417XXV54 include 12417EUV54, 12417FRV54, 12417DEV54, 12417GBV54

14FT x 33IN / (4.27M x 84CM)

WATER CAPACITY(90%): 2859GAL(10825L)

ITEM	FILTER PUMP	FILTER CARTRIDGE	VOLTAGE	CASE PACK	CASE WEIGHT
12334V54	—	—	—	0.126CBM/1PC	36.83KG/81.21LB
12334AV54	—	—	—	0.126CBM/1PC	36.83KG/81.21LB
12334XXV54	530Gal/H(2006L/H)	M	220-240V	0.162CBM/1SET	37.32KG/82.29LB
12334USV54	530Gal/H(2006L/H)	L	110V	0.165CBM/1SET	38.67KG/85.27LB
12334CAV54	530Gal/H(2006L/H)	L	110V	0.165CBM/1SET	38.67KG/85.27LB
12334AUV54	530Gal/H(2006L/H)	M	220-240V	0.165CBM/1SET	38.67KG/85.27LB

12334V54: Global market(US/ CA/ AU Excluded), 1 water inlet and 1 water outlet
12334AV54: US/ CA/ AU market, 1 water inlet and 2 water outlet
12334XXV54 include 12334EUV54, 12334FRV54, 12334DEV54, 12334GBV54

14FT x 48IN / (4.27M x 122CM)

WATER CAPACITY(90%): 3809GAL(14418L)

ITEM	FILTER PUMP	FILTER CARTRIDGE	VOLTAGE	SAFETY LADDER	STD LADDER	POOL COVER	CASE PACK	CASE WEIGHT
12445XXV54	800Gal/H(3028L/H)	M	220-240V	√	—	√	0.321CBM/1SET	69.36KG/152.94LB
12445USV54	800Gal/H(3028L/H)	L	110V	—	√	√	0.323CBM/1SET	68.97KG/152.08LB
12445CAV54	800Gal/H(3028L/H)	L	110V	—	√	√	0.323CBM/1SET	68.97KG/152.08LB
12445AUV54	800Gal/H(3028L/H)	M	220-240V	—	√	√	0.323CBM/1SET	68.97KG/152.08LB

12413XXV54 include 12445EUV54, 12445FRV54, 12445DEV54, 12445GBV54

15FT x 42IN / (4.57M x 107CM)

WATER CAPACITY(90%): 3892GAL(14736L)

ITEM	FILTER PUMP	FILTER CARTRIDGE	VOLTAGE	SAFETY LADDER	STD LADDER	POOL COVER	CASE PACK	CASE WEIGHT
12431XXV54	800Gal/H(3028L/H)	M	220-240V	√	—	√	0.291CBM/1SET	66.3KG/146.19LB
12431USV54	800Gal/H(3028L/H)	L	110V	—	√	√	0.291CBM/1SET	66.43KG/146.48LB
12431CAV54	800Gal/H(3028L/H)	L	110V	—	√	√	0.291CBM/1SET	66.43KG/146.48LB
12431AUV54	800Gal/H(3028L/H)	M	220-240V	—	√	√	0.291CBM/1SET	66.43KG/146.48LB

12431XXV54 include 12431EUV54, 12431FRV54, 12431DEV54, 12431GBV54

15FT x 48IN / (4.57M x 122CM)

WATER CAPACITY(90%):4436GAL(16800L)

ITEM	FILTER PUMP	FILTER CARTRIDGE	VOLTAGE	SAFETY LADDER	STD LADDER	POOL COVER	CASE PACK	CASE WEIGHT
12415XXV54	800Gal/H(3028L/H)	M	220-240V	√	—	√	0.385CBM/1SET	70.6KG/155.67LB
12415USV54	800Gal/H(3028L/H)	L	110V	—	√	√	0.385CBM/1SET	69.6KG/153.47LB
12415CAV54	800Gal/H(3028L/H)	L	110V	—	√	√	0.385CBM/1SET	69.6KG/153.47LB
12415AUV54	800Gal/H(3028L/H)	M	220-240V	—	√	√	0.385CBM/1SET	69.6KG/153.47LB

12415XXV54include：12415EUV54, 12415FRV54, 12415DEV54, 12415GBV54

Fiber Fit Frame™ POOLS

LAMI-TECH™ MATERIAL
Engineered for high strength with dense materials for superior weather resistance and long-lasting durability.

Fiber Fit Frame™
Lightweight fiberglass frame, corrosion-free and easy to assemble.

TriForce Connect™



PACKAGING
White box with color sticker with shrink film

Advanced anti-corrosion technology ensures stable performance in humid and chemically treated pool environments.

Repair Kit: Supplied with a repair kit to support on-site maintenance and extended service life.

No Tools Required: Designed for straightforward assembly without the need for specialized tools.

20 Mins Easy Installation: Efficient installation process, typically completed within 20 minutes.



10FT x 30IN / (3.05M x 76CM)

WATER CAPACITY(90%): 1235GAL(4672L)

ITEM	FILTER PUMP	FILTER CARTRIDGE	VOLTAGE	CASE PACK	CASE WEIGHT
12247V56	—	—	—	0.089CBM/1PC	21.92KG/48.33LB
12247AV56	—	—	—	0.089CBM/1PC	22KG/48.51LB
12247XXV56	330Gal/H(1249L/H)	S	220-240V	0.110CBM/1SET	23.6KG/52.04LB
12247USV56	330Gal/H(1249L/H)	S	110V	0.110CBM/1SET	21.5KG/47.41LB
12247CAV56	330Gal/H(1249L/H)	S	110V	0.110CBM/1SET	21.5KG/47.41LB
12247AUV56	330Gal/H(1249L/H)	S	220-240V	0.110CBM/1SET	21.5KG/47.41LB

12247V56: Global market(US/ CA/ AU Excluded), 1 water inlet and 1 water outlet
12247AV56: US/ CA/ AU market, 1 water inlet and 2 water outlet
12247XXV56 include 12247EUV56, 12247FRV56, 12247DEV56, 12247GBV56



OUTER WALL
RETRO BRICK



INNER WALL



CLIMB-RESISTANT SAFETY DEVICE
Included only with pools 122 cm / 48 in and above.

12FT x 30IN / (3.66M x 76CM)

WATER CAPACITY(90%): 1786GAL(6765L)

ITEM	FILTER PUMP	FILTER CARTRIDGE	VOLTAGE	CASE PACK	CASE WEIGHT
12248V56	—	—	—	0.099CBM/1PC	25.35KG/55.90LB
12248AV56	—	—	—	0.099CBM/1PC	25.4KG/56.01LB
12248XXV56	330Gal/H(1249L/H)	S	220-240V	0.127CBM/1SET	25.5KG/56.23LB
12248USV56	330Gal/H(1249L/H)	S	110V	0.127CBM/1SET	25.5KG/56.23LB
12248CAV56	330Gal/H(1249L/H)	S	110V	0.127CBM/1SET	25.5KG/56.23LB
12248AUV56	330Gal/H(1249L/H)	S	220-240V	0.127CBM/1SET	25.5KG/56.23LB

12248V56: Global market(US/ CA/ AU Excluded), 1 water inlet and 1 water outlet
12248AV56: US/ CA/ AU market, 1 water inlet and 2 water outlet
12248XXV56 include 12248EUV56, 12248FRV56, 12248DEV56, 12248GBV56

12FT x 39.5IN / (3.66M x 100CM)

WATER CAPACITY(90%):2329GAL(8816L)

ITEM	FILTER PUMP	FILTER CARTRIDGE	VOLTAGE	SAFETY LADDER	STD LADDER	CASE PACK	CASE WEIGHT
12419V56	—	—	—	—	—	0.119CBM/1PC	28.6KG/63.06LB
12419AV56	—	—	—	—	—	0.119CBM/1PC	28.6KG/63.06LB
12419XXV56	530Gal/H(2006L/H)	M	220-240V	√	—	0.207CBM/1SET	40.7KG/89.74LB
12419RUV56	530Gal/H(2006L/H)	M	220-240V	—	√	0.198CBM/1SET	38.9KG/85.77LB
12419USV56	530Gal/H(2006L/H)	L	110V	—	√	0.198CBM/1SET	39.9KG/87.98LB
12419CAV56	530Gal/H(2006L/H)	L	110V	—	√	0.198CBM/1SET	39.9KG/87.98LB
12419AUV56	530Gal/H(2006L/H)	M	220-240V	—	√	0.198CBM/1SET	39.9KG/87.98LB

12419V56: Global market(US/ CA/ AU Excluded), 1 water inlet and 1 water outlet
12419AV56: US/ CA/ AU market, 1 water inlet and 2 water outlet
12419RUV56: 220-240V pump set, standard ladder version
12419XXV56 include 12419EUV56, 12419FRV56, 12419DEV56, 12419GBV56

12FT x 48IN / (3.66M x 122CM)

WATER CAPACITY(90%):2820GAL(10677L)

ITEM	FILTER PUMP	FILTER CARTRIDGE	VOLTAGE	SAFETY LADDER	STD LADDER	CASE PACK	CASE WEIGHT
12417V56	—	—	—	—	—	0.153CBM/1PC	37KG/81.59LB
12417AV56	—	—	—	—	—	0.153CBM/1PC	37KG/81.59LB
12417XXV56	530Gal/H(2006L/H)	M	220-240V	√	—	0.308CBM/1SET	58.14KG/128.20LB
12417RUV56	530Gal/H(2006L/H)	M	220-240V	—	√	0.292CBM/1SET	54.5KG/120.17LB
12417USV56	530Gal/H(2006L/H)	L	110V	—	√	0.292CBM/1SET	55.5KG/122.38LB
12417CAV56	530Gal/H(2006L/H)	L	110V	—	√	0.292CBM/1SET	55.5KG/122.38LB
12417AUV56	530Gal/H(2006L/H)	M	220-240V	—	√	0.292CBM/1SET	55.5KG/122.38LB

12417V56: Global market(US/ CA/ AU Excluded), 1 water inlet and 1 water outlet
12417AV56: US/ CA/ AU market, 1 water inlet and 2 water outlet
12417RUV56: 220-240V pump set, standard ladder version
12417XXV56 include 12417EUV56, 12417FRV56, 12417DEV56, 12417GBV56

14FT x 33IN / (4.27M x 84CM)

WATER CAPACITY(90%): 2859GAL(10825L)

ITEM	FILTER PUMP	FILTER CARTRIDGE	VOLTAGE	CASE PACK	CASE WEIGHT
12334V56	—	—	—	0.126CBM/1PC	36.83KG/81.21LB
12334AV56	—	—	—	0.126CBM/1PC	36.83KG/81.21LB
12334XXV56	530Gal/H(2006L/H)	M	220-240V	0.162CBM/1SET	37.32KG/82.29LB
12334USV56	530Gal/H(2006L/H)	L	110V	0.165CBM/1SET	38.67KG/85.27LB
12334CAV56	530Gal/H(2006L/H)	L	110V	0.165CBM/1SET	38.67KG/85.27LB
12334AUV56	530Gal/H(2006L/H)	M	220-240V	0.165CBM/1SET	38.67KG/85.27LB

12334V56: Global market(US/ CA/ AU Excluded), 1 water inlet and 1 water outlet
12334AV56: US/ CA/ AU market, 1 water inlet and 2 water outlet
12334XXV56 include 12334EUV56, 12334FRV56, 12334DEV56, 12334GBV56

14FT x 48IN / (4.27M x 122CM)

WATER CAPACITY(90%): 3809GAL(14418L)

ITEM	FILTER PUMP	FILTER CARTRIDGE	VOLTAGE	SAFETY LADDER	STD LADDER	POOL COVER	CASE PACK	CASE WEIGHT
12445XXV56	800Gal/H(3028L/H)	M	220-240V	√	—	√	0.321CBM/1SET	69.36KG/152.94LB
12445USV56	800Gal/H(3028L/H)	L	110V	—	√	√	0.323CBM/1SET	68.97KG/152.08LB
12445CAV56	800Gal/H(3028L/H)	L	110V	—	√	√	0.323CBM/1SET	68.97KG/152.08LB
12445AUV56	800Gal/H(3028L/H)	M	220-240V	—	√	√	0.323CBM/1SET	68.97KG/152.08LB

12413XXV56 include 12445EUV56, 12445FRV56, 12445DEV56, 12445GBV56

15FT x 42IN / (4.57M x 107CM)

WATER CAPACITY(90%): 3892GAL(14736L)

ITEM	FILTER PUMP	FILTER CARTRIDGE	VOLTAGE	SAFETY LADDER	STD LADDER	POOL COVER	CASE PACK	CASE WEIGHT
12431XXV56	800Gal/H(3028L/H)	M	220-240V	√	—	√	0.291CBM/1SET	66.3KG/146.19LB
12431USV56	800Gal/H(3028L/H)	L	110V	—	√	√	0.291CBM/1SET	66.43KG/146.48LB
12431CAV56	800Gal/H(3028L/H)	L	110V	—	√	√	0.291CBM/1SET	66.43KG/146.48LB
12431AUV56	800Gal/H(3028L/H)	M	220-240V	—	√	√	0.291CBM/1SET	66.43KG/146.48LB

12431XXV56 include 12431EUV56, 12431FRV56, 12431DEV56, 12431GBV56

15FT x 48IN / (4.57M x 122CM)

WATER CAPACITY(90%):4436GAL(16800L)

ITEM	FILTER PUMP	FILTER CARTRIDGE	VOLTAGE	SAFETY LADDER	STD LADDER	POOL COVER	CASE PACK	CASE WEIGHT
12415XXV56	800Gal/H(3028L/H)	M	220-240V	√	—	√	0.385CBM/1SET	70.6KG/155.67LB
12415USV56	800Gal/H(3028L/H)	L	110V	—	√	√	0.385CBM/1SET	69.6KG/153.47LB
12415CAV56	800Gal/H(3028L/H)	L	110V	—	√	√	0.385CBM/1SET	69.6KG/153.47LB
12415AUV56	800Gal/H(3028L/H)	M	220-240V	—	√	√	0.385CBM/1SET	69.6KG/153.47LB

12415XXV56include: 12415EUV56, 12415FRV56, 12415DEV56, 12415GBV56

FRAME OVAL
POOL SERIES

Combining sleek design and robust performance, this series features with SnapLock™ system, quick tool-free installation, sturdy galvanized frames, and durable multi-layer reinforced walls.

Its elegant oval shape maximizes backyard space efficiency for stylish, hassle-free summer fun.






LAMI-TECH™ MATERIAL
Engineered for high strength with dense materials for superior weather resistance and long-lasting durability.



TRI-SHIELD™
3-layer anti-rust steel frame for reliable outdoor durability.



SnapLock™

39.5 IN. / 100 CM	48 IN. / 122 CM	48 IN. / 122 CM
14ft x 9ft x 39.5in/ 4,27m x 2,75m x 100cm PG.66	18ft x 10ft x 48in/ 5,49m x 3,05m x 122cm PG.68	20ft x 12ft x 48in/ 6,10m x 3,60m x 122cm PG.68



Corrosion-resistant construction for reliable performance in long-term outdoor and poolside applications.

No Tools Required: Designed for straightforward assembly without the need for specialized tools.

Repair Kit:Supplied with a repair kit to support on-site maintenance and extended service life.

30 mins Easy Installation:Efficient installation process,typically completed within 30 minutes.

FRAME OVAL POOLS



LAMI-TECH™ MATERIAL
Engineered for high strength with dense materials for superior weather resistance and long-lasting durability.





TRI-SHIELD™
3-layer anti-rust steel frame for reliable outdoor durability.



SnapLock™



PACKAGING
White box with color sticker, outer carton

Repair Kit: Supplied with a repair kit to support on-site maintenance and extended service life.

No Tools Required: Designed for straightforward assembly without the need for specialized tools.

25 mins Easy Installation: Efficient installation process, typically completed within 25 minutes.

14FT x 9FT x 39.5IN / (4.27M x 2.75M x 100CM)

WATER CAPACITY(90%): 2133Gal (8073L)

ITEM	FILTER PUMP	FILTER CARTRIDGE	VOLTAGE	SAFETY LADDER	STD LADDER	CASE PACK	CASE WEIGHT
12024	—	—	—	—	—	0.211CBM/1PC	45.91KG/101.23LB
12024A	—	—	—	—	—	0.211CBM/1PC	45.6KG/100.55LB
12024XX	530Gal/H(2006L/H)	290588/M	220-240V	√	—	0.303CBM/1SET	57.78KG/127.40LB
12024RU	530Gal/H(2006L/H)	290588/M	220-240V	—	√	0.303CBM/1SET	56.6KG/124.80LB
12024US	530Gal/H(2006L/H)	290589/L	110V	—	√	0.303CBM/1SET	58.05KG/128.00LB
12024CA	530Gal/H(2006L/H)	290589/L	110V	—	√	0.303CBM/1SET	58.05KG/128.00LB
12024AU	530Gal/H(2006L/H)	290588/M	220-240V	—	√	0.303CBM/1SET	58.05KG/128.00LB

12024: Global market(US/CA/AU Excluded), 1 water inlet and 1 water outlet
12024A: US/CA/AU market, 1 water inlet and 2 water outlet
12024RU: 220-240V pump set, standard ladder version
12024XX include 12024EU, 12024FR, 12024DE , 12024GB

OUTER WALL
BROWN RATTAN

INNER WALL



FRAME OVAL TOP RING POOLS

LAMI-TECH™ MATERIAL
Engineered for high strength with dense materials for superior weather resistance and long-lasting durability.



TRI-SHIELD™
3-layer anti-rust steel frame for reliable outdoor durability.



SnapLock™



PACKAGING
White box with color sticker, outer carton

Corrosion-resistant construction for reliable performance in long-term outdoor and poolside applications.

Repair Kit: Supplied with a repair kit to support on-site maintenance and extended service life.

No Tools Required: Designed for straightforward assembly without the need for specialized tools.

30 mins Easy Installation: Efficient installation process, typically completed within 30 minutes.



18FT x 10FT x 48IN / (5.49M x 3.05M x 122CM)

WATER CAPACITY(80%): 3280GAL (12380L)

ITEM	FILTER PUMP	FILTER CARTRIDGE	VOLTAGE	SAFETY LADDER	STD LADDER	POOL COVER	CASE PACK	CASE WEIGHT
12343	—	—	—	—	—	—	0.178CBM/1PC	54.5KG/120.17LB
12343A	—	—	—	—	—	—	0.178CBM/1PC	43.83KG/96.65LB
12343XX	1000Gal/H(3785L/H)	L	220-240V	√	—	√	0.411CBM/1SET	66.54KG/146.72LB
12343RU	1000Gal/H(3785L/H)	L	220-240V	—	√	√	0.376CBM/1SET	65.05KG/143.44LB
12343US	1000Gal/H(3785L/H)	L	110V	—	√	√	0.376CBM/1SET	65.05KG/143.44LB
12343CA	1000Gal/H(3785L/H)	L	110V	—	√	√	0.376CBM/1SET	65.05KG/143.44LB
12343AU	1000Gal/H(3785L/H)	L	220-240V	—	√	√	0.376CBM/1SET	65.05KG/143.44LB

12343: Global market(US/CA/AU Excluded), 1 water inlet and 1 water outlet
12343A: US/CA/AU market, 1 water inlet and 2 water outlet
12343RU: 220-240V pump set, standard ladder version
12343XX include 12343EU, 12343FR, 12343DE, 12343GB

18FT x 10FT x 48IN / (5.49M x 3.05M x 122CM)

WATER CAPACITY(80%): 3280GAL (12380L)

ITEM	SAND FILTER PUMP	VOLTAGE	SAFETY LADDER	STD LADDER	POOL COVER	CASE PACK	CASE WEIGHT
12343-1XX	1000Gal/H(3785L/H)	220-240V	√	—	√	0.415CBM/1SET	71.59KG/157.86LB
12343-1RU	1000Gal/H(3785L/H)	220-240V	—	√	√	0.408CBM/1SET	69.8KG/153.91LB
12343-1US	1000Gal/H(3785L/H)	110V	—	√	√	0.408CBM/1SET	69.8KG/153.91LB

12343-1RU: 220-240V pump set, standard ladder version
12343-1XX include 12343-1EU, 12343-1FR, 12343-1DE, 12343-1GB

20FT x 12FT x 48IN / (6.10M x 3.60M x 122CM)

WATER CAPACITY(80%): 4372GAL (16548L)

ITEM	FILTER PUMP	FILTER CARTRIDGE	VOLTAGE	SAFETY LADDER	STD LADDER	POOL COVER	CASE PACK (1 SET,2 BOXES)	CASE WEIGHT
17023XX	1000Gal/H(3785L/H)	L	220-240V	√	—	√	BOX A 0.205CBM, BOX B 0.190CBM.	46KG/101.43LB
17023RU	1000Gal/H(3785L/H)	L	220-240V	—	√	√	BOX A 0.205CBM, BOX B 0.177CBM.	45.28KG/99.84LB
17023US	1000Gal/H(3785L/H)	L	110V	—	√	√	BOX A 0.205CBM, BOX B 0.177CBM.	45.28KG/99.84LB
17023CA	1000Gal/H(3785L/H)	L	110V	—	√	√	BOX A 0.205CBM, BOX B 0.177CBM.	45.28KG/99.84LB
17023AU	1000Gal/H(3785L/H)	L	220-240V	—	√	√	BOX A 0.205CBM, BOX B 0.177CBM.	45.28KG/99.84LB

17023RU: 220-240V pump set, standard ladder version
17023XX include 17023EU, 17023FR, 17023DE, 17023GB

20FT x 12FT x 48IN / (6.10M x 3.60M x 122CM)

WATER CAPACITY(80%): 4372GAL (16548L)

ITEM	SAND FILTER PUMP	VOLTAGE	SAFETY LADDER	STD LADDER	POOL COVER	CASE PACK (1 SET,2 BOXES)	CASE WEIGHT
17023-1XX	2300Gal/H(6813L/H)	220-240V	√	—	√	BOX A 0.294CBM, BOX B 0.190CBM.	52.96KG/116.78LB
17023-1RU	2300Gal/H(6813L/H)	220-240V	—	√	√	BOX A 0.294CBM, BOX B 0.190CBM.	72.2KG/159.20LB

17023RU-1: 220-240V pump set, standard ladder version
17023-1XX include 17023-1EU, 17023-1FR, 17023-1DE, 17023-1GB

FRAME RECTANGULAR
POOL SERIES

Maximize your backyard space with the Frame Rectangular Pool Series. Built with heavy-gauge multi-layer reinforced walls for exceptional durability, it features rust-resistant coated frames and the SnapLock™ system for effortless, tool-free installation.


Perfect for weekend family gatherings or solo summer dips, blending practicality with modern, streamlined elegance.



LAMI-TECH™ MATERIAL
Engineered for high strength with dense materials for superior weather resistance and long-lasting durability.



TRI-SHIELD™
3-layer anti-rust steel frame for reliable outdoor durability.



SnapLock™



30 IN. / 42 CM	16.5 IN. / 60 CM	23.6 IN. / 60 CM	26 - 30 IN. / 66 - 76 CM			
74in x 50in x 30in/ 1,88m x 1,27m x 42cm PG.72	90in x 62,6in x 16,5in/ 2,28m x 1,59m x 60cm PG.72	90in x 62,6in x 23,6in/ 2,28m x 1,59m x 60cm PG.72	8,5ft x 6ft x 26in/ 2,58m x 1,79m x 66cm PG.72	10ft x 6,8ft x 26in/ 3,05m x 2,07m x 66cm PG.74	10ft x 6,8ft x 26in/ 3,05m x 2,07m x 66cm PG.76	10ft x 6,8ft x 30in/ 3,05m x 2,07m x 76cm PG.78

31.5 IN. / 76 CM		39 IN. / 99 CM		48 IN. / 122 CM	
13ft x 6,8ft x 31,5in/ 3,94m x 2,07m x 76cm PG.80	13ft x 6,8ft x 31,5in/ 3,94m x 2,07m x 76cm PG.82	13ft x 6,5ft x 39in/ 4m x 2m x 99cm PG.84	13ft x 6,5ft x 39in/ 4m x 2m x 99cm PG.84	13ft x 6,8ft x 48in/ 4m x 2,07m x 122cm PG.84	13ft x 6,8ft x 48in/ 4m x 2,07m x 122cm PG.84

Corrosion-resistant construction for reliable performance in long-term outdoor and poolside applications.

No Tools Required: Designed for straightforward assembly without the need for specialized tools.

Repair Kit:Supplied with a repair kit to support on-site maintenance and extended service life.

20 Mins Easy Installation:Efficient installation process,typically completed within 20 minutes.

FRAME RECTANGULAR POOLS




LAMI-TECH™ MATERIAL
Engineered for high strength with dense materials for superior weather resistance and long-lasting durability.





TRI-SHIELD™
3-layer anti-rust steel frame for reliable outdoor durability.



SnapLock™



PACKAGING
1. Color box with shrink film
2. White box with color sticker with shrink film

Corrosion-resistant construction for reliable performance in long-term outdoor and poolside applications.

Repair Kit: Supplied with a repair kit to support on-site maintenance and extended service life.

No Tools Required: Designed for straightforward assembly without the need for specialized tools.

15 Mins Easy Installation: Efficient installation process, typically completed within 15 minutes.

74IN x 50IN x 16.5IN / (1.88M x 1.27M x 42CM)

WATER CAPACITY(90%): 298GAL(1128L)

ITEM	ACCESSORY	CASE PACK	CASE WEIGHT
17803	N/A	0.035CBM/1SET	8.6KG/19LB

90IN x 62.6IN x 16.5IN / (2.28M x 1.59M x 42CM)

WATER CAPACITY(90%): 340GAL(1287L)

ITEM	ACCESSORY	CASE PACK	CASE WEIGHT
17804	N/A	0.041CBM/1SET	10.5KG/23.1LB

8.5FT x 6FT x 26IN / (2.58M x 1.79M x 66CM)

WATER CAPACITY(90%): 690GAL(2612L)

ITEM	FILTER PUMP	FILTER CARTRIDGE	VOLTAGE	CASE PACK	CASE WEIGHT
17805	—	—	—	0.042CBM/1PC	15.6KG/34.40LB
17805A	—	—	—	0.042CBM/1PC	15.7KG/34.62LB
17805XX	330GAL/H(1249L/H)	S	220-240V	0.074CBM/1SET	16.6KG/36.60LB
17805US	330GAL/H(1249L/H)	S	110V	0.074CBM/1SET	17.7KG/39.03LB
17805CA	330GAL/H(1249L/H)	S	110V	0.074CBM/1SET	17.7KG/39.03LB
17805AU	330GAL/H(1249L/H)	S	220-240V	0.074CBM/1SET	17.7KG/39.03LB

17805 Global market(US/ CA/ AU Excluded), 1 water inlet and 1 water outlet
17805A US/ CA/ AU market, 1 water inlet and 2 water outlet
17805XX include 17805EU, 17805FR, 17805DE, 17805GB



FRAME RECTANGULAR POOLS



LAMI-TECH™ MATERIAL
Engineered for high strength with dense materials for superior weather resistance and long-lasting durability.



TRI-SHIELD™
3-layer anti-rust steel frame for reliable outdoor durability.



SnapLock™



PACKAGING
1. Color box with shrink film
2. White box with color sticker with shrink film

Corrosion-resistant construction for reliable performance in long-term outdoor and poolside applications.

Repair Kit: Supplied with a repair kit to support on-site maintenance and extended service life.

No Tools Required: Designed for straightforward assembly without the need for specialized tools.

20 Mins Easy Installation: Efficient installation process, typically completed within 20 minutes.

10FT x 6.8FT x 26IN / (3.05M x 2.07M x 66CM)

WATER CAPACITY(90%): 978GAL(3701L)

ITEM	FILTER PUMP	FILTER CARTRIDGE	VOLTAGE	CASE PACK	CASE WEIGHT
17771	—	—	—	0.058CBM/1PC	18.6KG/41.01LB
17771A	—	—	—	0.061CBM/1PC	18.6KG/41.01LB
17771XX	330GAL/H(1249L/H)	S	220-240V	0.097CBM/1SET	20.5KG/45.20LB
17771US	330GAL/H(1249L/H)	S	110V	0.097CBM/1SET	21.72KG/47.89LB
17771CA	330GAL/H(1249L/H)	S	110V	0.097CBM/1SET	20.8KG/45.86LB
17771AU	330GAL/H(1249L/H)	S	220-240V	0.097CBM/1SET	21.1KG/46.53LB

17771: Global market(US/CA/AU Excluded), 1 water inlet and 1 water outlet
17771A: US/CA/AU market, 1 water inlet and 2 water outlet
17771XX include 17771EU, 17771FR, 17771DE, 17771GB



FRAME RECTANGULAR POOLS



LAMI-TECH™ MATERIAL
Engineered for high strength with dense materials for superior weather resistance and long-lasting durability.





TRI-SHIELD™
3-layer anti-rust steel frame for reliable outdoor durability.



SnapLock™



PACKAGING
1. Color box with shrink film
2. White box with color sticker with shrink film

Corrosion-resistant construction for reliable performance in long-term outdoor and poolside applications.

Repair Kit: Supplied with a repair kit to support on-site maintenance and extended service life.

No Tools Required: Designed for straightforward assembly without the need for specialized tools.

20 Mins Easy Installation: Efficient installation process, typically completed within 20 minutes.

90IN x 62.6IN x 23.6IN / (2.28M x 1.59M x 60CM)

WATER CAPACITY(90%): 517GAL(1958L)

ITEM	FILTER PUMP	CASE PACK	CASE WEIGHT
12526	—	0.079CBM/1PC	18.6KG/41.01LB
12526A	—	0.079CBM/1PC	18.6KG/41.01LB

12526 Global market(US/CA/AU excluded),1 water inlet and 1 water outlet
12526A US/CA/AU market, 2 water inlets and 1 water outlet

10FT x 6.8FT x 26IN / (3.05M x 2.07M x 66CM)

WATER CAPACITY(90%): 978GAL(3701L)

ITEM	FILTER PUMP	FILTER CARTRIDGE	VOLTAGE	CASE PACK	CASE WEIGHT
17771V01	—	—	—	0.058CBM/1PC	18.6KG/41.01LB
17771AV01	—	—	—	0.061CBM/1PC	18.6KG/41.01LB
17771XXV01	330GAL/H(1249L/H)	S	220-240V	0.097CBM/1SET	20.5KG/45.20LB
17771USV01	330GAL/H(1249L/H)	S	110V	0.097CBM/1SET	21.72KG/47.89LB
17771CAV01	330GAL/H(1249L/H)	S	110V	0.097CBM/1SET	20.8KG/45.86LB
17771AUV01	330GAL/H(1249L/H)	S	220-240V	0.097CBM/1SET	21.1KG/46.53LB

17771V01: Global market(US/CA/AU Excluded), 1 water inlet and 1 water outlet
17771AV01: US/CA/AU market, 1 water inlet and 2 water outlet
17771XXV01 include 17771EUV01, 17771FRV01, 17771DEV01, 17771GBV01



FRAME RECTANGULAR POOLS

New



LAMI-TECH™ MATERIAL
Engineered for high strength with dense materials for superior weather resistance and long-lasting durability.



TRI SHIELD™

TRI-SHIELD™
3-layer anti-rust steel frame for reliable outdoor durability.



SnapLock™



PACKAGING
1. Color box with shrink film
2. White box with color sticker with shrink film

Corrosion-resistant construction for reliable performance in long-term outdoor and poolside applications.

Repair Kit: Supplied with a repair kit to support on-site maintenance and extended service life.

No Tools Required: Designed for straightforward assembly without the need for specialized tools.

15 mins

15 Mins Easy Installation: Efficient installation process, typically completed within 15 minutes.

10FT x 6.8FT x 30IN / (3.05M x 2.07M x 76CM)

WATER CAPACITY(90%): 1109GAL(4200L)

ITEM	FILTER PUMP	FILTER CARTRIDGE	VOLTAGE	CASE PACK	CASE WEIGHT
12514	—	—	—	0.079CBM/1PC	20KG/44.10LB
12514A	—	—	—	0.079CBM/1PC	20KG/44.10LB
12514XX	330GAL/H(1249L/H)	S	220-240V	0.097CBM/1SET	22.55KG/49.72LB
12514US	330GAL/H(1249L/H)	S	110V	0.097CBM/1SET	23.55KG/51.93LB
12514CA	330GAL/H(1249L/H)	S	110V	0.097CBM/1SET	23.7KG/52.26LB
12514AU	330GAL/H(1249L/H)	S	220-240V	0.097CBM/1SET	22.8KG/50.27LB

12514: Global market(US/CA/AU Excluded),1 water inlet and 1 water outlet
12514A: US/CA/AU market, 2 water inlets and 1 water outlet
12514XX include 12514EU, 12514FR, 12514DE, 12514GB



FRAME RECTANGULAR POOLS



LAMI-TECH™ MATERIAL
Engineered for high strength with dense materials for superior weather resistance and long-lasting durability.





TRI-SHIELD™
3-layer anti-rust steel frame for reliable outdoor durability.



SnapLock™



PACKAGING
1. Color box with shrink film
2. White box with color sticker with shrink film

Repair Kit: Supplied with a repair kit to support on-site maintenance and extended service life.

No Tools Required: Designed for straightforward assembly without the need for specialized tools.

15 Mins Easy Installation: Efficient installation process, typically completed within 15 minutes.

13FT x 6.8FT x 31.5IN / (3.94M x 2.07M x 80CM)
WATER CAPACITY(90%): 1608GAL(6075L)

ITEM	FILTER PUMP	FILTER CARTRIDGE	VOLTAGE	CASE PACK	CASE WEIGHT
17723	—	—	—	0.090CBM/1PC	28KG/61.74LB
17723A	—	—	—	0.090CBM/1PC	28KG/61.74LB
17723XX	330GAL/H(1249L/H)	S	220-240V	0.115CBM/1SET	32.5KG/71.66LB
17723US	330GAL/H(1249L/H)	S	110V	0.115CBM/1SET	31.46KG/69.37LB
17723CA	330GAL/H(1249L/H)	S	110V	0.115CBM/1SET	31.46KG/69.37LB
17723AU	330GAL/H(1249L/H)	S	220-240V	0.115CBM/1SET	31.46KG/69.37LB

17723: Global market(US/CA/AU Excluded), 1 water inlet and 1 water outlet
17723A: US/CA/AU market, 1 water inlet and 2 water outlet
17723XX include 17723EU, 17723FR, 17723DE, 17723GB



FRAME RECTANGULAR POOLS




LAMI-TECH™ MATERIAL
Engineered for high strength with dense materials for superior weather resistance and long-lasting durability.





TRI-SHIELD™
3-layer anti-rust steel frame for reliable outdoor durability.



SnapLock™



PACKAGING
1. Color box with shrink film
2. White box with color sticker with shrink film

Repair Kit: Supplied with a repair kit to support on-site maintenance and extended service life.

No Tools Required: Designed for straightforward assembly without the need for specialized tools.

15 Mins Easy Installation: Efficient installation process, typically completed within 15 minutes.

13FT x 6.8FT x 31.5IN / (3.94M x 2.07M x 80CM)
WATER CAPACITY(90%): 1608GAL(6075L)

ITEM	FILTER PUMP	FILTER CARTRIDGE	VOLTAGE	CASE PACK	CASE WEIGHT
17723V01	—	—	—	0.090CBM/1PC	28KG/61.74LB
17723AV01	—	—	—	0.090CBM/1PC	28KG/61.74LB
17723XXV01	330GAL/H(1249L/H)	S	220-240V	0.115CBM/1SET	32.5KG/71.66LB
17723USV01	330GAL/H(1249L/H)	S	110V	0.115CBM/1SET	31.46KG/69.37LB
17723CAV01	330GAL/H(1249L/H)	S	110V	0.115CBM/1SET	31.46KG/69.37LB
17723AUV01	330GAL/H(1249L/H)	S	220-240V	0.115CBM/1SET	31.46KG/69.37LB

17723V01: Global market(US/CA/AU Excluded), 1 water inlet and 1 water outlet
17723AV01: US/CA/AU market, 1 water inlet and 2 water outlet
17723XXV01 include 17723EUV01, 17723FRV01, 17723DEV01, 17723GBV01



FRAME RECTANGULAR POOLS




LAMI-TECH™ MATERIAL
Engineered for high strength with dense materials for superior weather resistance and long-lasting durability.





TRI-SHIELD™
3-layer anti-rust steel frame for reliable outdoor durability.



SnapLock™



PACKAGING
White box with color sticker, outer carton

Corrosion-resistant construction for reliable performance in long-term outdoor and poolside applications.

Repair Kit: Supplied with a repair kit to support on-site maintenance and extended service life.

No Tools Required: Designed for straightforward assembly without the need for specialized tools.

20 Mins Easy Installation: Efficient installation process, typically completed within 20 minutes.



13FT x 6.5FT x 39IN / (4M x 2M x 99CM)

WATER CAPACITY(90%): 1854GAL(7020L)

ITEM	FILTER PUMP	FILTER CARTRIDGE	VOLTAGE	SAFETY LADDER	STD LADDER	CASE PACK	CASE WEIGHT
12017	—	—	—	—	—	0.226CBM/1PC	49KG/108.05LB
12017A	—	—	—	—	—	0.226CBM/1PC	49KG/108.05LB
12017XX	530Gal/H(2006L/H)	M	220-240V	√	—	0.328CBM/1SET	63.31KG/139.60LB
12017RU	530Gal/H(2006L/H)	M	220-240V	—	√	0.328CBM/1SET	65.33KG/144.05LB
12017US	530Gal/H(2006L/H)	L	110V	—	√	0.328CBM/1SET	65.33KG/144.05LB
12017CA	530Gal/H(2006L/H)	L	110V	—	√	0.328CBM/1SET	65.33KG/144.05LB
12017AU	530Gal/H(2006L/H)	M	220-240V	—	√	0.328CBM/1SET	65.33KG/144.05LB

12017: Global market(US/CA/AU Excluded), 1 water inlet and 1 water outlet
12017A: US/CA/AU market, 1 water inlet and 2 water outlet
12017RU: 220-240V pump set, standard ladder version
12017XX include 12017EU, 12017FR, 12017DE, 12017GB

13FT x 6.5FT x 39IN / (4M x 2M x 99CM)

WATER CAPACITY(90%): 1854GAL(7020L)

ITEM	SAND FILTER PUMP	VOLTAGE	SAFETY LADDER	STD LADDER	CASE PACK	CASE WEIGHT
12017-1XX	800Gal/H(3028L/H)	220-240V	√	—	0.452CBM/1SET	68.82KG/151.75LB
12017-1RU	800Gal/H(3028L/H)	220-240V	—	√	0.417CBM/1SET	68.82KG/151.75LB
12017-1US	800Gal/H(3028L/H)	110V	—	√	0.417CBM/1SET	68.82KG/151.75LB
12017-1CA	800Gal/H(3028L/H)	110V	—	√	0.417CBM/1SET	68.82KG/151.75LB
12017-1AU	800Gal/H(3028L/H)	220-240V	—	√	0.417CBM/1SET	68.82KG/151.75LB

12017-1RU: 220-240V pump set, standard ladder version
12017-1XX include 12017-1EU, 12017-1FR, 12017-1DE, 12017-1GB

13FT x 6.8FT x 48IN / (4M x 2.07M x 122CM)

WATER CAPACITY(90%): 2343GAL(8870L)

ITEM	FILTER PUMP	FILTER CARTRIDGE	VOLTAGE	SAFETY LADDER	STD LADDER	CASE PACK	CASE WEIGHT
17727	—	—	—	—	—	0.255CBM/1PC	55KG/121.28LB
17727A	—	—	—	—	—	0.255CBM/1PC	69.7KG/153.69LB
17727XX	530Gal/H(2006L/H)	M	220-240V	√	—	0.390CBM/1SET	70.69KG/155.87LB
17727RU	530Gal/H(2006L/H)	M	220-240V	—	√	0.390CBM/1SET	70.69KG/155.87LB
17727US	530Gal/H(2006L/H)	L	110V	—	√	0.390CBM/1SET	70.85KG/156.22LB
17727CA	530Gal/H(2006L/H)	L	110V	—	√	0.390CBM/1SET	70.85KG/156.22LB
17727AU	530Gal/H(2006L/H)	M	220-240V	—	√	0.390CBM/1SET	70.85KG/156.22LB

17727: Global market(US/CA/AU Excluded), 1 water inlet and 1 water outlet
17727A: US/CA/AU market, 1 water inlet and 2 water outlet
17727RU: 220-240V pump set, standard ladder version
17727XX include 17727EU, 17727FR, 17727DE, 17727GB

13FT x 6.8FT x 48IN / (4M x 2.07M x 122CM)

WATER CAPACITY(90%): 2343GAL(8870L)

ITEM	SAND FILTER PUMP	VOLTAGE	SAFETY LADDER	STD LADDER	CASE PACK	CASE WEIGHT
17727-1XX	800Gal/H(3028L/H)	220-240V	√	—	0.490CBM/1SET	77.1KG/170.01LB
17727-1RU	800Gal/H(3028L/H)	220-240V	—	√	0.469CBM/1SET	77KG/169.79LB
17727-1US	800Gal/H(3028L/H)	110V	—	√	0.469CBM/1SET	76.85KG/169.45LB

17727-1RU: 220-240V pump set, standard ladder version
17727-1XX include 17727-1EU, 17727-1FR, 17727-1DE, 17727-1GB

FRAME PLUS RECTANGULAR
POOL SERIES

The Frame Plus Rectangular Pool Series is designed for larger backyard spaces and a stronger family pool experience.


Featuring a reinforced steel frame, SnapLock™ System and double-galvanized protection, it offers fast tool-free setup, enhanced stability and lasting outdoor performance for swimming, play and summer gatherings.



LAMI-TECH™ MATERIAL
Engineered for high strength with dense materials for superior weather resistance and long-lasting durability.



MAX-SHIELD™
Heavy-duty steel frame for enhanced stability and larger pool support.



SnapLock™

48 IN. / 122 CM			52 IN. / 132 CM
18ft x 8.2ft x 48in/ 5.49m x 2.5m x 122cm PG.88	18ft x 8.2ft x 48in/ 5.49m x 2.5m x 122cm PG.90	18ft x 9.2ft x 48in/ 5.49m x 2.8m x 122cm PG.92	18ft x 9.2ft x 52in/ 5.49m x 2.8m x 132cm PG.92

48 IN. / 122 CM	52 IN. / 132 CM	
18ft x 10ft x 48in/ 5.49m x 3.05m x 122cm PG.92	21ft x 10ft x 52in/ 6.40m x 3.05m x 132cm PG.92	25ft x 12ft x 52in/ 7.60m x 3.66m x 132cm PG.92



Advanced anti-corrosion technology ensures stable performance in humid and chemically treated pool environments.

No Tools Required: Designed for straightforward assembly without the need for specialized tools.

Repair Kit:Supplied with a repair kit to support on-site maintenance and extended service life.

45 Mins Easy Installation:Efficient installation process,typically completed within 45 minutes.

FRAME PLUS RECTANGULAR POOLS



LAMI-TECH™ MATERIAL
Engineered for high strength with dense materials for superior weather resistance and long-lasting durability.



MAX SHIELD™

MAX-SHIELD™
Heavy-duty steel frame for enhanced stability and larger pool support.



SnapLock™



PACKAGING
White box with color sticker with shrink film

Advanced anti-corrosion technology ensures stable performance in humid and chemically treated pool environments.

Repair Kit: Supplied with a repair kit to support on-site maintenance and extended service life.

No Tools Required: Designed for straightforward assembly without the need for specialized tools.

45 mins


45 Mins Easy Installation: Efficient installation process, typically completed within 45 minutes.

18FT x 8.2FT x 48IN / (5.49M x 2.5M x 122CM)

WATER CAPACITY(90%): 3400Gal (12871L)

ITEM	SAND FILTER PUMP	VOLTAGE	SAFETY LADDER	STD LADDER	POOL COVER	CASE PACK (1 SET,2 BOXES)	CASE WEIGHT
12351-1XXV552CTN	1000Gal/H(3785L/H)	220-240V	√	—	√	BOX A 0.309CBM,BOX B 0.262CBM.	114.95KG/252.89LB
12351-1RUV552CTN	1000Gal/H(3785L/H)	220-240V	—	√	√	BOX A 0.301CBM,BOX B 0.262CBM.	113.06KG/248.73LB
12351-1USV552CTN	1000Gal/H(3785L/H)	110V	—	√	√	BOX A 0.301CBM,BOX B 0.262CBM.	113.06KG/248.73LB
12351-1CAV552CTN	1000Gal/H(3785L/H)	110V	—	√	√	BOX A 0.301CBM,BOX B 0.262CBM.	113.06KG/248.73LB
12351-1AUV552CTN	1000Gal/H(3785L/H)	220-240V	—	√	√	BOX A 0.301CBM,BOX B 0.262CBM.	113.06KG/248.73LB

12351-1XXV552CTN include 12351-1EUV552CTN , 12351-1FRV552CTN , 12351-1DEV552CTN , 12351-1GBV552CTN
12351-1RUV552CTN: 220-240V pump set, standard ladder version



OUTER WALL
BLACK MARBLE



INNER WALL



FRAME PLUS RECTANGULAR POOLS



LAMI-TECH™ MATERIAL
Engineered for high strength with dense materials for superior weather resistance and long-lasting durability.



MAX-SHIELD™
Heavy-duty steel frame for enhanced stability and larger pool support.



SnapLock™



PACKAGING
White box with color sticker with shrink film

Advanced anti-corrosion technology ensures stable performance in humid and chemically treated pool environments.

Repair Kit: Supplied with a repair kit to support on-site maintenance and extended service life.

No Tools Required: Designed for straightforward assembly without the need for specialized tools.

45 Mins Easy Installation: Efficient installation process, typically completed within 45 minutes.

18FT x 8.2FT x 48IN / (5.49M x 2.5M x 122CM)

WATER CAPACITY(90%): 3400Gal (12871L)

ITEM	SAND FILTER PUMP	VOLTAGE	SAFETY LADDER	STD LADDER	POOL COVER	CASE PACK (1 SET,2 BOXES)	CASE WEIGHT
12351-1XXV562CTN	1000Gal/H(3785L/H)	220-240V	√	—	√	BOX A 0.309CBM,BOX B 0.262CBM.	114.95KG/252.89LB
12351-1RUV562CTN	1000Gal/H(3785L/H)	220-240V	—	√	√	BOX A 0.301CBM,BOX B 0.262CBM.	113.06KG/248.73LB
12351-1USV562CTN	1000Gal/H(3785L/H)	110V	—	√	√	BOX A 0.301CBM,BOX B 0.262CBM.	113.06KG/248.73LB
12351-1CAV562CTN	1000Gal/H(3785L/H)	110V	—	√	√	BOX A 0.301CBM,BOX B 0.262CBM.	113.06KG/248.73LB
12351-1AUV562CTN	1000Gal/H(3785L/H)	220-240V	—	√	√	BOX A 0.301CBM,BOX B 0.262CBM.	113.06KG/248.73LB

12351-1XXV562CTN include 12351-1EUV562CTN , 12351-1FRV562CTN , 12351-1DEV562CTN , 12351-1GBV562CTN
12351-1RUV562CTN: 220-240V pump set, standard ladder version



OUTER WALL
RETRO BRICK



INNER WALL



FRAME PLUS RECTANGULAR POOLS



LAMI-TECH™ MATERIAL
Engineered for high strength with dense materials for superior weather resistance and long-lasting durability.





MAX-SHIELD™
Heavy-duty steel frame for enhanced stability and larger pool support.



SnapLock™



PACKAGING
White box with color sticker with shrink film

Advanced anti-corrosion technology ensures stable performance in humid and chemically treated pool environments.

Repair Kit: Supplied with a repair kit to support on-site maintenance and extended service life.

No Tools Required: Designed for straightforward assembly without the need for specialized tools.

45 Mins Easy Installation: Efficient installation process, typically completed within 45 minutes.



18FT x 9.2FT x 48IN / (5.49M x 2.8M x 122CM)

WATER CAPACITY(90%): 3593GAL(13603L)

ITEM	SAND FILTER PUMP	VOLTAGE	SAFETY LADDER	STD LADDER	POOL COVER	CASE PACK (1 SET,2 BOXES)	CASE WEIGHT
12147-1XX2CTN	1000Gal/H(3785L/H)	220-240V	√	—	√	BOX A 0.171CBM, BOX B 0.419CBM	121.47KG/267.23LB
12147-1RU2CTN	1000Gal/H(3785L/H)	220-240V	—	√	√	BOX A 0.171CBM, BOX B 0.404CBM	112.62KG/247.76LB
12147-1US2CTN	1000Gal/H(3785L/H)	110V	—	√	√	BOX A 0.171CBM, BOX B 0.404CBM	113.59KG/249.89LB
12147-1CA2CTN	1000Gal/H(3785L/H)	110V	—	√	√	BOX A 0.171CBM, BOX B 0.404CBM	113.59KG/249.89LB
12147-1AU2CTN	1000Gal/H(3785L/H)	220-240V	—	√	√	BOX A 0.171CBM, BOX B 0.404CBM	113.59KG/249.89LB

12147-1XX2CTN include 12147-1EU2CTN, 12147-1FR2CTN, 12147-1DE2CTN, 12147-1GB2CTN
12147-1RU2CTN: 220-240V pump set, standard ladder version

18FT x 9.2FT x 52IN / (5.49M x 2.8M x 132CM)

New

WATER CAPACITY(90%):3916GAL(14825L)

ITEM	SAND FILTER PUMP	VOLTAGE	SAFETY LADDER	STD LADDER	POOL COVER	CASE PACK (1 SET,2 BOXES)	CASE WEIGHT
12537-1XX2CTN	1000Gal/H(3785L/H)	220-240V	√	—	√	BOX A 0.35CBM, BOX B 0.362CBM	113KG/249.12LB
12537-1US2CTN	1000Gal/H(3785L/H)	110V	—	√	√	BOX A 0.35CBM, BOX B 0.5CBM	111KG/244.71LB

12537-1XX2CTN include 12537-1EU2CTN, 12537-1FR2CTN, 12537-1DE2CTN, 12537-1GB2CTN
12537-1RU2CTN: 220-240V pump set, standard ladder version

18FT x 10FT x 48IN / (5.49M x 3.05M x 122CM)

New

WATER CAPACITY(90%):XXGAL(XXL)

ITEM	SAND FILTER PUMP	VOLTAGE	SAFETY LADDER	STD LADDER	POOL COVER	CASE PACK (1 SET,2 BOXES)	CASE WEIGHT
17728-1XX2CTN	1000Gal/H(3785L/H)	220-240V	√	—	√	BOX A 0.242CBM, BOX B 0.443CBM	124.98KG/274.95LB
17728-1RU2CTN	1000Gal/H(3785L/H)	220-240V	—	√	√	BOX A 0.242CBM, BOX B 0.443CBM	124.98KG/274.95LB
17728-1US2CTN	1000Gal/H(3785L/H)	110V	—	√	√	BOX A 0.242CBM, BOX B 0.445CBM	119KG/261.8LB
17728-1CA2CTN	1000Gal/H(3785L/H)	110V	—	√	√	BOX A 0.350CBM, BOX B 0.252CBM	126KG/277.2LB
17728-1AU2CTN	1000Gal/H(3785L/H)	220-240V	—	√	√	BOX A 0.350CBM, BOX B 0.252CBM	126KG/277.2LB

17728-1XX2CTN include 17728-1EU2CTN, 17728-1FR2CTN, 17728-1DE2CTN, 17728-1GB2CTN
17728-1RU2CTN: 220-240V pump set, standard ladder version

21FT x 10FT x 52IN / (6.40M x 3.05M x 132CM)

WATER CAPACITY(90%): 5367GAL(20316L)

ITEM	SAND FILTER PUMP	VOLTAGE	SAND	SAFETY LADDER	STD LADDER	POOL COVER	CASE PACK (1 SET,2 BOXES)	CASE WEIGHT
12212-1XX2CTN	2300Gal/H(6813L/H)	220-240V	—	√	—	√	BOX A 0.310CBM, BOX B 0.393CBM	156.25KG/343.75LB
12212-1RU2CTN	2300Gal/H(6813L/H)	220-240V	—	—	√	√	BOX A 0.310CBM, BOX B 0.393CBM	153.26KG/337.17LB

12212-1XX2CTN include 12212-1EU2CTN, 12212-1FR2CTN, 12212-1DE2CTN, 12212-1GB2CTN
12212-1RU2CTN: 220-240V pump set, standard ladder version

25FT x 12FT x 52IN / (7.60M x 3.66M x 132CM)

WATER CAPACITY(90%): 7960GAL(30132L)

ITEM	SAND FILTER PUMP	VOLTAGE	SAND	SAFETY LADDER	STD LADDER	POOL COVER	CASE PACK (1 SET,2 BOXES)	CASE WEIGHT
12259-1XX2CTN	2300Gal/H(8705L/H)	220-240V	—	√	—	√	BOX A 0.570CBM, BOX B 0.360CBM	186.64KG/410.60LB
12259-1RU2CTN	2300Gal/H(8705L/H)	220-240V	—	—	√	√	BOX A 0.570CBM, BOX B 0.360CBM	193.2KG/425.04LB

12259-1XX2CTN:12259-1EU2CTN, 12259-1FR2CTN, 12259-1DE2CTN, 12259-1GB2CTN
12259-1RU2CTN: 220-240V pump set, standard ladder version

INFLATABLE DROP-STITCH POOL SERIES

Bring a premium pool experience to your backyard with our Drop-Stitch Rigid Wall Pool Series.

Built with advanced drop-stitch construction, the pool delivers firm wall support, reliable durability and a refined exterior texture. With no metal frame required and quick tool-free installation, it offers a clean, modern and space-friendly solution for family summer enjoyment.



DROP STITCH MATERIAL

Drop Stitch material for long-lasting strength and durability.

No Tools Required: Designed for straight-forward assembly without the need for specialized tools.

8 Mins Easy Installation: Efficient installation process, typically completed within 8 minutes.

29.5 IN. / 75 CM

Φ118in×39.4in/
Φ300cm×100cm
PG.96



INFLATABLE DROP-STITCH POOL

Bring a premium pool experience to your backyard with our Drop-Stitch Rigid Wall Pool Series.

Built with advanced drop-stitch construction, the pool delivers firm wall support, reliable durability and a refined exterior texture. With no metal frame required and quick tool-free installation, it offers a clean, modern and space-friendly solution for family summer enjoyment.



DROP STITCH MATERIAL

Drop Stitch material for long-lasting strength and durability.

Repair Kit: Supplied with a repair kit to support on-site maintenance and extended service life.

No Tools Required: Designed for straightforward assembly without the need for specialized tools.



Φ118IN×39.4IN / (Φ300CM×100CM)

WATER CAPACITY(90%):1681GAL(6362L)

ITEM	FILTER PUMP	HIGH PRESSURE ELECTRIC AIR PUMP	FILTER CARTRIDGE	VOLTAGE	CASE PACK	CASE WEIGHT
14246	—	—	—	—	0.205CBM/1PC	31.9KG/70.34LB
14246A	—	—	—	—	0.205CBM/1PC	31.9KG/70.34LB

14246: Global market(Us/CA/AU Excluded), 1 water inlet and 1 water outlet
14246A: Us/CA/AU market, 1 water inlet and 2 water outlet

ITEM	FILTER PUMP	HIGH PRESSURE ELECTRIC AIR PUMP	FILTER CARTRIDGE	VOLTAGE	SAFETY LADDER	LADDER	CASE PACK (1 SET,2 BOX)	CASE WEIGHT
14246EU2CTN	530Gal//H(2006L/H)	√	M	220-240V	√	—	BOX A 0.273CBM, BOX B 0.0332CBM	48.90KG/107.81LB
14246US2CTN	530Gal//H(2006L/H)	√	M	110V	—	√	BOX A 0.273CBM, BOX B 0.0332CBM	48.90KG/107.81LB



PORTABLE ICE BATH TUB SERIES

Engineered for post-workout recovery and daily wellness, this portable ice bath tub features multi-layer insulation to maintain cold temperatures longer.

Lightweight, sturdy, and easy to set up indoors or outdoors, it seamlessly integrates cold water therapy into your daily health routine.



LAMI-TECH™ MATERIAL

Engineered for high strength with dense materials for superior weather resistance and long-lasting durability.



DROP STITCH MATERIAL

Drop Stitch material for long-lasting strength and durability.

Repair Kit: Supplied with a repair kit to support on-site maintenance and extended service life.

No Tools Required: Designed for straightforward assembly without the need for specialized tools.

8 Mins Easy Installation: Efficient installation process, typically completed within 8 minutes.

27.5 - 31.5 IN. / 70 - 80 CM	31.5 IN. / 80 CM	29.5 IN. / 75 CM
Φ 31,5in x H27,5in/ Φ 80cm x H70cm PG.100	Φ 35,4in x H31,5in/ Φ 90cm x H80cm PG.102	L59in x W31,5in x H29,5in/ 1,5m x 80cm x 75cm PG.104

ESSENTIAL ICE BATH TUB

QUICK & EFFORTLESS SETUP
2-in-1 valve for fast inflation; fills with water in just 12 minutes.

TRIPLE-LAYER COLD RETENTION & DURABILITY
Pearl foam 3-layer insulation keeps water cold longer; leak-proof and waterproof for long-term use.

STYLISH, COMFORTABLE & VERSATILE
Black faux leather exterior with two sizes available. Soft inflatable ring offers comfort and easy access.

HYGIENIC & LOW-MAINTENANCE
Dual covers help keep water clean and cold; built-in drain pipe for quick water removal.

LAMI-TECH™ MATERIAL
Engineered for high strength with dense materials for superior weather resistance and long-lasting durability.

Repair Kit: Supplied with a repair kit to support on-site maintenance and extended service life.

No Tools Required: Designed for straightforward assembly without the need for specialized tools.



Φ31.5IN×H27.5IN / (Φ80CM×H70CM)

WATER CAPACITY(70%): 70GAL (265L)

ITEM	CASE PACK	CASE WEIGHT
14147	0.065CBM/2PC	3.49KG/7.69LB

Φ31.5IN×H31.5IN / (Φ80CM×H80CM)

WATER CAPACITY(70%): 81GAL (309L)

ITEM	CASE PACK	CASE WEIGHT
14148	0.072CBM/2PC	3.85KG/8.49LB

INCLUDED

1




2




Tub Cover
Features a retractable strap to ensure the cover stays securely attached to the tub, preventing the entry of leaves, dust etc and maintaining water quality.

3



Full Seal Inflatable Lid
Creates a seamless air insulation layer, effectively minimizing heat loss compared to normal Ring-seal Inflatable Lids;Easy to inflate and deflate, and convenient for storage.

4



Carry Bag
Lightweight and portable;easy to store and transport.

5



Drain Pipe
Pipe with adapter for easy water removal.

6



Air Pump
Air pump for quick inflation.

PRO ROUND ICE BATH TUB

PORTABLE COLD THERAPY

Inflatable tub with pump included, ideal for home or travel; all-weather cover keeps it clean and ready to use.

RECOVERY & WELLNESS BENEFITS

Reduces inflammation, boosts circulation, and speeds muscle recovery; also improves mood, energy levels, and stress relief.



DROP STITCH MATERIAL

Drop Stitch material for long-lasting strength and durability.

LAMI-TECH™ MATERIAL

Engineered for high strength with dense materials for superior weather resistance and long-lasting durability.

Repair Kit: Supplied with a repair kit to support on-site maintenance and extended service life.

No Tools Required: Designed for straightforward assembly without the need for specialized tools.



Φ35.4IN×H31.5IN / (Φ90CM×H80CM)

WATER CAPACITY(90%): 95GAL (360L)

ITEM	CASE PACK	CASE WEIGHT
14242	0.166CBM/2PC	12KG/26.42LB

INCLUDED

1



2



Tub Cover

Features a retractable strap to ensure the cover stays securely attached to the tub,preventing the entry of leaves,dust etc. and maintaining water quality.

3



Carry Bag

Lightweight and portable;easy to store and transport.

4



High Pressure Pump

Air pump for quick inflation.

PRO OVAL ICE BATH TUB

ATHLETE-DESIGNED RECOVERY
Eases muscle fatigue and speeds post-workout recovery.

DURABLE & HIGH-INSULATION BUILD
Drop stitch material boosts insulation by 30%, keeps cold longer.

TOOL-FREE QUICK SETUP
Includes hand pump for fast, hassle-free inflation.

PORTABLE & VERSATILE
Lightweight carry bag included, suitable for indoor/outdoor use.



DROP STITCH MATERIAL
Drop Stitch material for long-lasting strength and durability.

LAMI-TECH™ MATERIAL
Engineered for high strength with dense materials for superior weather resistance and long-lasting durability.

Repair Kit: Supplied with a repair kit to support on-site maintenance and extended service life.

No Tools Required: Designed for straightforward assembly without the need for specialized tools.



L59IN×W31.5IN×H29.5 / (1.5M×80CM×75CM)
WATER CAPACITY(70%): 97GAL (370L)

ITEM	CASE PACK	CASE WEIGHT
14243	0.133CBM/1PC	12.3KG/27.12LB

INCLUDED

1



2



Tub Cover
Features a retractable strap to ensure the cover stays securely attached to the tub, preventing the entry of leaves, dust etc. and maintaining water quality.

3



Carry Bag
Lightweight and portable;easy to store and transport.

4



High Pressure Pump
Air pump for quick inflation.

POOL ACCESSORIES

AVENLI is committed to delivering the ultimate pool experience.A clean and clear pool is essential for enjoying the summer sun and swimming freely. Therefore, we provide comprehensive pool cleaning and maintenance solutions to keep your pool in its best condition.

CATEGORIES




FILTRATION

Designed to work seamlessly with above-ground pools, our cartridge, filter pump and sand filter pumps are available in multiple capacities to help keep pool water clean, fresh and ready for family fun.



MAINTENANCE

Pool Maintenance tools make routine cleaning easier. From skimmers to vacuum cleaners, each accessory helps remove leaves, dirt and floating debris with less effort.



LADDERS

Pool ladders are designed for stable and convenient access in and out of the pool, with options available to match different pool heights and market requirements.



COMFORT & AMBIENCE

Add comfort, personality and a relaxing outdoor feel to your pool area with pool lights, thermometers and ambience accessories.



POOL COVERS & GROUND CLOTHS

This product is specially designed to cover the pool or the ground beneath it, protecting the pool water and the surrounding area.

FILTRATION

PHOTO													
ITEM NAME	FILTER PUMP-330GAL. (1,249L)			FILTER PUMP-530GAL. (2,006L)			FILTER PUMP-800GAL. (3,028L)			FILTER PUMP-1000GAL. (3,785L)			CLEAR FLOW FILTER PUMP -1000GAL. (3,785L)
ITEM NO.	29P414 US/CA	29P414DE	29P414 EU/FR/GB/AU	29P415 US/CA	29P415DE	29P415 EU/FR/GB/AU	29P416 US/CA	29P416DE	29P416 EU/FR/GB/AU	29P417 US/CA	29P417DE	29P417 EU/FR/GB/AU	29P616EU
ELECTRICAL RATING	AC110-120V ~0.25A	AC220-240V/DC12V ~20W	AC220-240V ~20W	AC110-120V ~0.4A	AC220-240V/DC12V ~35W	AC220-240V ~35W	AC110-120V ~0.9A	AC220-240V ~60W	AC220-240V ~60W	AC110-120V ~1.0A	AC220-240V/DC12V ~100W	AC220-240V ~100W	AC220-240V ~100W
FILTRATION TYPE	FILTER CARTRIDGE 29P481/S	FILTER CARTRIDGE 29P481/S	FILTER CARTRIDGE 29P481/S	FILTER CARTRIDGE 290589/L	FILTER CARTRIDGE 290588/M	FILTER CARTRIDGE 290588/M	FILTER CARTRIDGE 290589/L	FILTER CARTRIDGE 290588/M	FILTER CARTRIDGE 290588/M	FILTER CARTRIDGE 290589/L	FILTER CARTRIDGE 290589/L	FILTER CARTRIDGE 290589/L	Anti-Bacterial Filter Cartridge 290726/L
HOSE SIZE	1.25 in. / 3.2 cm			1.25 in. / 3.2 cm			1.25 in. / 3.2 cm			1.25 in. / 3.2 cm			1.25 in. / 3.2 cm
PUMP FLOW RATE GAL(L)/HOUR	330GAL(1249L)			530GAL (2006L)			800GAL (3006L)			1000GAL (3785L)			1000GAL (3785L)
SYSTEM FLOW RATE GAL(L) / HOUR	285GAL(1079L)			485GAL (1836L)			585GAL (2215L)			790GAL (2990L)			790GAL (2990L)
POOL CAPACITY	300-2,200 gal. (1,100-8,300 L)			300-3,800 gal. (1,100-14,300 L)			300-4,700 gal. (1,100-17,400 L)			300-5,500 gal. (1,100-19,300 L)			300-5,500 gal. (1,100-19,300 L)

PHOTO											
ITEM NAME	SAND FILTER PUMP-800GAL. (3,028L)			SAND FILTER PUMP-1000GAL. (3,785L)		ECO PLUS SAND FILTER PUMP-1200GAL. (4,542L)			PREMIUM SAND FILTER PUMP-2300GAL. (8,705L)		
ITEM NO.	290729US	290729DE	290729 EU/FR/GB	290730DE	290730 EU/FR/GB	291070US	291070DE	291070 EU/FR/GB	29P620US	29P620DE	29P620 EU/GB/FR
ELECTRICAL RATING	AC110-120V ~0.8A	AC220-240V/DC12V ~50W	AC220-240V ~50W	AC220-240V/DC12V ~90W	AC220-240V ~90W	AC110-120V ~1.1A	AC220-240V/DC12V ~100	AC220-240V ~100W	AC110-120V ~1.1A	DC12V ~250W	AC220-240V ~250W
FILTRATION TYPE	Sand: Size #20 silica sand 0.45–0.85 mm, approx.10 kg Filter ball: 300 g	Sand: Size #20 silica sand 0.45–0.85 mm, approx.10 kg Filter ball: 300 g	Sand: Size #20 silica sand 0.45–0.85 mm, approx.10 kg Filter ball: 300 g	Sand: Size #20 silica sand 0.45–0.85 mm, approx.11 kg Filter ball: 300 g	Sand: Size #20 silica sand 0.45–0.85 mm, approx.11 kg Filter ball: 300 g	Sand: Size #20 silica sand 0.45–0.85 mm, approx.11 kg Filter ball: 300 g	Sand: Size #20 silica sand 0.45–0.85 mm, approx.11 kg Filter ball: 300 g	Sand: Size #20 silica sand 0.45–0.85 mm, approx.11 kg Filter ball: 300 g	Sand: Size #20 silica sand 0.45–0.85 mm, approx.12 kg Filter ball: 400 g	Sand: Size #20 silica sand 0.45–0.85 mm, approx.12 kg Filter ball: 400 g	Sand: Size #20 silica sand 0.45–0.85 mm, approx.12 kg Filter ball: 400 g
HOSE SIZE	1.25 in. / 3.2 cm			1.25 in. / 3.2 cm		1.25 in. / 3.2 cm			1.5 in. / 3.8 cm 1.25in/3.2cm hose adapter included		
PUMP FLOW RATE GAL(L) / HOUR	800GAL (3028L)			1000GAL (3785L)		1200GAL (4542L)			2300GAL (8705L)		
SYSTEM FLOW RATE GAL(L) / HOUR	660GAL (2498L)			863GAL (3266L)		950GAL (3596L)			1800GAL (6813L)		
POOL CAPACITY	300-4,700 gal. (1,100-17,400 L)			300-5,500 gal. (1,100-19,300 L)		300-6,000 gal. (1,100-22,710 L)			300-13,000 gal. (1,100-49,200 L)		

POOL ACCESSORIES

FILTRATION

FILTER PUMP-330GAL. (1,249L)

Water Flow 330GAL(1249L) / hour

ITEM	Voltage	Leakage Protector	Certification	Case Pack	Case Weight	Filter Included in the pump
29P414US	110-120V	GFCI	cETLus	0.059CBM/3PC	8.4KG/18.52LB	29P481 / S
29P414EU	220-240V	—	CE	0.044CBM/3PC	5KG/11.02LB	29P481 / S
29P414FR	220-240V	—	CE	0.057CBM/3PC	6.4KG/14.11LB	29P481 / S
29P414DE	12V	—	GS	0.046CBM/3PC	5KG/11.02LB	29P481 / S
29P414GB	220-240V	—	CE	0.046CBM/3PC	5KG/11.02LB	29P481 / S
29P414CA	110-120V	—	cETLus	0.044CBM/3PC	7.7KG/16.97LB	29P481 / S
29P414AU	220-240V	—	SAA	0.044CBM/3PC	7KG/15.43LB	29P481 / S

FILTER PUMP-530GAL. (2,006L)

Water Flow 530GAL(2006L) / hour

ITEM	Voltage	Leakage Protector	Certification	Case Pack	Case Weight	Filter Included in the pump
29P415EU	220-240V	—	CE	0.057CBM/3PC	6.6KG/14.55LB	290588 / M
29P415FR	220-240V	—	CE	0.066CBM/3PC	8KG/17.64LB	290588 / M
29P415DE	12V	—	GS	0.066CBM/3PC	10.5KG/23.15LB	290588 / M
29P415GB	220-240V	—	CE	0.057CBM/3PC	6.5KG/14.33LB	290588 / M
29P415AU	220-240V	—	SAA	0.084CBM/3PC	9.5KG/20.94LB	290588 / M
29P415US	110-120V	GFCI	cETLus	0.081CBM/3PC	10.3KG/22.71LB	290589 / L
29P415CA	110-120V	—	cETLus	0.081CBM/3PC	10KG/22.05LB	290589 / L

FILTER PUMP-800GAL. (3,028L)

Water Flow 800GAL(3028L) / hour

ITEM	Voltage	Leakage Protector	Certification	Case Pack	Case Weight	Filter Included in the pump
29P416EU	220-240V	—	CE	0.057CBM/3PC	8KG/17.64LB	290588 / M
29P416FR	220-240V	—	CE	0.08CBM/3PC	8.9KG/19.62LB	290588 / M
29P416DE	12V	—	GS	0.066CBM/3PC	14.9KG/32.85LB	290588 / M
29P416GB	220-240V	—	CE	0.057CBM/3PC	8KG/17.64LB	290588 / M
29P416AU	220-240V	—	SAA	0.067CBM/3PC	10KG/22.05LB	290588 / M
29P416US	110-120V	GFCI	cETLus	0.081CBM/3PC	10.45KG/23.04LB	290589 / L
29P416CA	110-120V	—	cETLus	0.081CBM/3PC	10.3KG/22.71LB	290589 / L



29P414 Series



29P415 Series



29P416 Series

FILTER PUMP-1000GAL. (3,785L)

Water Flow 800GAL(3028L) / hour

ITEM	Voltage	Leakage Protector	Certification	Case Pack	Case Weight	Filter Included in the pump
29P417US	110-120V	GFCI	cETLus	0.052CBM/2PC	7.6KG/16.75LB	290589 / L
29P417EU	220-240V	—	CE	0.047CBM/2PC	5.7KG/12.56LB	290589 / L
29P417FR	220-240V	—	CE	0.055CBM/2PC	6KG/13.23LB	290589 / L
29P417DE	12V	—	GS	0.055CBM/2PC	9.8KG/21.60LB	290589 / L
29P417GB	220-240V	—	CE	0.047CBM/2PC	5.7KG/12.56LB	290589 / L
29P417CA	110-120V	—	cETLus	0.055CBM/2PC	9.2KG/20.28LB	290589 / L
29P417AU	220-240V	—	SAA	0.055CBM/2PC	10.1KG/22.27LB	290589 / L



29P417 Series



EU/FR/DE/GB/CA/AU



US

CLEAR FLOW FILTER PUMP-1000GAL. (3,785L)

Water Flow 1000GAL(3785L) / hour

ITEM	Voltage	Leakage Protector	Certification	Case Pack	Case Weight	Filter Included in the pump
29P616EU	220-240V	—	CE	0.028CBM/1PC	3.35KG/7.38LB	290726



29P616EU





FILTRATION

AVENLI sand filter pumps provide reliable, high-efficiency filtration for above-ground pools, helping keep the water clean, clear and ready for everyday summer use.





6-Way Control Valve

1. Control Handle
2. 6-Way Control Valve
3. Pool Water Outlet
4. Filter Tank
5. Pump Motor
6. Pool Water Inlet



- Corrosion-resistant filter tank for reliable outdoor performance
- 6-way control valve: Filter, Backwash, Rinse, Recirculate, Drain and Closed
- Built-in pressure gauge for easy pressure monitoring
- 360° rotatable flange clamp for quick installation and hose alignment
- Fine sand filtration helps improve water clarity
- Requires silica sand 0.45–0.85 mm, approx. 10 kg; sand not included

SAND FILTER PUMP-800GAL. (3,028L)

Water Flow 800GAL(3028L) / hour

ITEM	Voltage	Leakage Protector	Certification	Case Pack	Case Weight
290729US	110-120V	GFCI	cETLus	0.059CBM/1PCS/CTN	7.8KG/17.19LB
290729EU	220-240V	—	CE	0.059CBM/1PCS/CTN	6.59KG/14.53LB
290729FR	220-240V	—	CE	0.059CBM/1PCS/CTN	6.1KG/13.45LB
290729DE	12V	—	GS	0.059CBM/1PCS/CTN	9.3KG/20.50LB
290729GB	220-240V	—	CE	0.059CBM/1PCS/CTN	8.9KG/19.62LB

SAND FILTER PUMP-1000GAL. (3,785L)

Water Flow 1000GAL(3785L) / hour

ITEM	Voltage	Leakage Protector	Certification	Case Pack	Case Weight
290730US	110-120V	GFCI	cETLus	0.062CBM/1PCS/CTN	7.8KG/17.19LB
290730EU	220-240V	—	CE	0.059CBM/1PCS/CTN	6.59KG/14.53LB
290730FR	220-240V	—	CE	0.059CBM/1PCS/CTN	8.9KG/19.62LB
290730DE	12V	—	GS	0.059CBM/1PCS/CTN	9.3KG/20.50LB
290730GB	220-240V	—	CE	0.059CBM/1PCS/CTN	6.5KG/14.33LB



290729 Series



290730 Series

FILTRATION

ECO PLUS SAND FILTER PUMP -1200GAL. (4,542L)

Water Flow 1200GAL(4542L) / hour

ITEM	Voltage	Leakage Protector	Certification	Case Pack	Case Weight
291070US	110-120V	GFCI	ETL	0.036CBM/1PCS/CTN	5.6KG/12.34LB
291070EU	220-240V	—	CE,Rohs	0.036CBM/1PCS/CTN	5.2KG/11.46LB
291070FR	220-240V	—	CE,Rohs	0.036CBM/1PCS/CTN	5.2KG/11.46LB
291070DE	12V	—	GS	0.036CBM/1PCS/CTN	6.7KG/14.77LB
291070GB	220-240V	—	CE,Rohs	0.036CBM/1PCS/CTN	5.2KG/11.46LB

Durable and corrosion-proof filter tank
- Including pressure gauge, easy read and control
- Streamlined design achieves 30% compactness with simplified plug-and-play connectivity
- Air release valve prevents dry running of the pump
- Transparent material allows easy monitoring for sand backwashing needs
- Holds up to 11kg of sand for efficient filtration
- Sand specification required: Requires silica sand (not included),diameter over 0.45mm, approximately weight 11kg
- Color box



PREMIUM SAND FILTER PUMP -2300GAL. (8,705L)

Water Flow 2300GAL(8705L) / hour

ITEM	Voltage	Leakage Protector	Certification	Case Pack	Case Weight
26P620US	110-120V	GFCI	ETL	0.078CBM/1PCS/CTN	10.8KG/23.81LB
26P620EU	220-240V	—	CE,Rohs	0.078CBM/1PCS/CTN	10.5KG/23.15LB
26P620FR	220-240V	—	CE,Rohs	0.078CBM/1PCS/CTN	10.67KG/23.52LB
26P620DE	12V	—	GS	0.078CBM/1PCS/CTN	10.5KG/23.15LB
26P620GB	220-240V	—	CE,Rohs	0.078CBM/1PCS/CTN	10.8KG/23.81LB

Durable and corrosion-proof filter tank
- Easy operated by 6-position valve
- Pre-assembled for easy installation
- Including filter basket for large debris
- Transparent top cover allows easy monitoring of debris inside the pump
- Sand specification required: Requires silica sand (not included), 0.45 to 0.85mm, approximately 28.66 pounds (13kg)
- Color box





6-FUNCTION CONTROL VALVE



EASY-READ PRESSURE GAUGE



QUICK-LOCK CLAMP
Secure Lock, Easy Install



24H AUTO TIMER
Set It & Forget It

FILTRATION


FILTER CARTRIDGE

CLEAN WATER STARTS WITH THE RIGHT CARTRIDGE



EFFECTIVE FILTRATION

Tightly pleated filter media helps capture leaves, hair, sand and fine particles down to 25 microns.



QUICK INSTALLATION

Drop-in cartridge design makes replacement simple and fast.



EASY TO CLEAN

Simply rinse with a garden hose for quick reuse. Regular cleaning helps maintain filtration performance.

Clean every two weeks to maintain optimal filtration performance.

EFFECTIVE ANTI-BACTERIA

Unique features of the blue cartridge

Name of test organism	The number of bacteria recovered from (CFU/mL)			Reduction %
	/	"0" contact time	"24" contact time	
Escherichia coil ATCC 25922	Inoculum only control	1.8×10^5	2.5×10^7	>99
	Sample (1g)	/	8.2×10^3	



SGS

OPTIONAL ANTIBACTERIAL BLUE CARTRIDGE

The blue cartridge is made with antibacterial material and has been tested to reduce over 99%

Note: Antibacterial performance applies to blue antibacterial cartridge models only.

ITEM NO.	29P481	29P483	290588	290725	290589	290726
PRODUCT PHOTO						
TYPE	S	S	M	M	L	L
SIZE	Ø80 × H90 mm Inner Ø30 mm	Ø80 × H90 mm Inner Ø30 mm	Ø106 × H135 mm Inner Ø56 mm	Ø106 × H135 mm Inner Ø56 mm	Ø106 × H202 mm Inner Ø56 mm	Ø106 × H202 mm Inner Ø56 mm
FILTER CARTRIDGE SPEC	Standard	Anti-bacterial	Standard	Anti-bacterial	Standard	Anti-bacterial
SUITABLE PUMP	330GAL. (1,249L) Filter Pump	330GAL. (1,249L) Filter Pump	530 GAL. (2,006L)/ 800GAL. (3,028L) Filter Pump	530 GAL. (2,006L)/ 800 GAL(3,028L) Filter Pump	1000 GAL. (3,785L) Filter Pump	1000 GAL. (3,785L) Filter Pump
PACKAGE	Insert card with Shrink film	Insert card with Shrink film	Insert card with Shrink film	Insert card with Shrink film	Insert card with Shrink film	Insert card with Shrink film
CASE PACK	0.031 cbm / 48 pcs / ctn	0.031 cbm / 48 pcs / ctn	0.083 cbm / 48 pcs / ctn	0.083 cbm / 48 pcs / ctn	0.083 cbm / 32 pcs / ctn	0.083 cbm / 32 pcs / ctn
CASE WEIGHT	2.60KG/5.73LB	2.90KG/6.39LB	2.60KG/5.73LB	4.66KG/10.28LB	4.66KG/10.28LB	4.43KG/9.57LB

FILTRATION

FILTER BALLS

Eco-friendly filtration media for cartridge & sand filter pumps

A lightweight alternative to traditional sand and filter cartridges.



100% Recyclable

SUPERIOR FILTRATION EFFICIENCY

Superior Filtration Efficiency: With a large surface area, filter balls excel at adsorbing and filtering tinyparticles and impurities, effectively filtering down to 3-5 microns.

FEATURES

- **3–5 µm** Fine filtration
- **Light** Easy handling
- **Low care** Less backwash
- **100%PET** Recyclable media

THREE OPTIONS



ECO-FRIENDLY

Standard recyclable PET filter balls for everyday pool filtration.



CARBON

Activated-carbon infused media for clearer water and improved odor control.



ANTIMICROBIAL

Antimicrobial media designed to help inhibit bacteria and fungi on the media surface.

PERFORMANCE COMPARISON

Price rows removed; only key performance information is kept.

	CARTRIDGE	FILTER BALLS	SAND
FILTRATION EFFICIENCY	25 µm	3-5 µm	30-40 µm
WEIGHT	Light	Light	Heavy
SERVICE LIFE	2-4 weeks	Up to 1 year	Up to 1 year
MAINTENANCE	Change frequently	Minimal backwash	Backwash frequently

FILLING GUIDE & PACKING

Recommended grams per pump and how to pack / use the net bag.

PUMP MODEL	PER FILL	NET BAG	SUGGESTED PACK	PACK USAGE NOTE
330 GAL FILTER PUMP	24g	√	100g	100 g ≈ 4 fills
530/800 GAL FILTER PUMP	52g	√	100g / 400g	100 g ≈ 2 fill; 400 g ≈ 7 fills
1000 GAL FILTER PUMP	84g	√	100g / 400g	100 g = 1 fill; 400 g ≈ 5 fills
800 GAL/1000 GAL/1200 GAL SAND FILTER PUMP	300g	×	400g / 700g	400 g = 1 fill; 700 g ≈ 2 fills
2300 GAL SAND FILTER PUMP	400g	×	400g / 700g	400 g = 1 fill; 700 g ≈ 2 fills

HOW TO USE

CARTRIDGE FILTER PUMP	SAND FILTER PUMP
1 Put balls into the net bag. 2 Place the bag into the pump chamber. 3 Use filter plate where required. 4 Remove and rinse with clean water.	1 Do not use the net bag. 2 Fill balls directly into the tank. 3 Use 400 g per standard sand pump. 4 Remove and rinse with clean water.

PACKING VOLUME	 100g Filter balls + 1 filter plate + 1 net	 400g Filter balls + 1 filter plate+ 1 net			 700g Filter balls + 1 filter plate + 1 net		
ITEM NO.	290983	290854	291028	291029	291008	291025	291026
COLOR	WHITE	WHITE	BLACK	BLUE	WHITE	BLACK	BLUE
CASE PACK	0.091CBM/45PCS/CTN	0.046CBM/10PCS/CTN			0.092CBM/12PCS/CTN		
CASE WEIGHT	0.091CBM/45PC	0.046CBM/10PC			0.092CBM/12PC		

POOL ACCESSORIES

FILTRATION

INLET AND OUTLET CONNECTION SET

FOR LARGE POOLS WITH 38 MM HOSE SYSTEMS

UNIVERSAL COMPATIBILITY

Universal - compatible with all AGPs with 38mm inlet/outlet hoses on the market

KEY FEATURES

- For large pools with 38 mm hose systems
- Complete connection solution for inlet and outlet setup
- Plunger valve allows easy water shut-off during pump maintenance
- Durable ABS parts with secure clamp connection

COMPONENTS



Pool Inlet Jet Nozzle



Pool Outlet Strainer Grid



Hose Clamps



Plunger Valve

Suitable for 38 mm hose




(Only required when connecting to a 32 mm pump hose)

Hose Adaptor

Suitable for 32 mm hose

HOW TO USE



Find pool ports

Identify the inlet and outlet openings on the pre-punched liner.



Fit nozzle / strainer

Install the inlet jet nozzle and outlet strainer grid from inside the pool.



Add plunger

Attach the plunger valve



Connect Filter Pump Hose

Attach the filter pump hose to the outside fitting and tighten it securely.



SPECIFICATIONS

Item No.	Name	Number of Plunger Valve	Number of Pool Inlet Jet Nozzle	Number of Pool Outlet Strainer Grid	Number of Hose Adaptor	Number of Hose Clamps	Case Pack	Case Weight
394093	38mm threaded inlet and outlet connection set	2	1	1	2	2	0.061CBM/12PC	8.9KG/19.62LB
394101	38mm threaded inlet and outlet connection set (For US/CA/AU)	3	1	2	3	3	0.039CBM/6PC	6KG/13.23LB
394100	38mm threaded inlet connection set	1	1	—	1	1	0.023CBM/12PC	4.47KG/9.85LB
394099	38mm threaded outlet connection set	1	—	1	1	1	0.023CBM/12PC	4.6KG/10.14B

HOSE ADAPTER KIT (32MM TO 38MM)

Used to connect a pool's 32 mm inlet/outlet port to a 38 mm hose system.

KEY FEATURES

- Converts 32 mm pool ports to 38 mm hose connection
- Suitablefor large pools using 38 mm pump systems
- Includes clamp and gasket for secure,leak-resistant installation
- Easy upgrade path from lower-flow to higher-flow pump systems

COMPONENTS



Adapter Kit

HOW TO USE



Find pool ports

Attach the 32mm end to the pool inlet / outlet hose.



Add hose adapter

Slide the clamp over the adapter and tighten it. Make sure the gasket stays flat against the pool wall.



Connect Filter Pump Hose

Attach the 38 mm hose to the other end and hand-tighten the hose nut until snug. Do not over-tighten.



SPECIFICATIONS

Item No.	Name	Number of Adapter Kit	Case Pack	Case Weight
291073	Hose Adapter Kit (32mm to 38mm)	2	0.013CBM/24PC	2.45KG/5.40LB
291072	Hose Adapter Kit (32mm to 38mm) (For US/CA/AU)	3	0.024CBM/24PC	3.26KG/7.18LB

MAINTENANCE

CleanPlus

Item	Spray brush 290998	Economy Leaf Skimmer 290460	Leaf Rake 290462	Pool skimmer 291175	Deep bag skimmer net 291176	Vacuum Head 290483	Medium wall brush 290463	Large wall brush 290465	Swimming pool brush 291174	Deluxe Vacuum System 290461	Poolside Stroage Basket 291076	Intelligent Robotic Cordless Cleaner 291066EU/US
Accessory												
Package / Recommended Pools												
Prompt Set™ 	All sizes	All sizes	All sizes	All sizes	All sizes	All sizes	≤Ø3.6m(12Ft)	>Ø3.6m(12Ft)	>Ø3.6m(12Ft)	>Ø4.2m(14Ft)	/	All sizes
Frame Round 	All sizes	All sizes	All sizes	All sizes	All sizes	All sizes	≤Ø3.6m(12Ft)	>Ø3.6m(12Ft)	>Ø3.6m(12Ft)	>Ø4.2m(14Ft)	All sizes	All sizes
Frame Rectangular 	All sizes	All sizes	All sizes	All sizes	All sizes	All sizes	≤2.07m (6.8Ft) wide	>2.07m(6.8Ft) wide	>2.07m(6.8Ft) wide	>2.07m(6.8Ft) wide	All sizes	All sizes
Frame Oval	All sizes	All sizes	All sizes	All sizes	All sizes	All sizes	/	All sizes	All sizes	All sizes	All sizes	All sizes

Item	Small Pool Maintenance Kit 290698	Medium Pool Maintenance Kit 290699	Large Pool Maintenance Kit 290700	Pool maintenance set 290490	Leaf skimmer 290987	Pool & SPA Cleaner 290683	Battery Pool & SPA Vacuum Cleaner 290721	Rechargeable Electric Pool & SPA vacuum Cleaner 290851	Rechargeable Handheld Pool & SPA Cleaner 30w 290986EU/US	3x32" Aluminum Pole 290484	3x37" Aluminum Pole 290485
Accessory											
Package / Recommended Pools											
Total Length	63.39in / 1.61m	80.71in / 2.05m	98.03in / 2.49m	/	60.63in / 1.54m	59.1in / 1.5m	64.9in / 1.65m	64.9in / 1.65m	84.65in / 2.15m	94.49in / 2.4m	110.24in / 2.8m
Prompt Set™	≤Ø3.6m(12Ft)	>3m(10Ft)and ≤Ø3.96m(13Ft)	>Ø3.96m(13Ft)	≤Ø4.2m(14Ft)	≤Ø3.6m(12Ft)	≤Ø3.6m(12Ft)	≤Ø3.6m(12Ft)	≤Ø3.6m(12Ft)	All sizes	≤Ø3.96m(13Ft)	>Ø3.96m(13Ft)
Frame Round	≤Ø3.6m(12Ft)	>3m(10Ft)and ≤Ø3.96m(14Ft)	>Ø3.96m(13Ft)	≤Ø4.2m(14Ft)	≤Ø3.6m(12Ft)	≤Ø3.6m(12Ft)	≤Ø3.6m(12Ft)	≤Ø3.6m(12Ft)	All sizes	≤Ø3.96m(13Ft)	>Ø3.96m(13Ft)
Frame Rectangular	/	All sizes	All sizes	≤2.07m (6.8Ft) wide	/	≤2.07m (6.8Ft) wide	≤2.07m (6.8Ft) wide	≤2.07m (6.8Ft) wide	All sizes	All sizes	All sizes
Frame Oval	/	All sizes	All sizes	/	/	/	/	/	All sizes	All sizes	All sizes

MAINTENANCE





SPRAY BRUSH
290998

• Size:21×12×9cm(8.3" × 4.7" × 3.5")
• Easy to clean filter cartridge
• Two functions:brush or washing
• Adjust the water flow rate through the knob
• Clamshell packaging
• Case Pack:66.5cm×28cm×34.5cm/24PCS/ctn





LEAF SKIMMER
290987

• Size:3.2×30×154cm(1.3" × 11.8" × 60.6")
• Remove debris from pool water
• Frame and aluminum pole integrated
• Telescopic three-section aluminum tube (adjustable range from 0.56m to 1.22m)
• Improved design for easier debris collection
• Durable mesh skimmer net
• Cardboard packaging
• Case Pack: 91cmx33cm×16cm/12PCS/ctn





ECONOMY LEAF SKIMMER
290460

· Size: 44×30×2.8cm(17.3" × 11.8" × 1.1")
· Durable Aluminum Handle
· Soft Silicone Scraper Edge
· Fine Mesh Debris Net
· Lightweight & Labor-saving
· Tool-free Quick Assembly
· Case Pack: 0.055 CBM / 24 pcs/N.W.: 6.8 kg, G.W.: 10.6 kg





POOL SKIMMER
291175

• Size:41x33x4cm(16.1" × 13.0" × 1.6")
• Individual Packaging: Header Card
• Sturdy aluminum handle, solid, bend and break resistant
• Soft angled silicone edge for easy scraping bottom dirt and sand
• Fine mesh net traps fine debris, no small particles escape
• Lightweight & labor-saving, for effortless quick cleaning
• Case Pack: 0.054 CBM/12pcs/N.W.: 2.86 kg/G.W.: 3.56 kg

DEEP BAG SKIMMER NET
291176

• Size:43x33x4cm(16.9" × 13.0" × 1.6")
• Individual Packaging: Header Card
• Extra-deep mesh holds more debris
• Less frequent emptying for faster cleaning.
• Soft silicone edge easily scrapes and lifts pool dirt & sand.
• Reinforced frame with aluminum handle, sturdy for daily long-term use.
• Case Pack:0.054 CBM/12pcs/N.W.: 3.4 kg/ G.W.: 4.1 kg





VACUUM HEAD
290483

• Size: 33x23.5x10.5cm(13.0" × 9.3" × 4.1")
• Vacuum head with air relief valve
• Compatiable with 32mm telescoping aluminum pole
• Cardboard packaging
• Case Pack:43cmx33.5cmx24.5cm/6PCS/ctn





LEAF RAKE
290462

• Size: 28.5x43x4cm(11.2" × 16.9" × 1.6")
• Scoop debris from pool floor
• Compatible with 32mm telescoping aluminum pole
• Deep and durable mesh skimmer net
• Cardboard packaging
• Case Pack:38cmx38cmx54cm/24PCS/ctn





MAINTENANCE



290484 290485

ALUMINUM POLES

290484

• 3x32" Aluminum Pole(Telescopic range:0.96-2.4m),ribbed pole with standard grip and lock
• Ideal for attaching accessories that require a 32mm pole to clean pools
• Display carton
• Case Pack:15.5cmx12.7cmx100cm/12PCS/ctn

290485

• 3x37" Aluminum Pole (Telescopic range:1.2-2.8m),ribbed pole with standard grip and lock
• Ideal for attaching accessories that require a 32mm pole to clean pools
• Display carton
• Case Pack: 19.7cmx15.7cmx123cm/12PCS/ctn



MEDIUM WALL BRUSH


290463

• Compatible with 32mm telescoping aluminum shaft easy to connect the pole with V-clip
• With arc angle to avoid scratches
• High wear-resistant PP bristles can effectively resist aging
• Idea for cleaning the debris in the pool

• 10” brush handle
• Compatiable with 32mm telescoping aluminum pole easy to connect the pole with V-clip
• Arc corner to avoid scratches
• High wear-resistant PP bristles can effectively resist aging
• Cardboard packaging
• Case Pack: 30cmx24cmx50cm/24PCS/ctn







LARGE WALL BRUSH

290465

• 16” brush handle
• Compatiable with 32mm telescoping aluminum pole easy to connect the pole with V-clip
• Arc corner to avoid scratches
• High wear-resistant PP bristles can effectively resist aging
• Display carton
• Case Pack: 44cmx27cmx44cm/24PCS/ctn

SWIMMING POOL BRUSH

New

291174

• Size:43x18.5x9cm(16.9" × 7.3" × 3.5")
• Individual Packaging: Header Card
• Durable & Reliable Construction
• 270° Dual-End Rounded Brushes for Hard-to-Reach Areas
• Water Deflector for Easier Cleaning
• Case Pack: 0.071 CBM/6pcs/N.W.: 2 kg/ G.W.: 2.65 kg



DELUXE VACUUM SYSTEM

290461

• Size: 48*20*20cm(18.9" × 7.9" × 7.9")
• Deluxe vacuum system with additional small vacuum head, 3 adaptors and 1.5M shaft
• Diameter 32 mm X 5 M hose
• Removable and reusable debris and leaf bag
• Two angled conversion nozzles, one with a brush
• Attach to the filter pump for light cleaning your pool
• Color Box
• Case Pack: 52cmx44cmx66cm/6PCS/ctn



POOL MAINTENANCE SET

290490

• Size:49x34x8.5cm(19.3" × 13.4" × 3.4")
• Floating chemical dispenser for 1-1/2" tablets
• Economy leaf skimmer（290460）
• Deluxe floating thermometer（290127）
• 3-In-1 Test strips (290471)
• Deluxe complete underwater vacuum cleaner with a 5-section 48" pole, designed for use with Economy Leaf Skimmer and brushes
• Clam shell packaging
• Case Pack: 50cmx48cmx35cm/6PCS/ctn





MAINTENANCE





BATTERY POOL & SPA VACUUM CLEANER

290721

• Size:Ø6.5 × 135cm(Ø2.5" × 53.1")
• See-through Fiter design
• 3-Section telescopic aluminum pole, max length 165cm
• Compatible with all spas and above-ground pools up to 13 ft (3.96 m) in diameter (round) and up to 13 ft (3.96 m) wide (rectangular and oval).
• 8 x AA batteries required(Batteries not included)
• Working Time: 1.5 hour
• Color Box
• Case Pack: 80cmx28.5cmx22.5cm/6pcs/ctn





POOL & SPA CLEANER

290683

• Size: Ø7.5 x 197cm(Ø2.9" x 77.6")
• 3-Section telescopic aluminum pole, max length 150cm
• Compatible with all spas and above-ground pools up to 12ft (3.6 m) in diameter (round) and up to 12 ft (3.6 m) wide (rectangular and oval)
• Easy to check through the transparent window
• Strong inner stainless steel structure
• Powerful suction with easy operation
• Easy to hang
• For different sized pools
• Color Box
• Case Pack: 80.5cmx35cmx31cm/6PCS/ctn





RECHARGEABLE ELECTRIC POOL & SPA VACUUM CLEANER

290851

• Size:80x15x7cm(31.5" x 5.9" x 2.8")
• See-through Fiter design
• 3-Section telescopic aluminum pole, max length 165cm
• Compatible with all spas and above-ground pools up to 13 ft (3.96 m) in diameter (round) and up to 13 ft (3.96 m) wide (rectangular and oval).
• Charging Voltage:AC 100v -240v/-50/60HZ, output 5 v-1000ma
• Battery Capacity: 4000mAh
• Charging Time: 4.5 hours
• Working Time: 1 hour
• Color Box
• Case pack: 0.05cbm/6pcs/ctn



Short brush:
brush bottom



Long brush:
Large-area bottom cleaning



Wide-end nozzle:
remove floaters



Head:
remove rocks and large debris

POOL MAINTENANCE KIT


• Whole set includes lightweight aluminium pole with interchangeable vacuum and skimmer heads
• Vacuum head with washable and reusable debris bag connects to 3/4" garden hose for usage
• Skimmer has a durable mesh netting
• Compatible with poles with inner diameter of 19mm/0.75in/ctn
• Color box
• Case Pack: 0.155cbm/6PCS

ITEM NO.	POLE SIZE	PACK
290698	53" (135cm)	6
290699	71" (181cm)	6
290700	89" (227cm)	6





skimmer



vacuum


RECHARGEABLE HANDHELD POOL & SPA CLEANER 30W

290986EU/US

• Size: 80x26x12cm(31.5" x 10" x 4.7")
• See-through Filter design
• Two ways for hand holding
• 3-Section telescopic aluminum pole, max length 2.15m
• Compatible with all spas and above-ground pools up to 20 ft (6.1 m) in diameter (round) and up to 20 ft (6.1 m) wide (rectangular and oval)
• Charging Voltage:5V-2A
• Battery Capacity: 4500mAh
• Charging Time: 3 hours
• Working Time: 1 hour
• Suction: 70L/Min
• Color box
• Case Pack:89cm x 35cm x 43cm/4PCS/ctn







MAINTENANCE



WATER TESTER

290493

• Easy to read directly and no need to match manually.
• Electronically tests the pH and chlorine levels, providing instant, accurate results
• Auto-rectification makes it easy to use
• Safety measure range for Chlorine Level: 1.2 to 1.7 ppm
• Safety measure range for PH Level: 7.2 to 7.8
• Water Resistance
• Double Blister Packing
• Case Pack: 64.6cmx23.5cmx50cm/36pcs/ctn





POOLSIDE STORAGE BASKET

291076

• Perfectly fits frame pools with rounded/oval tubes.Ensure the outer diameter of the pipe is less than 60 mm. Note: Does not fit inflatable pools
• Extendable support rods provide stability,keeping the basket stable and prevents items from falling out.
• Mesh bottom flushes out leaves and sand
• Simple design allows quick installation and removal in just a few minutes.
• Max loading weight: 5kg
• Product dimension: 31cmx21cmx11cm (12.2" × 8.3" × 4.3")
• Brown box
• Case pack: 67.5cmx61.5cmx47.5cm/20pcs/ctn



SKIMMER

• Durable and corrosion-proof plastic material (PP + ABS)
• Mount on the pool wall to suck floating leaves or other debris
• Connect to filter pump to automatically collect floating debris on the pool surface
• Fit all 300gal filter pumps and above in the market,but above 530gal filter pump is recommended for better effect




One end of the connector is connected to the skimmer hose,and the other end screws into the base of the inlet strainer




One end of the connector is connected to the skimmer hose, and the other end is directly inserted into the pool outlet port









290727

• Size:39x18x42.7cm(15.4" × 7.1" × 16.8")
• Fits Frame Pools
• Skimmer hangs over the top side of frame pool
• Suitable for frames with diameter from 3 cm to 5.6 cm,and the cover can be automatically adjusted according to the water surface
• Color box
• Case Pack: 57cmx41cmx36cm/6PCS/ctn



290728

• Size:39x18x42cm(15.4" × 7.1" × 16.5")
• Fits Inflatable Top Ring Pools
• The adjustable hook can hang over the inflatable top ring with diameter from 14cm to 23cm
• Color box
• Case Pack: 57cmx41cmx36cm/6PCS/ctn



290931

• Size:39x18x42.7cm(15.4" × 7.1" × 16.8")
• Fits Inflatable Top Ring Pools and Frame Pools
• Skimmer can hang both on top of inflatable ring and top frame,and the cover automatically adjusts to stay level with water surface
• Color box
• Case Pack: 57cmx41cmx38cm/6PCS/ctn



MAINTENANCE



CHEMICAL FLOATER

290618

- Dia.5" Floating dispenser for 1" chemical tablets
- Adjustable dial to control the release of chemicals
- integrated with a themometer
- Easy to read temperature
- Displays in both Fahrenheit and Celsius
- No tablets included



290467

- Dia.9" Floating Dispenser
- Dispenses 3" &4" chemical tablets
- Adjustable dial to control the release of chemicals
- Integrated with a thermometer displays in both Fahrenheit and Celsius
- Easy to read temperature
- No tablets included



290468

- 5"dispenser for 1" tablets with a sling to prevent movement
- Telescopic design for smaller packaging
- Adjustable dial to control the release of chemicals
- Tie the handle with a rope to prevent floater dispenser from floating around



290470

- 7" dispenser for 3" tablets with a sling to prevent movement
- Telescopic design for smaller packaging
- Adjustable dial to control the release of chemicals
- Tie the handle with a rope to prevent floater dispenser from floating around

ITEM NO.	290618	290467	290468	290470
PACKING STYLE	 COLOR BOX	 COLOR BOX	 SHRINK + COLOR CARD	 PP bag + COLOR CARD
CASE PACK	41cm x 27cm x 53cm /24pcs/ctn	62cm x 37cm x 42cm /12pcs/ctn	37.5cm x 25.5cm x 29cm /24pcs/ctn	54cm x 36cm x 41cm /24pcs/ctn
CASE WEIGHT	4.2KG/9.3LB	6.5KG/14.3LB	2.5KG/5.5LB	4.8KG/10.6LB

HOSE

- Suitable for filter pumps
- 5m length hose
- Shrink wrapped with insert card

290497

- 3.2cm diameter, 5 meters length
- Removable hose for easy cleaning and assembly
- Case Pack: 0.12cbm/9PCS/ctn

290498

- 3.8cm diameter, 5 meters length
- Removable hose for easy cleaning and assembly
- Case Pack: 0.097cbm/5PCS/ctn



TEST STRIPS

290471

- 3-In-1 Test: Free Chlorine,PH,Total Alkalinity
- The ideal solution for basic pool and spa water testing
- Easy color-match system
- Contains 50 test strips
- 1 year shelf life
- Blister card package
- Case Pack: 29cmx18cmx33cm/48PCS/ctn





INTELLIGENT ROBOTIC CORDLESS CLEANER

291066EU/US

- Size:47x30x20cm(18.5" × 11.8" × 7.9")
- 115L/min Powerful Suction Flow Rate, Delivering Deep Cleaning Performance
- 3.5-Hours Quick Charge for 90-Minutes Extended Runtime
- 7800mAh High-Capacity Battery with Revolutionary Longevity Boost
- Smart Activation System – Simply Turn On the Switch, and It Automatically Operates upon Water Entry
- Brown box
- Case Pake:47x30x20cm



LADDERS



29R243



29R243V01

84CM(33”)
STANDARD LADDER
29R243 / 29R243V01

- For pool wall height sized: 84cm(33")
- Coated steel frame
- Durable plastic steps
- Color box
- Case Pack: 0.138cbm/4PCS



29R244



29R244V01

90CM(35”)
STANDARD LADDER
29R244 / 29R244V01

- Can not be sold on EU/GB market
- For pool wall height sized: 90cm(35")
- Coated steel frame
- Durable plastic steps
- Color box
- Case Pack: 0.138cbm/4PCS



29R245



29R245V01

109CM(43”)
STANDARD LADDER
29R245 / 29R245V01

- Can not be sold on EU/GB market
- For pool wall height sized under: 109cm(43")
- Coated steel frame
- Durable plastic steps
- Color box
- Case Pack: 0.085cbm/2PCS

122CM(48”)
STANDARD LADDER
29R218 / 29R218V01

- Can not be sold on EU/GB market
- For pool wall height sized: 122cm(48")
- Coated steel frame
- Durable plastic steps
- Case Pack: 0.115cbm/2PCS



29R218



29R218V01

132CM(52”)
STANDARD LADDER
29R220 / 29R220V01

- Can not be sold on EU/GB market
- For pool wall height sized under: 132cm(52")
- Coated steel frame
- Durable plastic steps
- Color box
- Case Pack: 0.166cbm/2PCS



29R220



29R220V01

LADDERS



29R249



29R249V01

109CM(43")
SAFETY LADDER

29R249 / 29R249V01

- For pool wall height sized under: 109cm(43")
- Coated steel frame
- Durable plastic steps
- Color box
- Case Pack: 0.11cbm/2PCS



29R250



29R250V01

122CM(48")
SAFETY LADDER

29R250 / 29R250V01

- For pool wall height sized under: 122cm(48")
- Coated steel frame
- Durable plastic steps
- Color box
- Case Pack: 0.165cbm/2PCS



29R219



29R219V01

132CM(52")
SAFETY LADDER

29R219 / 29R219V01

- For pool wall height sized under: 132cm(52")
- Coated steel frame
- Durable plastic steps
- Color box
- Case Pack: 0.166cbm/2PCS

122CM(48")
STANDARD LADDER

29R218 / 29R218V01

- Can not be sold on EU/GB market
- For pool wall height sized: 122cm(48")
- Coated steel frame
- Durable plastic steps
- Case Pack: 0.115cbm/2PCS



29R218



29R218V01

132CM(52")
STANDARD LADDER

29R220 / 29R220V01

- Can not be sold on EU/GB market
- For pool wall height sized under: 132cm(52")
- Coated steel frame
- Durable plastic steps
- Color box
- Case Pack: 0.166cbm/2PCS



29R220




29R220V01

FOOT BATH

FOOT BATH

290984

- Cute and Clear Design
- Fits all ladders
- Anti-slip bottom design to ensure safety
- Wash your feet when you get in and out of the pool
- Brown Box
- Case Pack: 56.5cm x 40.5cm x 26cm/12PCS







COMFORT & AMBIENCE



FLOATING ANIMAL THERMOMETER

290475

• String attached to keep thermometer in place Floating design
• Easy to read temperature gradation
• Displays in both Fahrenheit and Celsius
• Display box
• Case Pack: 0.032cbm/12pcs/ctn





FLOATING THERMOMETER

290127

• Floating design
• Easy to be located & read temperature gradation
• Display in Fahrenheit & Celsius
• Display carton
• Case Pack: 32cm x 22cm x 42cm/48PCS/ctn



POLYGONAL POOL AWNING

• Effectively blocks sun exposure and protects your skin.
• Fast assembly without tools, easy to adjust the position according to the angle of sunlight.
• Stable Structure

290953

• For pool sized: 10'(305cm)
• Color box
• Case Pack: 0.063cbm/6PCS

290954


• For pool sized: 12'(366cm)
• Color box
• Case Pack: 0.063cbm/6PCS



POOL SUNSHADE

370984

• Only install on grass,stable structure
• Suitable for pools with a diameter of less than 4.2m
• Effectively blocks sun exposure and protects your skin
• Easy to adjust non-transparent fabrics position according to the angle of sunlight.
• Keeps your pool warm, saving energy
• Color box
• Case Pack: 0.0079cbm/1PCS/CTN





COMFORT & AMBIENCE





LED FOUNTAIN LIGHT

291108

• Size: 16.85cm x 16.3cm x 9.98cm
• Two functions show in one—a floating fountain paired with underwater LED light
• Rechargeable and long-lasting with 6 to 8 hours charging for 16 hours of LED lighting (without water spray)
• Switch between 7 vibrant LED lightings featuring unique ripple light projections for stunning visual effects
• IP68 waterproof
• Color box
• Case Pack: 0.064cbm/18PCS/CTN





FLOATING BLUETOOTH LIGHT SHOW SPEAKER

291111

• Size: 18.55cm x 18cm x 19cm
• Combines music and lights - a floating Bluetooth speaker with synchronized LED light effects for pool or outdoor use
• Connect easily to device via Bluetooth 5.0 for clear, stable audio
• Rechargeable and long-lasting work for 8 hours
• Offers several LED color options and dynamic lightings to set the mood
• IP68 waterproof
• Color box
• Case Pack: 0.109cbm/18PCS/CTN





LIGHT UP FLAMINGO THERMOMETER

291109

• Size: 8.56cm x 7.72cm x 24.34cm
• A playful flamingo-shaped floating thermometer that adds whimsy while accurately measuring pools' temperatures
• Solar panel keeps the lighted thermometer charged using sunlight, for eco-friendly convenience
• Soft LED illumination makes it easy to check temperature at night while adding ambient lighting
• Easy to read in both Fahrenheit and Celsius
• IP68 waterproof
• Display box
• Case Pack: 0.077cbm/60PCS/CTN

SOLAR LED DIGITAL THERMOMETER

291110

• Size: 10.65cm x 10.4cm x 16.5cm
• A floating thermometer paired with underwater LED light
• Solar panel keeps the lighted thermometer charged using sunlight, for eco-friendly convenience
• High-contrast digital liquid crystal display (LCD) shows precise temperature readings (°F/°C) at a glance
• Measures from -20°C to 70°C (-4°F to 158°F)
• Variable RGB LED light with dynamic color-shifting effects
• IP68 waterproof
• Display box
• Case Pack: 0.104cbm/40PCS/CTN





RGB LED UNDERWATER LIGHT RING

291134

• Size: Φ12.9cm x 5.86cm
• Features adjustable multi-color LEDs with smooth transitions, creating dynamic underwater effects-perfect for pools and spas.
• 7 selectable colors and 4 modes create different atmospheres.
• Simple setup with no tools required-just screw on the LED light ring.
• Rechargeable and long-lasting work for 6 hours.
• IPX7 waterproof
• Color box
• Case Pack: 0.019cbm/12PCS/CTN





POOL COVERS AND GROUND CLOTHS

SOLAR COVERS

The floating solar cover is designed to harness the power of the sun to heat your pool water naturally while helping to maintain warmth and reduce evaporation.

AVAILABLE COLORS

● **BLACK**







FITS FRAME OVAL POOL

Item NO.	Color	Size	For Pool	Case Pack	Case Weight
17711V02	Black	504cm x 260cm (16.5′ x 8.5′)	540cm x 304cm (18′ x 10′)	0.102cbm/3pcs	5.5kg/12.12lb
17712V02	Black	522cm x 300cm (17.1′ x 9.8′)	610cm x 360cm (20′ x 12′)	0.122cbm/3pcs	6kg/13.23lb
291232	Black	427cm x 275cm (14′ x 9′)	400cm x 250cm (13.1′ x 8.2′)	0.4cbm/12pcs	12.5kg/27.56lb





FITS ROUND POOL

Item NO.	Color	Size	For Pool	Case Pack	Case Weight
17707V02	Black	ø195cm (6.4′)	ø240cm(8′) PROMPT SET ™	0.159cbm/12pcs	7.02kg/15.47lb
290886V02	Black	Φ295cm (9.7′)	ø300cm(10′) PROMPT SET ™ ø300cm(10′) Frame Round ø305cm(10′) Frame Plus Round	0.144cbm/6pcs	5.56kg/12.25lb
290887V02	Black	Φ354cm (11.6′)	ø360cm(12′) PROMPT SET ™ ø360cm(12′) Frame Round ø366cm(12′) Frame Plus Round	0.240cbm/6pcs	8.18kg/18.03lb
290889V02	Black	ø442cm (14.5′)	ø450cm(15′) PROMPT SET ™ ø450cm(15′) Frame Round ø427cm(14′) Frame Plus Round ø457cm(15′) Frame Plus Round	0.203cbm/3pcs	9.5kg/20.94lb





FITS FRAME RECTANGULAR POOL

Item NO.	Color	Size	For Pool	Case Pack	Case Weight
17719V02	Black	250cm x 170cm (8.2′ x 5.6′)	228cm x 159cm x 42cm (7.5′ x 5.2′ x 16.5″) 258cm x 179cm x 66cm (8.5′ x 6′ x 26″)	0.292cbm/12pcs	6.8kg/14.99lb
17720V02	Black	292cm x 200cm (9.6′ x 6.6′)	300cm x 207cm x 65cm (10′ x 6.8′ x 26″)	0.266cbm/12pcs	9.5kg/20.94lb
17718V02	Black	390cm x 206cm (12.8′ x 6.8′)	394cm x 207cm x 80cm (13′ x 6.8′ x 31.5″) 400cm x 207cm x 122cm (13′ x 6.8′ x 48″)	0.341cbm/12pcs	12kg/26.46lb
291229	Black	578cm x 242cm (19.0′ x 7.9′)	640cm x 305cm x 132cm (21′ x 10′ x 52″)	0.15cbm/3pcs	6kg/13.23lb
291230	Black	688cm x 296cm (22.6′ x 9.8′)	760cm x 366cm x 132cm (25′ x 12′ x 52″)	0.16cbm/3pcs	6.5kg/14.33lb
291231	Black	480cm x 250cm (15.7′ x 8.2′)	549cm x 305cm x 122cm (18′ x 10′ x 48″)	0.11cbm/12pcs	3.6kg/7.94lb

OPTIONAL PREMIUM GRADE

CONTACT SALES FOR QUOTATION

50–80
MU / μm
HIGHER GAUGE

Higher MU Material – available on request

For premium retail positioning, the 50-80 MU material option can be quoted separately. It is under development and not listed as a standard SKU on this page.

- Stronger film feel
- Better heat retention
- Improved durability

PERFORMANCE BENEFITS

- Heats water faster in sunshine
- Helps retain heat overnight
- Reduces water evaporation
- Helps keep the pool cleaner
- Lightweight and easy to handle
- Polybag with insert card

POOL COVERS AND GROUND CLOTHS

POOL COVER-CLASSIC


Durable material


Rope ties

FRAME OVAL TOP RING POOL COVER



Item NO.	Color	Size	For Pool	Case Pack	Case Weight
291189	Charcoal Grey	5.80m x 3.20m (19'0" x 10'6")	5.49m x 3.05m x 1.22m (18' x 10'x 48")	0.033cbm/4pcs	7.34kg/16.18lb
291217	Charcoal Grey	5.88m x 3.48m (19'3" x 11'5")	6.10m x 3.60m x 1.22m (20' x 12' x 48")	0.04cbm/4pcs	7.40kg/16.32lb

FITS FRAME OVAL POOL ONLY



Item NO.	Color	Size	For Pool	Case Pack	Case Weight
291190	Charcoal Grey	4.31m x 2.80m (14'2" x 9'2")	4.27m x 2.75m x 1.0m (14' x 9' x 39.4")	0.078cbm/10pcs	12.34kg/27.21lb

FITS PROMPT SET POOL ONLY



Item NO.	Color	Size	For Pool	Case Pack	Case Weight
291191	Charcoal Grey	Φ2.6m (8.5')	2.44m x 63cm (8' x 25")	0.018cbm/6pcs	3.55kg/7.83lb
291192	Charcoal Grey	Φ3.3m (10.8')	3.05m x 76cm (10' x 30")	0.028cbm/6pcs	5.40kg/11.91lb
291193	Charcoal Grey	Φ3.8m (12.5')	3.66m x 76cm (12' x 30")	0.041cbm/6pcs	7.10kg/15.66lb
291234	Charcoal Grey	Φ4.5m (14')	4.27m x 84cm (14' x 33")	0.053cbm/6pcs	9.5kg/20.95lb
291211	Charcoal Grey	ø4.8m (15')	4.57m x 90cm (15' x 36")	0.037cbm/4pcs	7.35kg/16.2lb

FITS Fiber Fit Frame™ AND FRAME PLUS ROUND POOL



Item NO.	Color	Size	For Pool	Case Pack	Case Weight
291222	Charcoal Grey	Φ4.27m (14')	Φ4.27m (14')	0.053cbm/6pcs	9.50kg/20.95lb
291221	Charcoal Grey	4.57m (Φ15')	4.57m (Φ15')	0.057cbm/6pcs	10.50kg/23.16lb

FITS FRAME RECTANGULAR POOL ONLY



Item NO.	Color	Size	For Pool	Case Pack	Case Weight
291194	Charcoal Grey	2.58m x 1.79m (8'6"x 5'10")	2.58m x 1.79m x 66cm (8'5" x 5'10" x 26")	0.028cbm/6pcs	4.20kg/9.26lb
291195	Charcoal Grey	3.0m x 2.07m (9'10"x 6'9")	3.0m x 2.07m x 66cm (9'10" x 6'9" x 26")	0.028cbm/6pcs	5.20kg/11.47lb
291196	Charcoal Grey	3.94m x 2.07m (12'11"x 6'9")	3.94m x 2.07m x 80cm (12'11" x 6'9" x 31.5")	0.028cbm/6pcs	6.00kg/13.23 lb
291197	Charcoal Grey	3.80m x 1.78m (12'6"x 5'10")	4.0m x 2.0m x 99cm (13' 1"x 6'7" x 39")	0.028cbm/6pcs	5.30kg/11.69lb
291212	Charcoal Grey	5.23m x 2.31m (17'2"x 7'7")	5.49m x 2.50m x 1.22m (18' x 8'2" x 48")	0.042cbm/4pcs	9.30kg/20.5lb
291213	Charcoal Grey	5.12m x 2.55m (16'9"x 8'4")	5.49m x 2.8m x 1.22m (18' x 9'2" x 48")	0.053cbm/6pcs	10.60kg/22.37lb
291216	Charcoal Grey	5.10m x 2.80m (16'9"x 9'2")	5.49m x 3.05m x 1.22m (18' x 10' x 48")	0.053cbm/6pcs	11.5kg/23.37lb
291214	Charcoal Grey	6.10m x 2.73m (20'0"x 8'11")	6.4m x 3.05m x 1.32m (21'x10'x52")	0.074cbm/6pcs	12.5kg/22.05lb
291215	Charcoal Grey	7.20m x 3.28m (23'7"x 10'9")	7.60m x 3.66m x 1.32m (24'11" x 12' x 52")	0.082cbm/4pcs	9.20kg/20.29lb

FITS FRAME ROUND POOL ONLY



Item NO.	Color	Size	For Pool	Case Pack	Case Weight
291199	Charcoal Grey	Φ3.05m (10')	ø3.05m (10')	0.028cbm/6pcs	5.00kg/11.02lb
291200	Charcoal Grey	Φ3.66m (12')	ø3.66 (12')	0.037cbm/6pcs	6.65kg/14.66lb
291219	Charcoal Grey	Φ4.27m (14')	Φ4.27m (14')	0.037cbm/6pcs	6.90kg/15.21lb
291220	Charcoal Grey	Φ4.57m (15')	Φ4.57m (15')	0.028cbm/4pcs	6.00kg/13.23lb

POOL COVER-PREMIUM


Denser material for better durability


Drilled mounting points for secure, stable attachment

FITS FRAME RECTANGULAR POOL ONLY



Item NO.	Color	Size	For Pool	Case Pack
291223	Charcoal Grey	5.23m x 2.31m (17'2"x 7'7")	5.49m x 2.50m x 1.22m (18' x 8'2" x 48")	3pcs
291224	Charcoal Grey	5.12m x 2.55m (16'9"x 8'4")	5.49m x 2.8m x 1.22m (18' x 9'2" x 48")	3pcs
291227	Charcoal Grey	5.10m x 2.80m (16'9"x 9'2")	5.49m x 3.05m x 1.22m (18' x 10' x 48")	3pcs
291225	Charcoal Grey	6.10m x 2.73m (20'0"x 8'11")	6.4m x 3.05m x 1.32m (21'x10'x52")	3pcs
291226	Charcoal Grey	7.20m x 3.28m (23'7"x 10'9")	7.60m x 3.66m x 1.32m (24'11" x 12' x 52")	2pcs

POOL COVERS AND GROUND CLOTHS

Economical protection solution for above ground pools

PROTECT THE POOL BASE
Shields pool bottom from punctures

ENHANCED DURABILITY
Reduces wear from stones and debris

EASY INSTALLATION
Easy to lay flat and ready to use

GROUND CLOTH-CLASSIC

Upgraded ground cloth designed to extend the life of your pool.

- Protects pool base from punctures, sharp objects and debris
- Creates a clean, stable surface for safer pool use
- Helps maintain pool shape and reduce wear
- Lightweight, easy to lay flat and store
- Universal fit for round and rectangular pools
- Individual color box packing





Item NO.	Color	Size	For Pool	Case Pack	Case Weight
16123V01	Gray	2.7m x 2.7m(9’ x 9’)	ø2.44m(8’)	0.024cbm/8pcs/ctn	5.50kg/12.13lb
16123-1V01	Gray	3.3m x 3.3m(11’ x 11’)	ø3.05m(10’)	0.038cbm/8pcs/ctn	8.50kg/18.74lb
16123-2V01	Gray	3.9m x 3.9m(12.5’ x 12.5’)	ø3.66m(12’)	0.041cbm/6pcs/ctn	9.00kg/19.85lb
16123-4V01	Gray	4.4m x 4.4m(14.4' x 14.4’)	ø4.27m(14’)	0.061cbm/6pcs/ctn	11.16kg/24.61lb
16123-5V01	Gray	4.78m x 4.78m(15.7' x 15.7’)	ø4.57m(15’)	0.061cbm/6pcs/ctn	12.20kg/26.90lb





Item NO.	Color	Size	For Pool	Case Pack	Case Weight
290918	Gray	3.30m × 2.4m(1.1' x 0.8')	3.0m*2.07m*66cm (10'*6.8'*26")	0.001cbm/10pcs/ctn	10kg/22.5lb
17244V01	Gray	4.72m × 2.65m(1.5' x 0.9')	3.94m*2.07m*80cm (13'*6.8'*31.5")	0.041cbm/6pcs/ctn	7.60kg/16.76lb
17511	Gray	5.90m × 3.65m(1.9' x 1.2')	5.49m*3.05m*1.22m (18'*10'*48")	0.070cbm/6pcs/ctn	11.75kg/25.91lb
16108V01	Gray	6.39m × 3.38m(2.1' x 1.1')	5.49m*2.8m*1.22m (18'*9.2'*48")	0.005cbm/1pcs/ctn	1.90kg/4.19lb
290980	Gray	7.18m × 3.90m(2.4' x 1.3')	6.4m*3.05m*1.32m (21'*10'*52")	0.083cbm/6pcs/ctn	10.00kg/22.05lb
291001	Gray	8.40m × 4.60m(2.8' x 1.5')	7.60m*3.66m*1.32m (25'*12'*52")	0.092cbm/6pcs/ctn	12.50kg/27.56lb

POOL COVERS AND GROUND CLOTHS

4MM PE POOL/SPA FLOOR PROTECTOR

Interlocking Tile Set | 1.55m x 1.55m Coverage

9-piece interlocking floor mat system designed to create a protective layer between your pool and the ground. Ideal for above-ground pools, it helps shield against uneven surfaces and wear for long-lasting pool protection.

KEY FEATURES

PROTECTS POOL & FLOOR
Shields your pool base from pebbles, twigs, and rough surfaces.

EASY INTERLOCKING INSTALLATION
Snap-together puzzle design assembles in under 5 minutes, no tools required.

EXPANDABLE SYSTEM
Combine multiple sets to fit any pool size.

LIGHTWEIGHT & EASY TO STORE
Disassembles flat for compact off-season storage.

DURABLE & WATER-RESISTANT
High-density PE material resists water, mold, and breakdown from sun or heat.

SOFT & COMFORTABLE
Soft-touch surface provides a comfortable base for bare feet.

Item No.	Size	Tiles per Set	Total Coverage	Material	Color	Set Weight	Carton Size
290972	55 × 55 × 0.4cm (21.6"×21.6"×0.15")	9 pieces	1.55 × 1.55 m (24 sq ft)	High-density polyethylene (PE)	Blue	10.2 kg (22.5 lbs)	57 × 45 × 57 cm / 11 sets
291235	55 × 55 × 0.4cm (21.6"×21.6"×0.15")	9 pieces	1.55 × 1.55 m (24 sq ft)	High-density polyethylene (PE)	Gray	10.2 kg (22.5 lbs)	57 × 45 × 57 cm / 11 sets





SOLAR HEATER MAT

New

The Avenli Solar Heater Mat is an energy-efficient way to warm your pool using the power of the sun, making your swimming experience more comfortable while helping reduce energy use and costs.

ENERGY-EFFICIENT HEATING

Powered entirely by solar energy, this eco-friendly heating solution increases water temperature by approximately 3–5°C while reducing electricity usage and supporting a more sustainable lifestyle.

EASY INSTALLATION

Simple to connect with standard hose fittings and includes a bypass valve for flexible water flow control and quick setup.

COMPACT & MODULAR DESIGN

Lightweight and space-saving construction allows multiple mats to be connected for enhanced heating performance when needed.

WIDE COMPATIBILITY

Suitable for most above-ground pools up to 30,000 L and works seamlessly with filter pumps up to a flow rate below 1500 GAL/H.

Item No.	Size	Case Pack
14250	119cm x 115cm	0.072 CBM/3pcs/N.W.: 7.5 kg/G.W.: 8.56 kg




Frame Round
PLUS