

©2026 SHANGHAI JILONG ECONOMY DEVELOPMENT CO.,LTD.
ALL RIGHTS RESERVED. PRINTED IN CHINA.

Tel:+86-21-58942200 E-mail:info@jilong.com Web: www.jleisure-global.com

avenli 2027 COLLECTION



SPA

avenli

SPA



COLLECTION

ABOUT US

Over 30 Years of Experience

Jilong is a leading manufacturer and exporter of plastic leisure products, with over 30 years of expertise in R&D, quality manufacturing, and global sales. Guided by practicality, innovation, and efficiency, we operate modern facilities supported by strong infrastructure and a stable, skilled workforce. Located within 300 km of Shanghai, our integrated production capabilities cover PVC film, lamination, printing, welding, packaging, and accessory assembly, enabling us to deliver reliable quality and competitive costs.

VERTICALLY INTEGRATED

JILONG has established a vertically integrated production system from raw materials to finished products, covering PVC film, silkscreen printing, high-frequency welding, sewing, packaging, and assembly.

WORLD WIDE VISION

JILONG distributes its products to major retailers in over 50 countries and regions, including Europe, North America, Australia, and Asia. This strong international presence has made us a trusted global supplier of plastic leisure products.

INNOVATION DRIVEN

JILONG's R&D team develops hundreds of new products each year, focusing on design, quality, and compliance with international standards. We closely monitor global market trends and safety regulations, while our in-house laboratory rigorously tests and verifies product performance.



SHANGHAI Headquarter



JIANGSU Factory

QUALIFICATION

Our company operates in accordance with international management standards and industry regulations. We place strong emphasis on internal management and employee training to ensure compliance, and we have obtained the relevant certifications.



avenli




SunClub



zray



PATHFINDER



PartyAlive

PRODUCT &BRANDS

Five Sub-Brands One Diverse Leisure World

JILONG proudly offers a diverse portfolio of five distinctive sub-brands, each focused on a unique lifestyle and product category. From the relaxing spa and air bed experience of Avenli, to the adventurous spirit of Zray paddle boards, the fun and excitement of SunClub water toys and pools, and the durable leisure sports products of Pathfinder, our brand family serves a wide range of consumer needs and lifestyles—ensuring that everyone can find something to enjoy.

SAFETY & QUALITY

QUALITY ASSURANCE


Throughout the entire production process, we apply a fully traceable quality management system. Records and image documentation are captured at every key stage, including incoming raw material inspection, testing of restricted substances, product durability testing, in-line quality monitoring, finished product inflation inspection, and container loading. This ensures that every shipment meets relevant safety requirements and that our products are reliable and consistent.



High-quality PVC materials used in production



State-of-the-art in-house laboratory and cooperation with third-party testing institutions



Durability Testing



Tightly controlled production process



24-hour inflation test before packing, with random inspection before shipment



Container loading records and photos

REGULATORY COMPLIANCE

We maintain close cooperation with internationally recognized testing institutions and stay up to date with the latest regulations and standards. This helps ensure that our products comply with the laws and safety requirements of the markets in which they are sold, protecting consumers and supporting reliable global distribution.

EUROPE

REGULATION (EC) No 1907/2006
"Concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH)"

DIRECTIVE 2011/65/EU
"The Restriction of the use of certain Hazardous Substances in electrical and electronic equipment (ROHS)"

Directive 2014/30/EU
"Electromagnetic Compatibility Directive"

Directive 2014/35/EU
"Low Voltage Directive (LVD)"

DIRECTIVE 2012/19/EU
"Waste Electrical and Electronic Equipment Directive (WEEE)"

EN 17125-2018we9
"Domestic spas/whirlpool spas/hot tubs –
Safety requirements and test methods"

AMERICA

UL 1563:2025 Ed.7
"Electric Spas, Equipment Assemblies, and Associated Equipment"

CSA C22.2#218.1:2025 Ed.3
"Spas, Hot Tubs, Cold Tubs, and Associated Equipment"

FCC 47 CFR Part 15
"Federal Communications Commission (FCC) Rules, 47 CFR Part 15"

AUSTRALIA

Regulatory Compliance Mark (RCM)

SALES & MARKETING



We have over 30 years of experience in the inflatables industry to support our global partners.
We are constantly upgrading our packaging, sales promotion material, product manuals and other sales tools to service customers around the world, including
big retail-chains, internet sellers, distributors, independent shops,etc.

SOCIAL MEDIA

EXHIBITION

SUPPORT

Most of the products are equipped with instructions to guide consumers to use the product correctly.
Jilong has established an online information access platform. Consumers can quickly check and download e-manuals and review FAQs of related products by logging on to our website.

Visit website:
https://www.jleisure-global.com/

Select corresponding information according to product categories

Product packaging and photos can be downloaded

If Manual & FAQ is not helpful, please send email to asssupport@jilong.com

Indulge in Pure
Relax in Full

Unwind wherever life takes you with our SPA. Designed to fit seamlessly into your lifestyle, it offers the perfect balance of comfort, convenience, and relaxation. Whether you're seeking a moment of tranquility after a long day or a luxurious retreat under the stars, our SPA turns any space into your personal oasis. Enjoy the moment, embrace the peace, and refresh your mind, body, and soul.





Indulge in Pure **Relax in Full**





AVENLI SPAS
Designed to Free Your Mind

Our reliable, high-performance spas are engineered for comfort, efficiency and effortless upkeep—so you can seamlessly weave a 10-minute soak into your routine, and savor complete wellness benefits. A quick 20-30-minute dip rivals a workout… and offers so much more.

COMFORT

Comfort is the soul of Avenli Spas: Dual massage technology eases muscles precisely, scientifically positioned massage dissolves tension; curated accessories elevate the comfort experience.

INNOVATION

Our spas are crafted with every detail to align with your rhythm: Intelligent features simplify operation, premium accessories enhance quality; every design infuses calm and delight into daily life.

PERFORMANCE

To exceed your expectations, the unit operates at consistently exceptional levels: Each spa is rigorously calibrated for efficiency and longevity; our promise is years of dependable, high-caliber performance.

FABRICS & FINISHES

AIO

All-in-One Intergrated Spa


Grey Marble


Classic Black


Brown Rattan


Natural Wood



Grey Brick

CLASSIC


Inflatable spa with external pump



Light Beige



Classic Black


Brown Rattan



Grey Brick


Blue Laser Line


Translucent Leaf



Ivory Weave


Charcoal Wood


Straw Weave


PREMIUM

Full Lami-Tech Spa with external pump


Grey Marble

DELUXE


Semi-rigid drop stich construction with external pump



Gray Stone


Forest Leaf

HeatLockPro™


Non-inflatable spa with external pump



Black Crocodile Calidonia™



Charcoal Calidonia™


HeatLockPro™ AIO

Non-inflatable spa and All-in-One integrated


Tweed Calidonia™


Graphite Calidonia™


Flint Grey Calidonia™


Charcoal Calidonia™

AVENLI SPA

CONTENTS:

30
AIO

GLACIER P30
BOSTON P32
CHICAGO P38

50
CLASSIC

LONDON P50
CANNES P52
NUREMBERG P54
NICE P56
VERMONT P68
AURORA P74

80
PREMIUM

HAZE P80

88
DELUXE

SEATTLE P88
BERLIN P90
OSLO P92
PRAHA P96

102
HeatLockPro™

SAIPAN P102
AEGEAN P104

110
HeatLockPro™ AIO

RONDA P110
WHISTLER P122
MUNICH P126

140
ACCESSORIES

CLEANPLUS P140
HEATLOCKPRO™ P143
COMFORT & AMBIENCE P146



AIO

All-in-One Intergrated Spa



GLACIER GREY MARBLE SPA
1-2 Person With Integrated Pump
(P30)



BOSTON NATURAL WOOD SPA
2-3 Person With Integrated Pump
(P32)



BOSTON BROWN RATTAN SPA
2-3 Person With Integrated Pump
(P34)



BOSTON GREY BRICK SPA
2-3 Person With Integrated Pump
(P36)



CHICAGO CLASSIC BLACK SPA
2-4 Person With Integrated Pump
(P38)



CHICAGO CLASSIC BLACK SPA
4-6 Person With Integrated Pump
(P40)



CHICAGO BROWN RATTAN SPA
4-6 Person With Integrated Pump
(P42)



CHICAGO GREY BRICK SPA
4-6 Person With Integrated Pump
(P44)

CLASSIC

Inflatable spa with external pump



LONDON CLASSIC BLACK SPA
2-3 Person With Classic External Pump
(P50)



CANNES CLASSIC BLACK SPA
2-4 Person With Classic External Pump
(P52)



NUREMBERG LIGHT BEIGE SPA
2-3 Person With Smart External Pump
(P54)



NICE IVORY WEAVE SPA
4-6 Person With Classic External Pump
(P56)



NICE BROWN RATTAN SPA
4-6 Person With Classic External Pump
(P58)



NICE GREY BRICK SPA
4-6 Person With Classic External Pump
(P60)



NICE CHARCOAL WOOD SPA
4-6 Person With Classic External Pump
(P62)



NICE STRAW WEAVE PATTERN SPA
4-6 Person With Classic External Pump
(P64)



NICE BLUE LASER LINE SPA
4-6 Person With Classic External Pump
(P66)




VERMONT GREY BRICK SPA
3-5 Person With Classic External Pump
(P68)



VERMONT BROWN RATTAN SPA
3-5 Person With Classic External Pump
(P70)




VERMONT CHARCOAL WOOD SPA
3-5 Person With Classic External Pump
(P72)



AURORA TRANSLUCENT LEAF SPA
4-6 Person With Classic External Pump
(P74)

PREMIUM

Full Lami-Tech Spa with external pump



HAZE GREY MARBLE SPA
3-4 Person With Classic External Pump
(P80)



HAZE GREY MARBLE SPA
4-6 Person With Classic External Pump
(P82)

DELUXE

Semi-rigid drop stich construction with external pump



SEATTLE FOREST LEAF SPA
2-4 Person With Classic External Pump
(P88)



BERLIN GRAY STONE SPA
3-5 Person With Classic External Pump
(P90)



OSLO GRAY STONE SPA
2-4 Person With Classic External Pump
(P92)



OSLO GRAY STONE SPA
4-6 Person With Classic External Pump
(P94)



PRAHA GRAY STONE SPA
4-6 Person With Smart External Pump
(P96)

HeatLockPro™

Non-inflatable spa with external pump



SAIPAN BLACK CROCODILE CALIDONIA™ SPA
4-6 Person With Classic External Pump
(P102)



AEGEAN CHARCOAL CALIDONIA™ SPA
4-6 Person With Classic External Pump
(P104)

HeatLockPro™ AIO


Non-inflatable spa and All-in-One integrated



RONDA TWEED CALIDONIA™ SPA
2-4 Person With Integrated Pump
(P110)



RONDA GRAPHITE CALIDONIA™ SPA
2-4 Person With Integrated Pump
(P112)




RONDA FLINT GREY CALIDONIA™ SPA
2-4 Person With Integrated Pump
(P114)



RONDA TWEED CALIDONIA™ SPA
4-6 Person With Integrated Pump
(P116)



RONDA GRAPHITE CALIDONIA™ SPA
4-6 Person With Integrated Pump
(P118)



RONDA FLINT GREY CALIDONIA™ SPA
4-6 Person With Integrated Pump
(P120)



WHISTLER CHARCOAL CALIDONIA™ SPA
3-5 Person With Integrated Pump
(P122)



WHISTLER GRAPHITE CALIDONIA™ SPA
3-5 Person With Integrated Pump
(P124)



MUNICH TWEED CALIDONIA™ SPA
2-4 Person With Integrated Pump
(P126)

MUNICH GRAPHITE CALIDONIA™ SPA
2-4 Person With Integrated Pump
(P128)

MUNICH FLINT GREY CALIDONIA™ SPA
2-4 Person With Integrated Pump
(P130)

MUNICH TWEED CALIDONIA™ SPA
4-6 Person With Integrated Pump
(P132)

MUNICH GRAPHITE CALIDONIA™ SPA
4-6 Person With Integrated Pump
(P134)

MUNICH FLINT GREY CALIDONIA™ SPA
4-6 Person With Integrated Pump
(P136)

ACCESSORIES

CleanPlus
(P142)

...

HeatLockPro™
(P143)

...

Comfort & Ambience
(P146)

...

WHY avenli SPA

At Avenli SPA, we craft experiences rooted in intentionality: comfort engineered to calm frayed senses, innovation tailored to fit seamlessly into your daily rhythm, and performance built to deliver reliable, lasting luxury—all so every moment in your spa becomes a chance to elevate your well-being.

Design for Safe and Easy Use

INTEGRATED PUMP

1 INTELLIGENT, SAFE, AND EFFICIENT DOUBLE-LAYER INSULATION HEATING SYSTEM (PATENTED)

Equipped with a patented heating device, the double-layer insulation structure provides a robust safety barrier, ensuring safe and reliable use. Intelligent and autonomous temperature control concentrates heat, providing efficient and long-lasting heating, easily creating a comfortable and constant-temperature water environment.

2 INTELLIGENT SPA WATER CIRCULATION AND ANTI-FREEZE SYSTEM

To ensure optimal water quality, the equipment requires regular cleaning and filter replacement. Its intelligent system automatically reminds users after 150 hours of operation, simplifying maintenance. When the ambient temperature drops below 5°C, the heating function will automatically turn on. Once the temperature reaches 10°C, it will automatically turn off.


3 THREE-LEVEL MASSAGE FUNCTION (OPTIONAL)

Three massage speed settings allow you to enjoy an extremely comfortable experience, flexibly selecting according to your needs.


4 HIGH-EFFICIENCY OZONE STERILIZATION SYSTEM (OPTIONAL)

The equipment stably releases 25 milligrams of active ozone fully integrate into the pool water, effectively killing bacteria, germs, and harmful microorganisms. After sterilization, it only reverts to water and oxygen, leaving no residue and easily creating a clean and healthy bathing environment.





Intelligent Application:
The intelligent timer function supports up to 999 hours of extended scheduling. One-click preheating allows for flexible planning of usage time, providing a convenient and comfortable experience.



Item No	Item Name	Voltage	Power Rated	Case Pack
29P536EU	INTEGRATED PUMP	AC 220-240V 50HZ	1545W	0.065cbm/1pc/ctn
29P535EU	INTEGRATED PUMP PRO	AC 220-240V 50HZ	2045W	0.065cbm/1pc/ctn

Design for Safe and Easy Use

CLASSIC EXTERNAL PUMP

1 INTELLIGENT, SAFE, AND EFFICIENT DOUBLE-LAYER INSULATION HEATING SYSTEM (PATENTED)

Equipped with a patented heating device, the double-layer insulation structure provides a robust safety barrier, ensuring safe and reliable use. Intelligent temperature control concentrates heat, providing efficient and long-lasting heating, easily creating a comfortable and constant-temperature water environment.

2 INTELLIGENT SPA WATER CIRCULATION AND ANTI-FREEZE SYSTEM

To ensure optimal water quality, the equipment requires regular cleaning and filter replacement. Its intelligent system automatically reminds users after 150 hours of operation, simplifying maintenance. When the ambient temperature drops below 5°C, the heating function will automatically turn on. Once the temperature reaches 10°C, it will automatically turn off.

3 TRIPLE BACKFLOW PROTECTION (PATENTED)


Our system is equipped with three specially designed mechanical valves to prevent water backflow into electrical components, comprehensively improving safety and ensuring stable and reliable operation.

4 THREE-LEVEL MASSAGE FUNCTION (OPTIONAL)

Three massage speed settings allow you to enjoy an extremely comfortable experience, flexibly choosing according to your needs.



Intelligent Application:
The grounding test system automatically detects and informs the user whether the grounding wire is correctly connected.



Item No	Item Name	Voltage	Power Rated	Case Pack
290757US	CLASSIC EXTERNAL PUMP	AC 110-120V 60HZ	1380W	0.072cbm/1pc/ctn
290757EU	CLASSIC EXTERNAL PUMP	AC 220-240V 50HZ	1540W	0.072cbm/1pc/ctn
290758EU	CLASSIC EXTERNAL PUMP PRO	AC 220-240V 50HZ	2040W	0.072cbm/1pc/ctn

Design for Safe and Easy Use

SMART EXTERNAL PUMP

1 INTELLIGENT, SAFE, AND EFFICIENT DOUBLE-LAYER INSULATION HEATING SYSTEM (PATENTED)

Equipped with a patented heating device, the double-layer insulation structure provides a robust safety barrier, ensuring safe and reliable use. Intelligent and autonomous temperature control concentrates heat, providing efficient and long-lasting heating, easily creating a comfortable and constant-temperature water environment.

2 INTELLIGENT SPA WATER CIRCULATION AND ANTI-FREEZE SYSTEM

To ensure optimal water quality, the equipment requires regular cleaning and filter replacement. Its intelligent system can operate for 150 minutes without freezing. 1. Automatic hourly reminders simplify and expedite maintenance. When the ambient temperature drops below 5°C, the heating function will automatically turn on. Once the temperature reaches 10°C, it will automatically turn off.

3 TRIPLE BACKFLOW PROTECTION (PATENTED)


Our system is equipped with three specially designed mechanical valves to prevent water backflow into electrical components, comprehensively improving safety and ensuring stable and reliable equipment operation.


4 THREE MASSAGE SPEEDS (OPTIONAL)

Three massage speed settings allow you to enjoy an extremely comfortable experience, flexibly selecting according to your needs.

5 SLIM AND COMPACT DESIGN

The newly optimized and reduced pump body has a compact and efficient design, significantly reducing space occupation and allowing for a more organized internal layout and a simpler, more streamlined overall appearance.





Intelligent application:
The grounding test system can automatically detect and inform the user whether the grounding wire is connected correctly.

Item No	Item Name	Voltage	Power Rated	Case Pack
29P557US	SMART EXTERNAL PUMP	AC 110-120V 60HZ	1380W	0.061cbm/1pc/ctn
29P557EU	SMART EXTERNAL PUMP	AC 220-240V 50HZ	1540W	0.061cbm/1pc/ctn
29P559EU	SMART EXTERNAL PUMP PRO	AC 220-240V 50HZ	2040W	0.061cbm/1pc/ctn



AIO SERIES

Our reliable, high-performance spas are designed for comfort, efficient energy use, and simple maintenance so you can enjoy the full wellness benefits that come from making a hot tub part of your daily routine. Just a quick 20-30-minute dip counts as exercise and so much more.



AIO SERIES

ALL-IN-ONE INTERGRATED SPA

The hot tub features four built-in practical components: heating, wave generation, ozone sterilization, and anti-freeze. It boasts comprehensive functions and high practicality. Equipped with a dedicated wired controller, it allows for easy one-button temperature control, making it highly efficient, convenient, and worry-free.

SIMPLE INTEGRATED DESIGN


Adopting an integrated design, it eliminates the need for traditional complex pipework, reducing exposed pipes and resulting in a clean, elegant, and high-quality appearance.

PATENTED INSTALLATION-FREE DESIGN

Its unique patented structure eliminates tedious installation steps. One-button inflation allows for immediate use, saving time and effort.



1. **EXCLUSIVE UV-RESISTANT FORMULA**
   Resists sun aging and extends product lifespan.
2. **TIGHTLY BONDED OUTER LAYER**
   Smooth and secure bonding between layers, preventing delamination.
3. **HIGH-STRENGTH POLYESTER MESH LAYER**
   Tough and puncture-resistant, effectively preventing penetration.
4. **REINFORCED SEALING INNER LAYER**
   Waterproof and leak-proof, providing stronger sealing performance.
5. **INTEGRATED PUMP**
   Integrated Design
6. **I-BEAM CORE LAYER**
   Excellent tensile strength, stable and not easily deformed.



INTELLIGENT, SAFE, AND EFFICIENT DOUBLE-LAYER INSULATION HEATING SYSTEM (PATENTED)

Equipped with a patented heating device, the double-layer insulation structure provides robust safety, ensuring safe and reliable use. It intelligently regulates the temperature, concentrating heat for efficient and long-lasting heating, easily creating a comfortable and constant-temperature water environment.



OPTIONAL *CONFIGURATION*

- Three massage speeds, offering multiple options for different time periods.
- Ozone technology makes the SPA water clearer and more transparent.

GLACIER GREY MARBLE SPA

1-2 PERSON WITH INTEGRATED PUMP

14151EUV17



- Sturdy I-beam construction
- Reinforced cover with safety lock clips
- Maximum temperature 42°C/108°F for EU, 40°C/104°F for US
- Convenient waterproof remote control
- Timer allows users to switch on the heating in advance by setting the time during 1~999 hours
- Anti-Freeze automatic heating prevents water from freezing and protects the SPA
- Waterproof PCB


Air Bubbles


Filter Cartridge


Lockable Cover


Base Protector

Seating capacity	1-2
Water capacity	543L
Outer diameter	190CM (74.8")
Inner diameter	155CM (61")
Height	65CM (25.6")
Power rated	EU:AC 220-240V 50Hz, 1545W
System flow rate	530GAL (2006L)/H
Certification	CE



With a 60cm waterproof remote control, easily operate the spa from within, ensuring effortless control and convenience for users.



With a 60cm waterproof remote control, easily operate the spa from within, ensuring effortless control and convenience for users.

BOSTON NATURAL WOOD SPA

2-3 PERSON WITH INTEGRATED PUMP

14015EUV23



- Sturdy I-beam construction
- Reinforced cover with safety lock clips
- Maximum temperature 42°C/108°F for EU, 40°C/104°F for US
- Convenient waterproof remote control
- Timer allows users to switch on the heating in advance by setting the time during 1~999 hours
- Anti-Freeze automatic heating prevents water from freezing and protects the SPA
- Waterproof PCB

Air Bubbles | Filter Cartridge | Lockable Cover | Base Protector

Seating capacity	2-3
Water capacity	580L
Outer diameter	148CM (58.3")
Inner diameter	115CM (45.3")
Height	65CM (25.6")
Power rated	EU:AC 220-240V 50Hz, 1545W
System flow rate	530GAL (2006L)/H
Certification	CE

BOSTON BROWN RATTAN SPA

2-3 PERSON WITH INTEGRATED PUMP

14015EUV31



- Sturdy I-beam construction
- Reinforced cover with safety lock clips
- Maximum temperature 42°C/108°F for EU, 40°C/104°F for US
- Convenient waterproof remote control
- Timer allows users to switch on the heating in advance by setting the time during 1~999 hours
- Anti-Freeze automatic heating prevents water from freezing and protects the SPA
- Waterproof PCB

Air Bubbles | Filter Cartridge | Lockable Cover | Base Protector

Seating capacity	2-3
Water capacity	580L
Outer diameter	148CM (58.3")
Inner diameter	115CM (45.3")
Height	65CM (25.6")
Power rated	EU:AC 220-240V 50Hz, 1545W
System flow rate	530GAL (2006L)/H
Certification	CE



With a 60cm waterproof remote control, easily operate the spa from within, ensuring effortless control and convenience for users.



With a 60cm waterproof remote control, easily operate the spa from within, ensuring effortless control and convenience for users.

BOSTON GREY BRICK SPA

2-3 PERSON WITH INTEGRATED PUMP

14015EUV32



- Sturdy I-beam construction
- Reinforced cover with safety lock clips
- Maximum temperature 42°C/108°F for EU, 40°C/104°F for US
- Convenient waterproof remote control
- Timer allows users to switch on the heating in advance by setting the time during 1~999 hours
- Anti-Freeze automatic heating prevents water from freezing and protects the SPA
- Waterproof PCB

Air Bubbles | Filter Cartridge | Lockable Cover | Base Protector

Seating capacity	2-3
Water capacity	580L
Outer diameter	148CM (58.3")
Inner diameter	115CM (45.3")
Height	65CM (25.6")
Power rated	EU:AC 220-240V 50Hz, 1545W
System flow rate	530GAL (2006L)/H
Certification	CE

CHICAGO CLASSIC BLACK SPA

2-4 PERSON WITH INTEGRATED PUMP

14016EU



- Sturdy I-beam construction
- Reinforced cover with safety lock clips
- Maximum temperature 42°C/108°F for EU, 40°C/104°F for US
- Convenient waterproof remote control
- Timer allows users to switch on the heating in advance by setting the time during 1~999 hours
- Anti-Freeze automatic heating prevents water from freezing and protects the SPA
- Waterproof PCB


Air Bubbles


Filter Cartridge


Lockable Cover


Base Protector

Seating capacity	2-4
Water capacity	650L
Outer diameter	165CM (65.0")
Inner diameter	135CM (53.1")
Height	65CM (25.6")
Power rated	EU:AC 220-240V 50Hz, 1545W
System flow rate	530GAL (2006L)/H
Certification	CE



With a 60cm waterproof remote control, easily operate the spa from within, ensuring effortless control and convenience for users.



With a 60cm waterproof remote control, easily operate the spa from within, ensuring effortless control and convenience for users.

CHICAGO CLASSIC BLACK SPA

4-6 PERSON WITH INTEGRATED PUMP

14014EU



- Sturdy I-beam construction
- Reinforced cover with safety lock clips
- Maximum temperature 42°C/108°F for EU, 40°C/104°F for US
- Convenient waterproof remote control
- Timer allows users to switch on the heating in advance by setting the time during 1~999 hours
- Anti-Freeze automatic heating prevents water from freezing and protects the SPA
- Waterproof PCB

Air Bubbles | Filter Cartridge | Lockable Cover | Base Protector

Seating capacity	4-6
Water capacity	1000L
Outer diameter	204CM (80.3")
Inner diameter	170CM (66.9")
Height	65CM (25.6")
Power rated	EU:AC 220-240V 50Hz, 1545W
System flow rate	530GAL (2006L)/H
Certification	CE

CHICAGO BROWN RATTAN SPA

4-6 PERSON WITH INTEGRATED PUMP

14014EUV31



- Sturdy I-beam construction
- Reinforced cover with safety lock clips
- Maximum temperature 42°C/108°F for EU, 40°C/104°F for US
- Convenient waterproof remote control
- Timer allows users to switch on the heating in advance by setting the time during 1~999 hours
- Anti-Freeze automatic heating prevents water from freezing and protects the SPA
- Waterproof PCB


Air Bubbles


Filter Cartridge


Lockable Cover


Base Protector

Seating capacity	4-6
Water capacity	1000L
Outer diameter	204CM (80.3")
Inner diameter	170CM (66.9")
Height	65CM (25.6")
Power rated	EU:AC 220-240V 50Hz, 1545W
System flow rate	530GAL (2006L)/H
Certification	CE



With a 60cm waterproof remote control, easily operate the spa from within, ensuring effortless control and convenience for users.



With a 60cm waterproof remote control, easily operate the spa from within, ensuring effortless control and convenience for users.

CHICAGO GREY BRICK SPA

4-6 PERSON WITH INTEGRATED PUMP

14014EUV32



- Sturdy I-beam construction
- Reinforced cover with safety lock clips
- Maximum temperature 42°C/108°F for EU, 40°C/104°F for US
- Convenient waterproof remote control
- Timer allows users to switch on the heating in advance by setting the time during 1~999 hours
- Anti-Freeze automatic heating prevents water from freezing and protects the SPA
- Waterproof PCB

Air Bubbles | Filter Cartridge | Lockable Cover | Base Protector

Seating capacity	4-6
Water capacity	1000L
Outer diameter	204CM (80.3")
Inner diameter	170CM (66.9")
Height	65CM (25.6")
Power rated	EU:AC 220-240V 50Hz, 1545W
System flow rate	530GAL (2006L)/H
Certification	CE

CLASSIC SERIES

Our reliable, high-performance spas are designed for comfort, efficient energy use, and simple maintenance so you can enjoy the full wellness benefits that come from making a hot tub part of your daily routine. Just a quick 20-30-minute dip counts as exercise...and so much more.



CLASSIC SERIES

CLASSIC AND SIMPLE DESIGN

Classic and elegant appearance, timeless and pleasing to the eye, easy and convenient installation.

PATENTED CONVENIENT ASSEMBLY

Exclusive patented inflatable structure, streamlined assembly process, making setup easier.

MULTI-INTERNATIONAL CERTIFICATIONS

The entire series has passed CE and ETL/MET certifications, with complete qualifications, ensuring safer home use.




1 EXCLUSIVE UV-RESISTANT FORMULA
Resists sun aging and extends product lifespan.

2 TIGHTLY BONDED OUTER LAYER
Smooth and secure bonding between layers, preventing delamination.

3 HIGH-STRENGTH POLYESTER MESH LAYER
Tough and puncture-resistant, effectively preventing penetration.

4 REINFORCED SEALING INNER LAYER
Waterproof and leak-proof, providing stronger sealing performance.

5 I-BEAM CORE LAYER
Excellent tensile strength, stable and not easily deformed.



INTELLIGENT, SAFE, AND EFFICIENT DOUBLE-LAYER INSULATION HEATING SYSTEM (PATENTED)

Equipped with a patented heating device, the double-layer insulation structure provides robust safety, ensuring safe and reliable use. It intelligently regulates the temperature, concentrating heat for efficient and long-lasting heating, easily creating a comfortable and constant-temperature water environment.



CLASSIC EXTERNAL PUMP



SMART EXTERNAL PUMP

LONDON CLASSIC BLACK SPA

2-3 PERSON WITH CLASSIC EXTERNAL PUMP

17612EU / US



- Sturdier I-beam construction
- Reinforced cover with safety lock clips
- Durable ground cloth
- Maximum temperature 42°C/108°F for EU, 40°C/104°F for US
- Anti-Freeze automatic heating prevents water from freezing and protects the SPA
- Grounding test system can automatically detect and tell the consumers whether the grounding wire is properly connected
- Waterproof PCB



Air Bubbles


Filter Cartridge


Lockable Cover


Base Protector

Seating capacity	2-3
Water capacity	600L
Outer diameter	165CM (65.0")
Inner diameter	125CM (49.2")
Height	70CM (27.6")
Power rated	EU: AC 220-240V 50Hz, 1540W US: AC 110-120V 60Hz, 1380W
System flow rate	530GAL (2006L)/H
Certification	EU: CE GS US: ETL



Heavy Duty
I-Beam PVC Core
Higher tensile
strength and anti-distortion



Heavy Duty
I-Beam PVC Core
Higher tensile
strength and anti-distortion

CANNES CLASSIC BLACK SPA

2-4 PERSON WITH CLASSIC EXTERNAL PUMP

17605EU / US



- Sturdier I-beam construction
- Reinforced cover with safety lock clips
- Durable ground cloth
- Maximum temperature 42°C/108°F for EU, 40°C/104°F for US
- Anti-Freeze automatic heating prevents water from freezing and protects the SPA
- Grounding test system can automatically detect and tell the consumers whether the grounding wire is properly connected
- Waterproof PCB



Air Bubbles


Filter Cartridge


Lockable Cover


Base Protector

Seating capacity	2-4
Water capacity	682L
Outer diameter	158CM (62.2")
Inner diameter	122CM (48.0")
Height	70CM (27.6")
Power rated	EU: AC 220-240V 50Hz, 1540W US: AC 110-120V 60Hz, 1380W
System flow rate	530GAL (2006L)/H
Certification	EU: CE GS US: ETL



Heavy Duty
I-Beam PVC Core
Higher tensile
strength and anti-distortion



SMART EXTERNAL PUMP
Design for Safe and Easy Use

NUREMBERG LIGHT BEIGE SPA

2-3 PERSON WITH SMART EXTERNAL PUMP

14051EU/US V01C

Air Bubbles | Filter Cartridge | Lockable Cover | Base Protector



- Sturdier I-beam construction
- Reinforced cover with safety lock clips
- Durable ground cloth
- Maximum temperature 42°C/108°F for EU, 40°C/104°F for US
- Anti-Freeze automatic heating prevents water from freezing and protects the SPA
- Grounding test system can automatically detect and tell the consumers whether the grounding wire is properly connected
- Waterproof PCB

Seating capacity	2-3
Water capacity	600L
Outer diameter	165CM (65.0")
Inner diameter	125CM (49.2")
Height	70CM (27.6")
Power rated	EU: AC 220-240V 50Hz, 1540W US: AC 110-120V 60Hz, 1380W
System flow rate	530GAL (2006L)/H
Certification	EU: CE US: ETL

NICE IVORY WEAVE SPA

4-6 PERSON WITH CLASSIC EXTERNAL PUMP

14196EU/US V21



- Sturdy I-beam construction
- Reinforced cover with safety lock clips
- Durable ground cloth
- Maximum temperature 42°C/108°F for EU, 40°C/104°F for US
- Anti-Freeze automatic heating prevents water from freezing and protects the SPA
- Grounding test system can automatically detect and tell the consumers whether the grounding wire is properly connected
- Waterproof PCB


Air Bubbles




Filter Cartridge


Lockable Cover


Base Protector


Inflatable Lid

Seating capacity	4-6
Water capacity	980L
Outer diameter	204CM (80.3")
Inner diameter	160CM (63.0")
Height	70CM (27.6")
Power rated	EU:AC 220-240V 50Hz, 2040W US:AC 110-120V 60Hz, 1380W
System flow rate	530GAL (2006L)/H
Certification	EU: CE GS US: ETL



Heavy Duty
I-Beam PVC Core
Higher tensile
strength and anti-distortion



Heavy Duty
I-Beam PVC Core
Higher tensile
strength and anti-distortion

NICE BROWN RATTAN SPA

4-6 PERSON WITH CLASSIC EXTERNAL PUMP

14196EU/US V31




- Sturdy I-beam construction
- Reinforced cover with safety lock clips
- Durable ground cloth
- Maximum temperature 42°C/108°F for EU, 40°C/104°F for US
- Anti-Freeze automatic heating prevents water from freezing and protects the SPA
- Grounding test system can automatically detect and tell the consumers whether the grounding wire is properly connected
- Waterproof PCB



Air Bubbles | Filter Cartridge | Lockable Cover | Base Protector | Inflatable Lid

Seating capacity	4-6
Water capacity	980L
Outer diameter	204CM (80.3")
Inner diameter	160CM (63.0")
Height	70CM (27.6")
Power rated	EU:AC 220-240V 50Hz, 2040W US:AC 110-120V 60Hz, 1380W
System flow rate	530GAL (2006L)/H
Certification	EU: CE GS US: ETL



Heavy Duty
I-Beam PVC Core
Higher tensile
strength and anti-distortion

NICE GREY BRICK SPA

4-6 PERSON WITH CLASSIC EXTERNAL PUMP

14196EU/US V32

Air Bubbles | Filter Cartridge | Lockable Cover | Base Protector | Inflatable Lid



- Sturdier I-beam construction
- Reinforced cover with safety lock clips
- Durable ground cloth
- Maximum temperature 42°C/108°F for EU, 40°C/104°F for US
- Anti-Freeze automatic heating prevents water from freezing and protects the SPA
- Grounding test system can automatically detect and tell the consumers whether the grounding wire is properly connected
- Waterproof PCB

Seating capacity	4-6
Water capacity	980L
Outer diameter	204CM (80.3")
Inner diameter	160CM (63.0")
Height	70CM (27.6")
Power rated	EU:AC 220-240V 50Hz, 2040W US:AC 110-120V 60Hz, 1380W
System flow rate	530GAL (2006L)/H
Certification	EU: CE GS US: ETL

NICE CHARCOAL WOOD SPA

4-6 PERSON WITH CLASSIC EXTERNAL PUMP

14196EU/US V41



- Sturdy I-beam construction
- Reinforced cover with safety lock clips
- Durable ground cloth
- Maximum temperature 42°C/108°F for EU, 40°C/104°F for US
- Anti-Freeze automatic heating prevents water from freezing and protects the SPA
- Grounding test system can automatically detect and tell the consumers whether the grounding wire is properly connected
- Waterproof PCB


Air Bubbles



Filter Cartridge


Lockable Cover


Base Protector


Inflatable Lid

Seating capacity	4-6
Water capacity	980L
Outer diameter	204CM (80.3")
Inner diameter	160CM (63.0")
Height	70CM (27.6")
Power rated	EU:AC 220-240V 50Hz, 2040W US:AC 110-120V 60Hz, 1380W
System flow rate	530GAL (2006L)/H
Certification	EU: CE GS US: ETL



Heavy Duty
I-Beam PVC Core
Higher tensile
strength and anti-distortion

NICE STRAW WEAVE PATTERN SPA

4-6 PERSON WITH CLASSIC EXTERNAL PUMP

14196EU/US V12



- Sturdy I-beam construction
- Reinforced cover with safety lock clips
- Durable ground cloth
- Maximum temperature 42°C/108°F for EU, 40°C/104°F for US
- Anti-Freeze automatic heating prevents water from freezing and protects the SPA
- Grounding test system can automatically detect and tell the consumers whether the grounding wire is properly connected
- Waterproof PCB



Seating capacity	6
Water capacity	1000L
Outer diameter	204CM (80.3")
Inner diameter	160CM (63")
Height	70CM (27.6")
Power rated	EU:AC 220-240V 50Hz, 2040W
System flow rate	530GAL (2006L)/H
Certification	EU: CE GS US: ETL



Heavy Duty
I-Beam PVC Core
Higher tensile
strength and anti-distortion



Heavy Duty
I-Beam PVC Core
Higher tensile
strength and anti-distortion

NICE BLUE LASER LINE SPA

4-6 PERSON WITH CLASSIC EXTERNAL PUMP


14195EU/US V26



- Sturdy I-beam construction
- Featuring elegant lines and precision laser craftsmanship, this design creates a stunning 3D visual effect
- Reinforced cover with safety lock clips
- Durable ground cloth
- Maximum temperature 42°C/108°F for EU, 40°C/104°F for US
- Anti-Freeze automatic heating prevents water from freezing and protects the SPA
- Grounding test system can automatically detect and tell the consumers whether the grounding wire is properly connected
- Waterproof PCB



Seating capacity	4-6
Water capacity	980L
Outer diameter	204CM (80.3")
Inner diameter	160CM (63.0")
Height	70CM (27.6")
Power rated	EU:AC 220-240V 50Hz, 2040W US:AC 110-120V 60Hz, 1380W
System flow rate	530GAL (2006L)/H
Certification	EU: CE US: ETL



Heavy Duty
I-Beam PVC Core
Higher tensile
strength and anti-distortion

VERMONT GREY BRICK SPA

3-5 PERSON WITH CLASSIC EXTERNAL PUMP

17654EU/US V32

Air Bubbles | Filter Cartridge | Lockable Cover | Base Protector



- Sturdy I-beam construction
- Reinforced cover with safety lock clips
- Durable ground cloth
- Maximum temperature 42°C/108°F for EU, 40°C/104°F for US
- Anti-Freeze automatic heating prevents water from freezing and protects the SPA
- Grounding test system can automatically detect and tell the consumers whether the grounding wire is properly connected
- Waterproof PCB

Seating capacity	3-5
Water capacity	800L
Outer diameter	195CM (76.8")
Inner diameter	154CM (60.6")
Height	70CM (27.6")
Power rated	EU:AC 220-240V 50Hz, 1540W US:AC 110-120V 60Hz, 1380W
System flow rate	530GAL (2006L)/H
Certification	EU: CE GS US: ETL

VERMONT BROWN RATTAN SPA

3-5 PERSON WITH CLASSIC EXTERNAL PUMP

17654EU/US V31



- Sturdy I-beam construction
- Reinforced cover with safety lock clips
- Durable ground cloth
- Maximum temperature 42°C/108°F for EU, 40°C/104°F for US
- Anti-Freeze automatic heating prevents water from freezing and protects the SPA
- Grounding test system can automatically detect and tell the consumers whether the grounding wire is properly connected
- Waterproof PCB



Air Bubbles


Filter Cartridge


Lockable Cover


Base Protector

Seating capacity	3-5
Water capacity	800L
Outer diameter	195CM (76.8")
Inner diameter	154CM (60.6")
Height	70CM (27.6")
Power rated	EU:AC 220-240V 50Hz, 1540W US:AC 110-120V 60Hz, 1380W
System flow rate	530GAL (2006L)/H
Certification	EU: CE GS US: ETL



Heavy Duty
I-Beam PVC Core
Higher tensile
strength and anti-distortion



Heavy Duty
I-Beam PVC Core
Higher tensile
strength and anti-distortion

VERMONT CHARCOAL WOOD SPA

3-5 PERSON WITH CLASSIC EXTERNAL PUMP

17654EU/US V41



- Sturdy I-beam construction
- Reinforced cover with safety lock clips
- Durable ground cloth
- Maximum temperature 42°C/108°F for EU, 40°C/104°F for US
- Anti-Freeze automatic heating prevents water from freezing and protects the SPA
- Grounding test system can automatically detect and tell the consumers whether the grounding wire is properly connected
- Waterproof PCB

Air Bubbles | Filter Cartridge | Lockable Cover | Base Protector

Seating capacity	3-5
Water capacity	800L
Outer diameter	195CM (76.8")
Inner diameter	154CM (60.6")
Height	70CM (27.6")
Power rated	EU:AC 220-240V 50Hz, 1540W US:AC 110-120V 60Hz, 1380W
System flow rate	530GAL (2006L)/H
Certification	EU: CE GS US: ETL




Heavy Duty
I-Beam PVC Core
Higher tensile
strength and anti-distortion

AURORA TRANSLUCENT LEAF SPA

4-6 PERSON WITH CLASSIC EXTERNAL PUMP

14195EU/US V16





- Sturdy I-beam construction
- Translucent leaf lining pattern
- Reinforced cover with safety lock clips
- LED light with durable ground cloth: The LED light is inserted into the buckle on the edge of the ground mat and lights up instantly when plugged in.
- A translucent lining allows remote-controlled multi-color LED lights to illuminate the water beautifully, with various lighting modes to choose from
- Maximum temperature 42°C/108°F for EU, 40°C/104°F for US
- Anti-Freeze automatic heating prevents water from freezing and protects the SPA
- Grounding test system can automatically detect and tell the consumers whether the grounding wire is properly connected
- Waterproof PCB

Seating capacity	4-6
Water capacity	980L
Outer diameter	204CM (80.3")
Inner diameter	160CM (63.0")
Height	70CM (27.6")
Power rated	EU:AC 220-240V 50Hz, 2040W US:AC 110-120V 60Hz, 1380W
System flow rate	530GAL (2006L)/H

PREMIUM SERIES

Our reliable, high-performance spas are designed for comfort, efficient energy use, and simple maintenance so you can enjoy the full wellness benefits that come from making a hot tub part of your daily routine. Just a quick 20-30-minute dip counts as exercise...and so much more.


Air Bubbles


Dual Heating System


Lockable Cover


Base Protector


Safety Lock


Anti-freeze


Filter Cartridge


3-Speed Massage (Optional)


Timer (Optional)

PREMIUM SERIES

FULL INNER AND OUTER REINFORCED MESH STRUCTURE

Triple-layer full-mesh composite construction with dual PVC layers encapsulating a high-strength reinforced mesh core, delivering outstanding toughness, tear resistance, and scratch resistance for a solid and reliable overall structure.

PATENTED INFLATABLE AND EASY-TO-ASSEMBLE DESIGN

The unique patented inflatable structure design eliminates complicated assembly steps, making installation and setup simpler and easier, with no learning curve.

STABLE AND DEFORMATION-RESISTANT STRUCTURE

The exclusive reinforced structure design distributes stress evenly and is not easily deformed, maintaining the pool's flatness and stability even after long-term use.

INTERNATIONAL SAFETY CERTIFICATION GUARANTEE

The entire product series has passed multiple international safety certifications, including CE and ETL, meeting stringent compliance and quality inspection standards, providing a solid safety barrier for spa use.



Engineered for high strength with dense materials for superior weather resistance and long-lasting durability.


1 EXCLUSIVE UV-RESISTANT FORMULA
Resists sun aging and extends product lifespan.

2 TIGHTLY BONDED OUTER LAYER
Smooth and secure bonding between layers, preventing delamination.

3 HIGH-STRENGTH POLYESTER MESH LAYER
Tough and puncture-resistant, effectively preventing penetration.

4 REINFORCED SEALING INNER LAYER
Waterproof and leak-proof, providing stronger sealing performance.

5 I-BEAM CORE LAYER
Excellent tensile strength, stable and not easily deformed.



INTELLIGENT, SAFE, AND EFFICIENT DOUBLE-LAYER INSULATION HEATING SYSTEM (PATENTED)

Equipped with a patented heating device, the double-layer insulation structure provides robust safety, ensuring safe and reliable use. It intelligently regulates the temperature, concentrating heat for efficient and long-lasting heating, easily creating a comfortable and constant-temperature water environment.



CLASSIC EXTERNAL PUMP

OPTIONAL
CONFIGURATION

- Three massage speeds, giving you multiple options for different times of day.

HAZE GREY MARBLE SPA

3-4 PERSON WITH CLASSIC EXTERNAL PUMP

14204EU/US V17



- Sturdy I-beam construction
- Reinforced cover with safety lock clips
- Durable ground cloth
- Maximum temperature 42°C/108°F for EU, 40°C/104°F for US
- Anti-Freeze automatic heating prevents water from freezing and protects the SPA
- Grounding test system can automatically detect and tell the consumers whether the grounding wire is properly connected
- Waterproof PCB

Air Bubbles | Filter Cartridge | Lockable Cover | Base Protector

Seating capacity	3-4
Water capacity	745L
Outer diameter	175CM (68.9")
Inner diameter	140CM (55.1")
Height	70CM (27.6")
Power rated	EU:AC 220-240V 50Hz, 2040W US:AC 110-120V 60Hz, 1380W
System flow rate	530GAL (2006L)/H
Certification	EU: CE GS US: ETL



Heavy Duty
I-Beam PVC Core
Higher tensile
strength and anti-distortion



Heavy Duty
I-Beam PVC Core
Higher tensile
strength and anti-distortion

HAZE GREY MARBLE SPA

4-6 PERSON WITH CLASSIC EXTERNAL PUMP

14205EU/US V17

New




- Sturdy I-beam construction
- Reinforced cover with safety lock clips
- Durable ground cloth
- Maximum temperature 42°C/108°F for EU, 40°C/104°F for US
- Anti-Freeze automatic heating prevents water from freezing and protects the SPA
- Grounding test system can automatically detect and tell the consumers whether the grounding wire is properly connected
- Waterproof PCB

Air Bubbles | Filter Cartridge | Lockable Cover | Base Protector | Inflatable Lid

Seating capacity	4-6
Water capacity	1038L
Outer diameter	204CM (80.3")
Inner diameter	168CM (66")
Height	70CM (27.6")
Power rated	EU:AC 220-240V 50Hz, 2040W US:AC 110-120V 60Hz, 1380W
System flow rate	530GAL (2006L)/H
Certification	EU: CE GS US: ETL

DELUXE SERIES

Our reliable, high-performance spas are designed for comfort, efficient energy use, and simple maintenance so you can enjoy the full wellness benefits that come from making a hot tub part of your daily routine. Just a quick 20-30-minute dip counts as exercise...and so much more.



DELUXE SERIES

DROP STITCH MATERIAL

Made with Drop Stitch Fabric, this durable and sturdy material boasts strong weather resistance, adapting to various weather conditions and ensuring long-lasting durability.

ENHANCED INSULATION

The thickened drop stitch fabric layer improves insulation performance by approximately 30% compared to similar products, offering superior heat retention and a more comfortable bathing experience.

FAST INFLATION

No manual pumping required. Inflation and installation can be completed in as little as 10 minutes, saving time and effort for instant use.

PATENTED




1 EXCLUSIVE UV-RESISTANT FORMULA
Resists sun aging and extends product lifespan.

2 TIGHTLY BONDED OUTER LAYER
Smooth and secure bonding between layers, preventing delamination.

3 HIGH-STRENGTH PUNCTURE RESISTANCE AND DEFORMATION RESISTANCE
The 3D brushed structure combines high-strength puncture resistance and deformation resistance, ensuring durability and peace of mind for outdoor use.

4 REINFORCED SEALING INNER LAYER
Waterproof and leak-proof, providing stronger sealing performance.



INTELLIGENT, SAFE, AND EFFICIENT DOUBLE-LAYER INSULATION HEATING SYSTEM (PATENTED)

Equipped with a patented heating device, the double-layer insulation structure provides robust safety, ensuring safe and reliable use. It intelligently regulates the temperature, concentrating heat for efficient and long-lasting heating, easily creating a comfortable and constant-temperature water environment.



CLASSIC EXTERNAL PUMP



SMART EXTERNAL PUMP

OPTIONAL
CONFIGURATION

- Three massage speeds, giving you multiple options for different times of day.

SEATTLE FOREST LEAF SPA

2-4 PERSON WITH CLASSIC EXTERNAL PUMP

14191EU/US V15



- The pattern is paired with wood grain and leaf lines for a natural yet modern look
- Unique exterior uses 10cm thickness ultra-rigid Drop Stitch material for long-lasting strength and durability
- Reinforced cover with safety lock clips
- Durable ground cloth
- Maximum temperature 42°C/108°F for EU, 40°C/104°F for US
- Anti-bacterial filters keep spa water cleaner by inhibiting the breeding of bacteria
- Anti-Freeze automatic heating prevents water from freezing and protects the SPA
- Grounding test system can automatically detect and tell the consumers whether the grounding wire is properly connected
- Waterproof PCB
- Optional Functions: 3-Speed Massage

Air Bubbles | Filter Cartridge | Lockable Cover | Base Protector | Inflatable Lid

Seating capacity	2-4
Water capacity	800L
Outer diameter	165CM (65.0")
Inner diameter	145CM (57.1")
Height	70CM (27.6")
Power rated	EU:AC 220-240V 50Hz, 2040W US:AC 110-120V 60Hz, 1380W
System flow rate	530GAL (2006L)/H
Certification	EU: CE US: ETL





BERLIN GRAY STONE SPA

3-5 PERSON WITH CLASSIC EXTERNAL PUMP

14192EU/US V43



- Unique exterior uses 20cm thickness ultra-rigid Drop Stitch material for long-lasting strength and durability
- The bubble-making area features adhesive-free, full HF process, achieving a new level of lifespan and durability.
- Reinforced cover with safety lock clips
- Durable ground cloth
- Maximum temperature 42°C/108°F for EU, 40°C/104°F for US
- Anti-bacterial filters keep spa water cleaner by inhibiting the breeding of bacteria
- Anti-Freeze automatic heating prevents water from freezing and protects the SPA
- Grounding test system can automatically detect and tell the consumers whether the grounding wire is properly connected
- Waterproof PCB
- Optional Functions: 3-Speed Massage



Seating capacity	3-5
Water capacity	790L
Outer diameter	190CM (74.8")
Inner diameter	150CM (59.1")
Height	70CM (27.6")
Power rated	EU:AC 220-240V 50Hz, 2040W US:AC 110-120V 60Hz, 1380W
System flow rate	530GAL (2006L)/H
Certification	EU: CE US: ETL



OSLO GRAY STONE SPA

2-4 PERSON WITH CLASSIC EXTERNAL PUMP

14030EU/US V43

Air Bubbles | Filter Cartridge | Lockable Cover | Base Protector | Inflatable Lid



- Unique exterior uses 20cm thickness ultra-rigid Drop Stitch material for long-lasting strength and durability
- Reinforced cover with safety lock clips
- Durable ground cloth
- Anti-bacterial filters keep spa water cleaner by inhibiting the breeding of bacteria
- Maximum temperature 42°C/108°F for EU, 40°C/104°F for US
- Anti-Freeze automatic heating prevents water from freezing and protects the SPA
- Grounding test system can automatically detect and tell the consumers whether the grounding wire is properly connected
- Waterproof PCB
- Optional Functions: 3-Speed Massage

Seating capacity	2-4
Water capacity	780L
Outer diameter	170CM (66.9")
Inner diameter	130CM (51.2")
Height	70CM (27.6")
Power rated	EU:AC 220-240V 50Hz, 2040W US:AC 110-120V 60Hz, 1380W
System flow rate	530GAL (2006L)/H
Certification	EU: CE US: ETL

OSLO GRAY STONE SPA

4-6 PERSON WITH CLASSIC EXTERNAL PUMP

14028EU/US V43



- Unique exterior uses 20cm thickness ultra-rigid Drop Stitch material for long-lasting strength and durability
- Reinforced cover with safety lock clips
- Durable ground cloth
- Anti-bacterial filters keep spa water cleaner by inhibiting the breeding of bacteria
- Maximum temperature 42°C/108°F for EU, 40°C/104°F for US
- Anti-Freeze automatic heating prevents water from freezing and protects the SPA
- Grounding test system can automatically detect and tell the consumers whether the grounding wire is properly connected
- Waterproof PCB
- Optional Functions: 3-Speed Massage


Air Bubbles


Filter Cartridge


Lockable Cover


Base Protector


Inflatable Lid

Seating capacity	4-6
Water capacity	1380L
Outer diameter	210CM (82.7")
Inner diameter	170CM (66.9")
Height	70CM (27.6")
Power rated	EU:AC 220-240V 50Hz, 2040W US:AC 110-120V 60Hz, 1380W
System flow rate	530GAL (2006L)/H
Certification	EU: CE US: ETL





SMART EXTERNAL PUMP
Design for Safe and Easy Use

PRAHA GRAY STONE SPA

4-6 PERSON WITH SMART EXTERNAL PUMP

14053EU/US V43C



- Glue-free, full HF process makes the construction stronger
- Wireless remote control for easy control from a distance and with a magnetic design for easy storage
- Grey marble pattern
- Unique exterior uses 20cm thickness ultra-rigid Drop Stitch material for long-lasting strength and durability
- Reinforced cover with safety lock clips
- Durable ground cloth
- Maximum temperature 42°C/108°F for EU, 40°C/104°F for US
- Anti-bacterial filters keep spa water cleaner by inhibiting the breeding of bacteria
- Anti-Freeze automatic heating prevents water from freezing and protects the SPA
- Grounding test system can automatically detect and tell the consumers whether the grounding wire is properly connected
- Waterproof PCB
- Optional functions: 3-Speed Massage

Air Bubbles | Filter Cartridge | Lockable Cover | Base Protector | Inflatable Lid

Seating capacity	4-6
Water capacity	1380L
Outer diameter	210CM (82.7")
Inner diameter	170CM (66.9")
Height	70CM (27.6")
Power rated	EU:AC 220-240V 50Hz, 2040W US:AC 110-120V 60Hz, 1380W
System flow rate	530GAL (2006L)/H
Certification	EU: CE US: MET E115755

avenli

HeatLockPro™ SERIES

Our reliable, high-performance spas are designed for comfort, efficient energy use, and simple maintenance so you can enjoy the full wellness benefits that come from making a hot tub part of your daily routine. Just a quick 20-30-minute dip counts as exercise...and so much more.

Air Bubbles

Dual Heating System

Anti-bacterial Filter Cartridge X2

Lockable Cover

Anti-freeze

Safety Lock

ECO

3-Speeds massages (Optional)

Timer (Optional)

HeatLockPro™ SERIES

PATENTED PORTABLE NO-INFLATION DESIGN

Patented non-inflatable design, crafted from premium PE foam, simple assembly, quick installation in ten minutes.

POWERFUL THERMOSTATIC INSULATION

Built-in thickened PE foam walls provide excellent heat retention and insulation, saving more energy than conventional bathtubs.

PRESSURE-RESISTANT AND DURABLE

Built-in cushioning effectively prevents bumps and impacts, reducing external damage and extending lifespan.

LUXURY LEATHER EXTERIOR


Selected fashionable artificial leather surface, high-quality texture, showcasing elegant and sophisticated style.


HIGHLY EFFICIENT HEATING

Dual upgrades in power and insulation significantly improve heating efficiency compared to traditional bathtubs, heating up faster and saving time.

EASY TO MAINTAIN

Independent split design, simple daily maintenance, one-click replacement of parts.





INTELLIGENT, SAFE, AND EFFICIENT DOUBLE-LAYER INSULATION HEATING SYSTEM (PATENTED)

Equipped with a patented heating device, the double-layer insulation structure provides robust safety, ensuring safe and reliable use. It intelligently regulates the temperature, concentrating heat for efficient and long-lasting heating, easily creating a comfortable and constant-temperature water environment.



CLASSIC EXTERNAL PUMP

OPTIONAL

CONFIGURATION

- Three massage speeds, giving you multiple options for different time periods.

SAIPAN BLACK CROCODILE CALIDONIA™ SPA

4-6 PERSON WITH CLASSIC EXTERNAL PUMP

17691EU/US



- Unique outer leather design symbols luxury and gives great visual impact on the spa, offering a premium and gorgeous decoration
- Foam wall is a high performance thermal insulation material
- More durable enhanced Lami-Tech™ material
- Reinforced cover with safety lock clips
- Anti-bacterial filters keep spa water cleaner by inhibiting the breeding of bacteria
- Anti-Freeze automatic heating prevents water from freezing and protects the SPA
- Grounding test system can automatically detect and tell the consumers whether the grounding wire is properly connected
- Waterproof PCB
- Optional Functions: 3-Speed Massage


Air Bubbles


Filter Cartridge


Lockable Cover


Inflatable Lid

Seating capacity	4-6
Water capacity	1000L
Outer diameter	184CM (72.4")
Inner diameter	160CM (63.0")
Height	73CM (28.7")
Power rated	EU:AC 220-240V 50Hz, 2040W US:AC 110-120V 60Hz, 1380W
System flow rate	530GAL (2006L)/H
Certification	EU: CE GS US: ETL



AEGEAN CHARCOAL CALIDONIA™ SPA

4-6 PERSON WITH CLASSIC EXTERNAL PUMP

17621EU/US




- Unique rattan design makes it easy to assemble and the perfect addition to your patio,back garden,holiday home or cottage
- Foam wall is a high performance thermal insulation material
- More durable enhanced Lami-Tech™ material
- Reinforced cover with safety lock clips
- Anti-bacterial filters keeps spa water cleaner by inhibiting the breeding of bacteria
- Anti-Freeze automatic heating prevents water from freezing and protects the SPA
- Grounding test system can automatically detect and tell the consumers whether the grounding wire is properly connected
- Waterproof PCB
- Optional Functions: 3-Speed Massage



Seating capacity	4-6
Water capacity	1000L
Outer diameter	193CM (76.0")
Inner diameter	165CM (65.0")
Height	70CM (27.6")
Power rated	EU:AC 220-240V 50Hz, 2040W US:AC 110-120V 60Hz, 1380W
System flow rate	530GAL (2006L)/H
Certification	EU: CE GS US: ETL

HeatLockPro™ AIO SERIES

Our reliable, high-performance spas are designed for comfort, efficient energy use, and simple maintenance so you can enjoy the full wellness benefits that come from making a hot tub part of your daily routine. Just a quick 20-30-minute dip counts as exercise...and so much more.



HeatLockPro AIO™ SERIES

PATENTED PORTABLE NO-INFLATION DESIGN

Patented non-inflatable design, crafted from premium PE foam, simple assembly, quick installation in ten minutes.

LUXURY DUAL-MATERIAL TEXTURE

Selected fashionable artificial leather surface, skin-friendly and elegant; CALIDONIA™ mesh fabric is strong, breathable, wear-resistant, and easy to clean, combining aesthetics and practicality.

HIGHLY EFFICIENT HEATING

Dual upgrades in power and insulation significantly improve heating efficiency compared to traditional bathtubs, heating up faster and saving time.

PRESSURE-RESISTANT AND DURABLE

Built-in cushioning effectively prevents bumps and impacts, reducing external damage and extending lifespan.

EFFICIENT AND FAST HEATING

Dual upgrades in power and insulation significantly improve heating efficiency compared to traditional bathtubs, heating up faster and saving time.


INTEGRATED DESIGN

Built-in pump body is integrally molded, with a simple and clean design and a sophisticated appearance.

LUXURY, WEAR-RESISTANT, AND EASY-TO-CARE
Realistic and smooth artificial leather texture, soft and luxurious touch, showcasing elegant style.


POWERFUL HEAT RETENTION AND INSULATION
Upgraded heat insulation and temperature locking capabilities, energy-saving and environmentally friendly.

PATENTED



STRONG, BREATHABLE, AND DURABLE
High elasticity, tear resistance, load-bearing capacity, and no deformation; quick-drying, moisture-proof, and mold-resistant mesh surface.

INTEGRATED PUMP
Integrated embedded design.



INTELLIGENT, SAFE, AND EFFICIENT DOUBLE-LAYER INSULATION HEATING SYSTEM (PATENTED)

Equipped with a patented heating device, the double-layer insulation structure provides robust safety, ensuring safe and reliable use. It intelligently regulates the temperature, concentrating heat for efficient and long-lasting heating, easily creating a comfortable and constant-temperature water environment.

OPTIONAL *EXTERNAL PUMP CONFIGURATION*

- Integrated pump models can also be offered with CLASSIC EXTERNAL
- PUMP and SMART EXTERNAL PUMP options



CLASSIC EXTERNAL PUMP



SMART EXTERNAL PUMP



RONDA TWEED CALIDONIA™ SPA

2-4 PERSON WITH INTEGRATED PUMP

14131EU/US V01



- Featuring CALIDONIA™ material with a rattan-like texture, seamlessly integrating with outdoor surroundings.
- Foam wall is a high performance thermal insulation material
- More durable enhanced Lami-Tech™ material
- Reinforced cover with safety lock clips
- Maximum temperature 42°C/108°F for EU, 40°C/104°F for US
- Anti-bacterial filters keep spa water cleaner by inhibiting the breeding of bacteria
- Anti-Freeze automatic heating prevents water from freezing and protects the SPA
- Grounding test system can automatically detect and tell the consumers whether the grounding wire is properly connected
- With a 60cm waterproof remote control, easily operate the spa from within, ensuring effortless control and convenience for users.
- Optional Functions: 3-Speed Massage & Ozone

Air Bubbles | Filter Cartridge | Lockable Cover | Inflatable Lid

Seating capacity	2-4
Water capacity	670L
Outer diameter	156CM (61.4")
Inner diameter	132CM (52.0")
Height	70CM (27.6")
Power rated	EU:AC 220-240V 50Hz, 2045W US:AC 110-120V 60Hz, 1380W
System flow rate	530GAL (2006L)/H
Certification	EU: CE US: ETL SITD

PATENTED



Heat Insulation Foam Layer: Easily connectable and Heat-lock Pro.




Heat Insulation Foam Layer: Easily connectable and Heat-lock Pro.

PATENTED

RONDA GRAPHITE CALIDONIA™ SPA

2-4 PERSON WITH INTEGRATED PUMP

14131EU/US V02



- Featuring CALIDONIA™ material with a rattan-like texture, seamlessly integrating with outdoor surroundings.
- Foam wall is a high performance thermal insulation material
- More durable enhanced Lami-Tech™ material
- Reinforced cover with safety lock clips
- Maximum temperature 42°C/108°F for EU, 40°C/104°F for US
- Anti-bacterial filters keep spa water cleaner by inhibiting the breeding of bacteria
- Anti-Freeze automatic heating prevents water from freezing and protects the SPA
- Grounding test system can automatically detect and tell the consumers whether the grounding wire is properly connected
- With a 60cm waterproof remote control, easily operate the spa from within, ensuring effortless control and convenience for users.
- Optional Functions: 3-Speed Massage & Ozone



Seating capacity	2-4
Water capacity	670L
Outer diameter	156CM (61.4")
Inner diameter	132CM (52.0")
Height	70CM (27.6")
Power rated	EU:AC 220-240V 50Hz, 2045W US:AC 110-120V 60Hz, 1380W
System flow rate	530GAL (2006L)/H
Certification	EU: CE US: MET E115755




Heat Insulation Foam Layer: Easily connectable and Heat-lock Pro.

RONDA FLINT GREY CALIDONIA™ SPA

2-4 PERSON WITH INTEGRATED PUMP

14131EU/US V04

Air Bubbles | Filter Cartridge | Lockable Cover | Inflatable Lid



- Featuring CALIDONIA™ material with a rattan-like texture, seamlessly integrating with outdoor surroundings.
- Foam wall is a high performance thermal insulation material
- More durable enhanced Lami-Tech™ material
- Reinforced cover with safety lock clips
- Maximum temperature 42°C/108°F for EU, 40°C/104°F for US
- Anti-bacterial filters keep spa water cleaner by inhibiting the breeding of bacteria
- Anti-Freeze automatic heating prevents water from freezing and protects the SPA
- Grounding test system can automatically detect and tell the consumers whether the grounding wire is properly connected
- With a 60cm waterproof remote control, easily operate the spa from within, ensuring effortless control and convenience for users.
- Optional Functions: 3-Speed Massage & Ozone

Seating capacity	2-4
Water capacity	670L
Outer diameter	156CM (61.4")
Inner diameter	132CM (52.0")
Height	70CM (27.6")
Power rated	U:AC 220-240V 50Hz, 2045W US:AC 110-120V 60Hz, 1380W
System flow rate	530GAL (2006L)/H
Certification	EU: CE US: ETL

RONDA TWEED CALIDONIA™ SPA

4-6 PERSON WITH INTEGRATED PUMP

14133EU/US V01



- Featuring CALIDONIA™ material with a rattan-like texture, seamlessly integrating with outdoor surroundings.
- Foam wall is a high performance thermal insulation material
- More durable enhanced Lami-Tech™ material
- Reinforced cover with safety lock clips
- Maximum temperature 42°C/108°F for EU, 40°C/104°F for US
- Anti-bacterial filters keep spa water cleaner by inhibiting the breeding of bacteria
- Anti-Freeze automatic heating prevents water from freezing and protects the SPA
- Grounding test system can automatically detect and tell the consumers whether the grounding wire is properly connected
- With a 60cm waterproof remote control, easily operate the spa from within, ensuring effortless control and convenience for users.
- Optional Functions: 3-Speed Massage & Ozone


Air Bubbles



Filter Cartridge


Lockable Cover


Inflatable Lid

Seating capacity	4-6
Water capacity	985L
Outer diameter	184CM (72.4")
Inner diameter	160CM (63.0")
Height	70CM (27.6")
Power rated	EU:AC 220-240V 50Hz, 2045W US:AC 110-120V 60Hz, 1380W
System flow rate	530GAL (2006L)/H
Certification	EU: CE US: ETL SEMKO

PATENTED



Heat Insulation Foam Layer: Easily connectable and Heat-lock Pro.




Heat Insulation Foam Layer: Easily connectable and Heat-lock Pro.

PATENTED

RONDA GRAPHITE CALIDONIA™ SPA

4-6 PERSON WITH INTEGRATED PUMP

14133EU/US V02



- Featuring CALIDONIA™ material with a rattan-like texture, seamlessly integrating with outdoor surroundings.
- Foam wall is a high performance thermal insulation material
- More durable enhanced Lami-Tech™ material
- Reinforced cover with safety lock clips
- Maximum temperature 42°C/108°F for EU, 40°C/104°F for US
- Anti-bacterial filters keep spa water cleaner by inhibiting the breeding of bacteria
- Anti-Freeze automatic heating prevents water from freezing and protects the SPA
- Grounding test system can automatically detect and tell the consumers whether the grounding wire is properly connected
- With a 60cm waterproof remote control, easily operate the spa from within, ensuring effortless control and convenience for users.
- Optional Functions: 3-Speed Massage & Ozone

Air Bubbles | Filter Cartridge | Lockable Cover | Inflatable Lid

Seating capacity	4-6
Water capacity	985L
Outer diameter	184CM (72.4")
Inner diameter	160CM (63.0")
Height	70CM (27.6")
Power rated	EU:AC 220-240V 50Hz, 2045W US:AC 110-120V 60Hz, 1380W
System flow rate	530GAL (2006L)/H
Certification	EU: CE US: ETL




Heat Insulation Foam Layer: Easily connectable and Heat-lock Pro.

RONDA FLINT GREY CALIDONIA™ SPA

4-6 PERSON WITH INTEGRATED PUMP

14133EU/US V04



Air Bubbles | Filter Cartridge | Lockable Cover | Inflatable Lid

- Featuring CALIDONIA™ material with a rattan-like texture, seamlessly integrating with outdoor surroundings.
- Foam wall is a high performance thermal insulation material
- More durable enhanced Lami-Tech™ material
- Reinforced cover with safety lock clips
- Maximum temperature 42°C/108°F for EU, 40°C/104°F for US
- Anti-bacterial filters keep spa water cleaner by inhibiting the breeding of bacteria
- Anti-Freeze automatic heating prevents water from freezing and protects the SPA
- Grounding test system can automatically detect and tell the consumers whether the grounding wire is properly connected
- With a 60cm waterproof remote control, easily operate the spa from within, ensuring effortless control and convenience for users.
- Optional Functions: 3-Speed Massage & Ozone

Seating capacity	4-6
Water capacity	985L
Outer diameter	184CM (72.4")
Inner diameter	160CM (63.0")
Height	70CM (27.6")
Power rated	U:AC 220-240V 50Hz, 2045W US:AC 110-120V 60Hz, 1380W
System flow rate	530GAL (2006L)/H
Certification	EU: CE US: ETL

WHISTLER CHARCOAL CALIDONIA™ SPA

3-5 PERSON WITH INTEGRATED PUMP

14135EU/US



- Featuring CALIDONIA™ material with a rattan-like texture, seamlessly integrating with outdoor surroundings.
- Foam wall is a high performance thermal insulation material
- More durable enhanced Lami-Tech™ material
- Reinforced cover with safety lock clips
- Maximum temperature 42°C/108°F for EU, 40°C/104°F for US
- Anti-bacterial filters keep spa water cleaner by inhibiting the breeding of bacteria
- Anti-Freeze automatic heating prevents water from freezing and protects the SPA
- Grounding test system can automatically detect and tell the consumers whether the grounding wire is properly connected
- With a 60cm waterproof remote control, easily operate the spa from within, ensuring effortless control and convenience for users.
- Optional Functions: 3-Speed Massage & Ozone


Air Bubbles


Filter Cartridge


Lockable Cover


Inflatable Lid

Seating capacity	3-5
Water capacity	988L
Outer diameter	195CM (76.8")
Inner diameter	169CM (66.5")
Height	70CM (27.6")
Power rated	EU:AC 220-240V 50Hz, 2045W US:AC 110-120V 60Hz, 1380W
System flow rate	530GAL (2006L)/H
Certification	EU: CE US: MET E115755



Heat Insulation Foam Layer: Easily connectable and Heat-lock Pro.




Heat Insulation Foam Layer: Easily connectable and Heat-lock Pro.

PATENTED

WHISTLER GRAPHITE CALIDONIA™ SPA

3-5 PERSON WITH INTEGRATED PUMP

14135EU/US V02



- Featuring CALIDONIA™ material with a rattan-like texture, seamlessly integrating with outdoor surroundings.
- Foam wall is a high performance thermal insulation material
- More durable enhanced Lami-Tech™ material
- Reinforced cover with safety lock clips
- Maximum temperature 42°C/108°F for EU, 40°C/104°F for US
- Anti-bacterial filters keep spa water cleaner by inhibiting the breeding of bacteria
- Anti-Freeze automatic heating prevents water from freezing and protects the SPA
- Grounding test system can automatically detect and tell the consumers whether the grounding wire is properly connected
- With a 60cm waterproof remote control, easily operate the spa from within, ensuring effortless control and convenience for users.
- Optional Functions: 3-Speed Massage & Ozone


Air Bubbles


Filter Cartridge


Lockable Cover


Inflatable Lid

Seating capacity	3-5
Water capacity	988L
Outer diameter	195CM (76.8")
Inner diameter	169CM (66.5")
Height	70CM (27.6")
Power rated	EU:AC 220-240V 50Hz, 2045W US:AC 110-120V 60Hz, 1380W
System flow rate	530GAL (2006L)/H
Certification	EU: CE US: MET E115755

Heat Insulation Foam Layer: Easily connectable and Heat-lock Pro.

PATENTED

MUNICH TWEED CALIDONIA™ SPA

2-4 PERSON WITH INTEGRATED PUMP

14132EU/US V01

Air Bubbles | Filter Cartridge | Lockable Cover | Inflatable Lid



- Featuring CALIDONIA™ material with a rattan-like texture, seamlessly integrating with outdoor surroundings.
- Foam wall is a high performance thermal insulation material
- More durable enhanced Lami-Tech™ material
- Reinforced cover with safety lock clips
- Maximum temperature 42°C/108°F for EU, 40°C/104°F for US
- Anti-bacterial filters keep spa water cleaner by inhibiting the breeding of bacteria
- Anti-Freeze automatic heating prevents water from freezing and protects the SPA
- Grounding test system can automatically detect and tell the consumers whether the grounding wire is properly connected
- With a 60cm waterproof remote control, easily operate the spa from within, ensuring effortless control and convenience for users.
- Optional Functions: 3-Speed Massage & Ozone

Seating capacity	2-4
Water capacity	828L
Outer diameter	160CM (63.0")
Inner diameter	130CM (51.2")
Height	70CM (27.6")
Power rated	U:AC 220-240V 50Hz, 2045W US:AC 110-120V 60Hz, 1380W
System flow rate	530GAL (2006L)/H
Certification	EU: CE US: ETL

MUNICH GRAPHITE CALIDONIA™ SPA

2-4 PERSON WITH INTEGRATED PUMP

14132EU/US V02



- Featuring CALIDONIA™ material with a rattan-like texture, seamlessly integrating with outdoor surroundings.
- Foam wall is a high performance thermal insulation material
- More durable enhanced Lami-Tech™ material
- Reinforced cover with safety lock clips
- Maximum temperature 42°C/108°F for EU, 40°C/104°F for US
- Anti-bacterial filters keep spa water cleaner by inhibiting the breeding of bacteria
- Anti-Freeze automatic heating prevents water from freezing and protects the SPA
- Grounding test system can automatically detect and tell the consumers whether the grounding wire is properly connected
- With a 60cm waterproof remote control, easily operate the spa from within, ensuring effortless control and convenience for users.
- Optional Functions: 3-Speed Massage & Ozone


Air Bubbles


Filter Cartridge


Lockable Cover


Inflatable Lid

Seating capacity	2-4
Water capacity	828L
Outer diameter	160CM (63.0")
Inner diameter	130CM (51.2")
Height	70CM (27.6")
Power rated	EU:AC 220-240V 50Hz, 2045W US:AC 110-120V 60Hz, 1380W
System flow rate	530GAL (2006L)/H
Certification	EU: CE US: ETL SITD





Heat Insulation Foam Layer: Easily connectable and Heat-lock Pro.



Heat Insulation Foam Layer: Easily connectable and Heat-lock Pro.

PATENTED

MUNICH FLINT GREY CALIDONIA™ SPA

2-4 PERSON WITH INTEGRATED PUMP

14132EU/US V04



- Flint Grey Rattan
- Featuring CALIDONIA™ material with a rattan-like texture, seamlessly integrating with outdoor surroundings.
- Foam wall is a high performance thermal insulation material
- More durable enhanced Lami-Tech™ material
- Reinforced cover with safety lock clips
- Maximum temperature 42°C/108°F for EU, 40°C/104°F for US
- Anti-bacterial filters keep spa water cleaner by inhibiting the breeding of bacteria
- Anti-Freeze automatic heating prevents water from freezing and protects the SPA
- Grounding test system can automatically detect and tell the consumers whether the grounding wire is properly connected
- With a 60cm waterproof remote control, easily operate the spa from within, ensuring effortless control and convenience for users.
- Optional Functions: 3-Speed Massage & Ozone



Seating capacity	2-4
Water capacity	828L
Outer diameter	160CM (63.0")
Inner diameter	130CM (51.2")
Height	70CM (27.6")
Power rated	EU:AC 220-240V 50Hz, 2045W US:AC 110-120V 60Hz, 1380W
System flow rate	530GAL (2006L)/H
Certification	EU: CE US: ETL




Heat Insulation Foam Layer: Easily connectable and Heat-lock Pro.

MUNICH TWEED CALIDONIA™ SPA

4-6 PERSON WITH INTEGRATED PUMP

14134EU/US V01

Air Bubbles | Filter Cartridge | Lockable Cover | Inflatable Lid



- Featuring CALIDONIA™ material with a rattan-like texture, seamlessly integrating with outdoor surroundings.
- Foam wall is a high performance thermal insulation material
- More durable enhanced Lami-Tech™ material
- Reinforced cover with safety lock clips
- Maximum temperature 42°C/108°F for EU, 40°C/104°F for US
- Anti-bacterial filters keep spa water cleaner by inhibiting the breeding of bacteria
- Anti-Freeze automatic heating prevents water from freezing and protects the SPA
- Grounding test system can automatically detect and tell the consumers whether the grounding wire is properly connected
- With a 60cm waterproof remote control, easily operate the spa from within, ensuring effortless control and convenience for users.
- Optional Functions: 3-Speed Massage & Ozone

Seating capacity	4-6
Water capacity	1103L
Outer diameter	180CM (70.9")
Inner diameter	150CM (59.1")
Height	70CM (27.6")
Power rated	U:AC 220-240V 50Hz, 2045W US:AC 110-120V 60Hz, 1380W
System flow rate	530GAL (2006L)/H
Certification	EU: CE US: ETL

MUNICH GRAPHITE CALIDONIA™ SPA

4-6 PERSON WITH INTEGRATED PUMP

14134EU/US V02



- Featuring CALIDONIA™ material with a rattan-like texture, seamlessly integrating with outdoor surroundings.
- Foam wall is a high performance thermal insulation material
- More durable enhanced Lami-Tech™ material
- Reinforced cover with safety lock clips
- Maximum temperature 42°C/108°F for EU, 40°C/104°F for US
- Anti-bacterial filters keep spa water cleaner by inhibiting the breeding of bacteria
- Anti-Freeze automatic heating prevents water from freezing and protects the SPA
- Grounding test system can automatically detect and tell the consumers whether the grounding wire is properly connected
- With a 60cm waterproof remote control, easily operate the spa from within, ensuring effortless control and convenience for users.
- Optional Functions: 3-Speed Massage & Ozone



Seating capacity	4-6
Water capacity	1103L
Outer diameter	180CM (70.9")
Inner diameter	150CM (59.1")
Height	70CM (27.6")
Power rated	EU:AC 220-240V 50Hz, 2045W US:AC 110-120V 60Hz, 1380W
System flow rate	530GAL (2006L)/H
Certification	EU: CE US: MET E115710

PATENTED



Heat Insulation Foam Layer: Easily connectable and Heat-lock Pro.



Heat Insulation Foam Layer: Easily connectable and Heat-lock Pro.

MUNICH FLINT GREY CALIDONIA™ SPA

4-6 PERSON WITH INTEGRATED PUMP

14134EU/US V04



- Featuring CALIDONIA™ material with a rattan-like texture, seamlessly integrating with outdoor surroundings.
- Foam wall is a high performance thermal insulation material
- More durable enhanced Lami-Tech™ material
- Reinforced cover with safety lock clips
- Maximum temperature 42°C/108°F for EU, 40°C/104°F for US
- Anti-bacterial filters keep spa water cleaner by inhibiting the breeding of bacteria
- Anti-Freeze automatic heating prevents water from freezing and protects the SPA
- Grounding test system can automatically detect and tell the consumers whether the grounding wire is properly connected
- With a 60cm waterproof remote control, easily operate the spa from within, ensuring effortless control and convenience for users.
- Optional Functions: 3-Speed Massage & Ozone



Seating capacity	4-6
Water capacity	1103L
Outer diameter	180CM (70.9")
Inner diameter	150CM (59.1")
Height	70CM (27.6")
Power rated	EU:AC 220-240V 50Hz, 2045W US:AC 110-120V 60Hz, 1380W
System flow rate	530GAL (2006L)/H
Certification	EU: CE US: MET E115755

ACCESSORIES

Curated additions to elevate your soak: From ergonomic headrests that cradle relaxation to sleek drink holders that keep refreshment within reach.

every Avenli accessory is designed to turn your spa moment into a seamless, indulgent escape.

avenli




INTEGRATED PUMP

Design for Safe and Easy Use

Item Name	Item No	Voltage	Power Rated	Case Pack
INTEGRATED PUMP	29P536EU	AC 220-240V 50HZ	1545W	0.065cbm/1pc/ctn
INTEGRATED PUMP PRO	29P535EU	AC 220-240V 50HZ	2045W	0.065cbm/1pc/ctn






CLASSIC EXTERNAL PUMP

Design for Safe and Easy Use

Item Name	Item No	Voltage	Power Rated	Case Pack
CLASSIC EXTERNAL PUMP	290757US	AC 110-120V 60HZ	1380W	0.072cbm/1pc/ctn
CLASSIC EXTERNAL PUMP	290757EU	AC 220-240V 50HZ	1540W	0.072cbm/1pc/ctn
CLASSIC EXTERNAL PUMP PRO	290758EU	AC 220-240V 50HZ	2040W	0.072cbm/1pc/ctn






SMART EXTERNAL PUMP

Design for Safe and Easy Use

Item Name	Item No	Voltage	Power Rated	Case Pack
SMART EXTERNAL PUMP	29P557US	AC 110-120V 60HZ	1380W	0.061cbm/1pc/ctn
SMART EXTERNAL PUMP	29P557EU	AC 220-240V 50HZ	1540W	0.061cbm/1pc/ctn
SMART EXTERNAL PUMP PRO	29P559EU	AC 220-240V 50HZ	2040W	0.061cbm/1pc/ctn









Spa Maintenance Kit
290850

The 6-in-1 Cleaning kit is the ideal SPA accessory with everything you need to keep your spa clean
All the materials used in our cleaning kit are strictly tested and of excellent quality, all make the cleaning equipment super durable, and offer you a comfortable cleaning experience
Color box
Case pack: 0.028cbm/3set/ctn



Spa Filter Cartridge
290760

Size: Φ10.5x8cm(Φ4.13" × 3.15")
Professional SPA filter cartridge are characterized with 150 pleats
High water flow
Shrink wrapped with insert card
Case pack: 0.055cbm/48pcs/ctn



Spa Antimicrobial Filter Cartridge
290802

Size: Φ10.5 x 8cm(Φ4.13" × 3.15")
Extends the life of your filter
Improves the quality of your water
Neutralizes bacteria,fungi and algae and prevents their proliferation
Shrink wrapped with insert card
Case pack: 0.055cbm/48pcs/ctn



Spray Brush Head
290998

Size: 21 x 12 x 9cm
(8.27"× 4.72"× 3.54")
Easy to clean filter cartridge
Two functions: brush or washing
Adjust the water flow rate through the knob
Clamshell packaging
Case pack:
66.5×28×34.5cm/24pcs/ctn



Chemical Floater
290468

Size: 12.5×12.5×11.8cm
(4.92" × 4.92"× 4.65")
Dia.5" floating chemical dispenser
Dispenses 1" chemical tablets
Adjustable dial to control the release of chemicals
No tablets included
Shrink wrapped with insert card
Case pack: 0.028cbm/24pcs/ctn



Test Strips
290471

Size: 3.7×3.7×9.4cm
(1.46"×1.46"× 3.70")
3 in 1 free chlorine,PH,total alkalinity
The ideal solution for basic pool and spa water testing
Easy color-match system
Contains 50 test strips
1 year shelf life
Blister card package
Case pack: 0.020cbm/48pcs/ctn



Rechargeable Electric Pool&Spa Vacuum Cleaner
290851

Size:80 x 15 x 7cm(31.5" x 5.9" x 2.8")
See-through Fiter design
3-Section telescopic aluminum pole,Max length 165cm
Compatible with all spas and above-ground pools up to 13 ft (3.96 m) in diameter (round) and up to 13 ft (3.96 m) wide (rectangular and oval).
Charging Voltage:AC 100v -240v/-50/60HZ,output 5 v-1000ma
Battery Capacity: 4000mAh
Charging Time: 4.5 hours
Working Time: 1 hour
Color Box
Case pack: 0.05cbm/6pcs/ctn

Inflatable Lid

Made from durable heavy-duty PVC
Speeds up water heating
Reduces energy use by 20%
Compact for easy storage and transport
Quick and simple setup



14020

Size: 154 x 154 x 18cm
(60.63"× 60.63" × 7.09")
Color box
Case pack: 0.045cbm/4pcs/ctn
Suitable for 17654EU/ US,17621EU/US, 14192EU/US









14023

Size: 122 × 122 × 18cm(48" x 48" x 7")
Color box
Case pack: 0.034cbm/4pcs/ctn
Suitable for 14015EU



14024

Size:130 x 130 x 18cm(51.1" x 51.1" x 7")
Color box
Case pack: 0.039cbm/4pcs/ctn
Suitable for 14030EU/US,14132EU/US



14029

Size: 180 x 180 x 20cm(70.8" x 70.8" x 7.8")
Color box
Case pack: 0.069cbm/4pcs/ctn
Suitable for 14053EU/US; 14028EU/US



14017

Size: Ø125 x 18cm(Ø49.21"× 7.09")
Color box
Case pack: 0.032cbm/4pcs/ctn
Suitable for 17612EU/US,14051EU/US



14018

Size: Ø135 x 18cm(Ø53.15"× 7.09")
Color box
Case pack: 0.034cbm/4pcs/ctn
Suitable for 14016EU



14241

Size: Ø150 x 18cm(Ø59.06" × 7.09")
Color box
Case pack: 0.027cbm/2pcs/ctn
Suitable for 14191EU/US



14019

Size: Ø160 x 18cm(Ø62.99" × 7.09")
Color box
Case pack: 0.045cbm/4pcs/ctn
Suitable for 14196EU/US,17691EU/ US,14133EU/US,14195EU/US



Battery Pool&Spa Vacuum Cleaner
290721

Size:Ø6.5 × 135cm(Ø2.5" × 53.1")
See-through Fiter design
3-Section telescopic aluminum pole,Max length 165cm
Compatible with all spas and above-ground pools up to 13 ft (3.96 m) in diameter (round) and up to 13 ft (3.96 m) wide (rectangular and oval).
8 x AA batteries required(Batteries not included)
Working Time: 1.5 hour
Color Box
Case Pack: 80cmx28.5cmx22.5cm/6pcs/ctn



Rechargeable Handheld Pool &Spa Cleaner 30w
290986EU/US

Size: 80cm x 26cm x 12cm(31.5" x 10" x 4.7")
See-through Filter design
Two ways for hand holding
3-Section telescopic aluminum pole, max length 2.15m
Compatible with all spas and above-ground pools up to 20 ft (6.1 m) in diameter (round) and up to 20 ft (6.1 m) wide (rectangular and oval)
Charging Voltage:5V-2A
Battery Capacity: 4500mAh
Charging Time: 3 hours
Working Time: 1 hour
Suction: 70L/Min
Color box
Case Pack:89cm x 35cm x 43cm/4PCS/ctn



HeatLockPro™ SPA Cover

Help heat the SPA faster
Keep warm, save electric energy
The fully enclosed design protects the SPA from wind, sun etc
Zip design for easy switching and longer life
Simple storage
Easy to set up
Color box

370985 - Φ165 x 70cm (Φ65" x 27.5") / 0.036cbm/1pc
370987 - Φ204 x 70cm (Φ80" x 27.5") / 0.074cbm/1pc



HeatLockPro™ SPA Cover

Help heat the SPA faster
Keep warm, save electric energy
The fully enclosed design protects the SPA from wind, sun etc
Zip design for easy switching and longer life
Simple storage
Easy to set up
Color box


370988 - 148 x 148 x 65cm (58" x 58" x 25.5") / 0.045cbm/1pc
291077 - 170 x 170 x 70cm (66.9" x 66.9" x 27.6") / 0.043cbm/1pc
291107 - 193 x 193 x 70cm (76" x 76" x 27.6") / 0.043cbm/1pc







INCLUDED



HeatLockPro™ SPA Tent


370986
- Ø360 x 185cm (Ø141.7" x 72.8")

Keep warm, prevents heat loss, save energy
Light transmission and wind blocking to enjoy the sun and massage
Can be folded in both directions to secure
Stable Structure
Suitable for all avenli SPA
Color box
Case Pack: 0.079cbm/1pc



Our Avenli Spa Heat Saver Mat is ideal for those who seek just the right level of comfort, as it boosts the heat conservation properties of all Avenli Spas while also providing an additional layer of cushioning for even more comfortable relaxation.





HeatLockPro™ Floor Mat

290996
- 200 x 196cm (78.7"x78.2")

290997
- 180 x 180cm (71"x71")

Super durable 3 layer laminated material+ aluminum film
Protects the bottom of SPA
Prevents heat loss and saves energy.
Insert card with PE bag
0.05cbm/ 5pcs/ctn






HeatLockPro™ Solar Cover

291005
- Ø135 cm (Ø53.2")
- 0.017cbm/ 3pcs/ctn


291004
- Ø160 cm (Ø63")
- 0.024cbm/ 3pcs/ctn

Easy to set up, effectively prevents heat loss and saves energy.
PE
Plastic box



4mm PE Pool/Spa floor protector (Blue)
290972

4mm PE Pool/Spa floor protector (Grey)
291235



9-piece interlocking floor mat system designed to create a protective layer between your spa and the ground.
Ideal for above-ground pools, it helps shield against uneven surfaces and wear for long-lasting spa protection.Size: 55cm x 55cm x 0.4cm x 9PCS (21.6" x 21.6" x 0.16" x 9PCS)
Cover Area: 1.55m x 1.55m
Quantity per box: 9PCS
Export Carton: 57cm x 45cm x 57cm (22.46" x 17.73" x 22.46")
Weight: 10.2 KG/22.5LB

SPA Aromatherapy Kit
395169

Turn your spa into a fragrant retreat. The kit installs inline on the upper return pipe — the hose carrying water from the control unit back into the spa. As warm water flows through the basket, it picks up the scent crystals and diffuses a calming fragrance throughout your tub.


Easy inline fit — connects to the upper return hose between the control unit and the spa wall
Refillable basket — fill with scent crystals; swap fragrances anytime
Whole-tub diffusion — returning water carries the aroma into every jet stream
Non-oily formula — won't affect water chemistry or clog jets
Contents: A bag of scent crystals x1, 1pc aromatherapy basket, 1pc aromatherapy holder
Suitable for external pump
Insert card with PP bag
Case Pack: 0.099cbm/100pcs/ctn
Important: Install on the inlet/return pipe (water flowing into the spa), not the suction pipe. Fragrance only diffuses when scented water is being pushed back into the tub.







INSTALL AROMA KIT ON THE UPPER PIPE
THE LINE CARRYING WATER INTO THE SPA




Aromatherapy Scents Crystals
290787

Relaxes and soothes away aches, pains and the stress of the day.
Helps to make you feel rejuvenated after a long soak.
Each set contains individually packed rose,lavender and jasmine scents,each set 60g
Case pack: 0.02cbm/100set/ctn




Comfort Booster Cushion
14146

Size: 65 x 18 x 17cm (25.6" x 7" x 6.7")
Sit higher, soak deeper. Fill it with water and set it in your spa — the water weight keeps it anchored in place, so it won't float up or slide around while you relax.



Water-filled for stability — stays put on the seat instead of floating away like air cushions
Lifts your seating position — sit higher and more upright in deeper tubs
Thick, durable PVC — holds up season after season
Smooth rounded edges — protects your spa liner from scuffs and wear
Master Carton
Case pack: 0.06cbm/12pcs/ctn







Headrest & Cup Holder Set
290410(White) / 291172(Black)

Size: 16.8 x 24.2 x 24.5cm/25 x 22.5 x 23cm (6.61"×9.53"×9.65" / 9.84"×8.86"×9.06")
TPU
Suitable for inflatable spas
Color box: 1 cup holder & 2 headrests
Case pack: 0.051cbm/2set/ctn



Headrest with Cup Holder
290671

Size: 27 x 16 x 19cm (10.63" × 6.30" × 7.48")
TPU
Headrest with cup holders
Color box: 2 headrests/set
Case pack: 0.054cbm/4set/ctn



Seat Cushion
97265

Size: 50 x 35 x 11 cm (19.7" x 13.8" x 4.3")
10ga.(0.25mm) PVC
Take a seat, stay put. Fill it with water and drop it into your spa — the water weight keeps it firmly anchored, so it won't drift or slip while you soak.
The contoured shape cradles you for a higher, more comfortable seating position.
Insert card with poly bag
Case pack: 0.037cbm/24pcs/ctn



Foot Basin
137205-1

Size: 87 x 68 x 14cm (34" x 27" x 5.5")
10ga.(0.25mm) PVC
Repair patch, Color box
Case pack: 0.026cbm/12pcs/ctn





RGB LED Underwater Light Ring
291134

Size: Ø12.9cm x 5.86cm(Ø5.08" × 2.31")
Features adjustable multi-color LEDs with smooth transitions, creating dynamic underwater effects-perfect for pools and spas. 7 selectable colors and 4 modes create different atmospheres.
Simple setup with no tools required-Screw the light onto inlet or outlet port.
Full charge lasts 6 hours
IPX7 waterproof
Color box
Case Pack: 0.019cbm/12PCS/CTN






LED Lamp
290795


Size: Ø8 x 6.5cm(Ø3.15" × 2.56")
Easy to operate
Easy battery installation
Floating design
Light can be used in water indoor & outdoor and playtime
Color box
Case pack: 50 x 21 x 40cm/40pcs/ctn

SPECIFICATION

SERIES	AIO				
PICTURE					
NAME	GLACIER GREY MARBLE SPA 1-2 Person With Integrated Pump	BOSTON NATURAL WOOD SPA 2-3 Person With Integrated Pump	BOSTON BROWN RATTAN SPA 2-3 Person With Integrated Pump	BOSTON GREY BRICK SPA 2-3 Person With Integrated Pump	CHICAGO CLASSIC BLACK SPA 2-4 Person With Integrated Pump
ITEM NO.	14151EUV17	14015EUV23	14015EUV31	14015EUV32	14016EU
TECHNIQUE	Built in pump + I-Beam (3-ply laminated PVC)	Built in pump + I-Beam (3-ply laminated PVC)	Built in pump + I-Beam (3-ply laminated PVC)	Built in pump + I-Beam (3-ply laminated PVC)	Built in pump + I-Beam (3-ply laminated PVC)
SEATING CAPACITY	1-2 PLACES	2-3 PLACES	2-3 PLACES	2-3 PLACES	2-4 PLACES
COVER	3-ply laminated PVC	3-ply laminated PVC	3-ply laminated PVC	3-ply laminated PVC	/
GROUND CLOTH	PVC	PVC	PVC	PVC	PVC
FILTER CARTRIDGE	1PC	1PC	1PC	1PC	1PC
WATER CAPACITY (Water level)	543L (143gal)	580L (153gal)	580L (153gal)	580L (153gal)	650L(172gal)
POWER RATED	EU:AC 220-240V 50Hz, 1545W	EU:AC 220-240V 50Hz, 1545W	EU:AC 220-240V 50Hz, 1545W	EU:AC 220-240V 50Hz, 1545W	EU:AC 220-240V 50Hz, 1545W
HEATING RATE	EU:1.5-2.5°C/hour	EU:1.5-2.5°C/hour	EU:1.5-2.5°C/hour	EU:1.5-2.5°C/hour	EU:1.5-2.5°C/hour
SYSTEM FLOW RATE	530GAL(2006L)/H	530GAL(2006L)/H	530GAL(2006L)/H	530GAL(2006L)/H	530GAL(2006L)/H
MASSAGE BUBBLE POWER	650W/800W	650W/800W	650W/800W	650W/800W	650W/800W
CERTIFICATION	EU:CE	EU:CE	EU:CE	EU:CE	EU:CE
OUTER DIAMETER	190CM x 120CM x 65CM (74.8" × 47.2" × 25.6")	148CM x 148CM x 65CM (58.3" x 58.3" x 25.6")	148CM x 148CM x 65CM (58.3" x 58.3" x 25.6")	148CM x 148CM x 65CM (58.3" x 58.3" x 25.6")	Φ165CM x 65CM (65" x 25.6")
INNER DIAMETER	155CM x85CM x65CM (61" x 33.5" x 25.6")	115CM x 115CM x 65CM (45.3" x 45.3" x 25.6")	115CM x 115CM x 65CM (45.3" x 45.3" x 25.6")	115CM x 115CM x 65CM (45.3" x 45.3" x 25.6")	Φ135CM x 65CM (53.1" x 25.6")
BUBBLE JET HOLES	100	114	114	114	108
COLOR BOX SIZE	65CM x 35CM x 57.5CM	68CM x 38CM x 57.5CM	68CM x 38CM x 57.5CM	68CM x 38CM x 57.5CM	68CM x 38CM x 57.5CM
CASE PACK	0.131cbm/1set/1ctn	0.149cbm/1set/1ctn	0.149cbm/1set/1ctn	0.149cbm/1set/1ctn	0.149cbm/1set/1ctn
WEIGHT	EU:24KG/52.92LB	EU:24.45KG/53.91LB	EU:24.45KG/53.91LB	EU:24.45KG/53.91LB	EU:22.5KG/49.61LB
1x20 GP	216	190	190	190	190
1x40 GP	450	390	390	390	390
1x40 HQ	518	459	459	459	459
PACKAGE					

AIO			Classic		SERIES
					PICTURE
CHICAGO CLASSIC BLACK SPA 4-6 Person With Integrated Pump	CHICAGO BROWN RATTAN SPA 4-6 Person With Integrated Pump	CHICAGO GREY BRICK SPA 4-6 Person With Integrated Pump	LONDON CLASSIC BLACK SPA 2-3 Person With Classic External Pump	CANNES CLASSIC BLACK SPA 2-4 Person With Classic External Pump	NAME
14014EU	14014EUV31	14014EUV32	17612EU/US	17605EU/US	ITEM NO.
Built in pump + I-Beam (3-ply laminated PVC)	Built in pump + I-Beam (3-ply laminated PVC)	Built in pump + I-Beam (3-ply laminated PVC)	I-Beam (3-ply laminated PVC)	I-Beam (3-ply laminated PVC)	TECHNIQUE
4-6 PLACES	4-6 PLACES	4-6 PLACES	2-3 PLACES	2-4 PLACES	SEATING CAPACITY
/	/	/	/	3-ply laminated PVC With aluminum foil	COVER
PVC	PVC	PVC	PE	PE	GROUND CLOTH
2PCS	2PCS	2PCS	1PC	2PCS	FILTER CARTRIDGE
1000L (264gal)	1000L (264gal)	1000L (264gal)	600L(159gal)	682L(180gal)	WATER CAPACITY (Water level)
EU:AC 220-240V 50Hz, 1545W	EU:AC 220-240V 50Hz, 1545W	EU:AC 220-240V 50Hz, 1545W	EU:AC 220-240V 50Hz, 1540W | US:AC 110-120V 60Hz, 1380W	EU:AC 220-240V 50Hz, 1540W | US:AC 110-120V 60Hz, 1380W	POWER RATED
EU:1-2°C/hour	EU:1-2°C/hour	EU:1-2°C/hour	EU:1.5-2.5°C/hour | US:0.5-1.5°C/hour	EU:1.5-2.5°C/hour | US:1-2°C/hour	HEATING RATE
530GAL(2006L)/H	530GAL(2006L)/H	530GAL(2006L)/H	530GAL(2006L)/H	530GAL(2006L)/H	SYSTEM FLOW RATE
650W/800W	650W/800W	650W/800W	650W	650W	MASSAGE BUBBLE POWER
EU:CE	EU:CE	EU:CE	EU:CE/GS | US:cETLus	EU:CE/GS | US:cETLus	CERTIFICATION
Φ204CM x 65CM (80.3" x 25.6")	Φ204CM x 65CM (80.3" x 25.6")	Φ204CM x 65CM (80.3" x 25.6")	Φ165CM x 70CM (65" x 27.6")	158CM x 158CM x 70CM (62" x 62" x 27.6")	OUTER DIAMETER
Φ170CM x 65CM (66.9" x 25.6")	Φ170CM x 65CM (66.9" x 25.6")	Φ170CM x 65CM (66.9" x 25.6")	Φ125CM x 70CM (49.2" x 27.6")	122CM x 122CM x 70CM (48" x 48" x 27.6")	INNER DIAMETER
138	138	138	100	100	BUBBLE JET HOLES
68CM x 46CM x 57.5CM	68CM x 46CM x 57.5CM	68CM x 46CM x 57.5CM	61.5CM x 45CM x 57.5CM	61.5CM x 45CM x 57.5CM	COLOR BOX SIZE
0.18cbm/1set/1ctn	0.18cbm/1set/1ctn	0.18cbm/1set/1ctn	0.158cbm/1set/1ctn	0.159cbm/1set/1ctn	CASE PACK
EU:29KG/63.95LB	EU:29KG/63.95LB	EU:29KG/63.95LB	EU:27.4KG/60.42LB US:27.44KG/60.51LB	EU:28.8KG/63.5LB US:26.5KG/58.43LB	WEIGHT
158	158	158	180	180	1x20 GP
326	326	326	366	366	1x40 GP
376	376	376	425	425	1x40 HQ
					PACKAGE

SPECIFICATION

SERIES	Classic					
PICTURE						
NAME	NUREMBERG LIGHT BEIGE SPA 2-3 Person With Smart External Pump	NICE IVORY WEAVE SPA 4-6 Person With Classic External Pump	NICE BROWN RATTAN SPA 4-6 Person With Classic External Pump	NICE GREY BRICK SPA 4-6 Person With Classic External Pump	NICE CHARCOAL WOOD SPA 4-6 Person With Classic External Pump	NICE STRAW WEAVE PATTERN SPA 4-6 Person With Classic External Pump
ITEM NO.	14051EU/US V01C	14196EU/US V21	14196EU/US V31	14196EU/US V32	14196EU/US V41	14196EU/US V12
TECHNIQUE	I-Beam (3-ply laminated PVC)	I-Beam (3-ply laminated PVC)	I-Beam (3-ply laminated PVC)	I-Beam (3-ply laminated PVC)	I-Beam (3-ply laminated PVC)	I-Beam (3-ply laminated PVC)
SEATING CAPACITY	2-3 PLACES	4-6 PLACES	4-6 PLACES	4-6 PLACES	4-6 PLACES	4-6 PLACES
COVER	3-ply laminated PVC With aluminum foil	3-ply laminated PVC With inflatable cover	3-ply laminated PVC With inflatable cover	3-ply laminated PVC With inflatable cover	3-ply laminated PVC With inflatable cover	3-ply laminated PVC With inflatable cover
GROUND CLOTH	PE	PE	PE	PE	PE	PE
FILTER CARTRIDGE	2PCS	2PCS	2PCS	2PCS	2PCS	2PCS
WATER CAPACITY (Water level)	600L(159gal)	980L(259gal)	980L(259gal)	980L(259gal)	980L(259gal)	1038L
POWER RATED	EU:AC 220-240V 50Hz, 1540W | US:AC 110-120V 60Hz, 1380W	EU:AC 220-240V 50Hz, 2040W | US:AC 110-120V 60Hz, 1380W	EU:AC 220-240V 50Hz, 2040W | US:AC 110-120V 60Hz, 1380W	EU:AC 220-240V 50Hz, 2040W | US:AC 110-120V 60Hz, 1380W	EU:AC 220-240V 50Hz, 2040W | US:AC 110-120V 60Hz, 1380W	EU:AC 220-240V 50Hz, 2040W
HEATING RATE	EU:1-2°C/hour | US:0.5-1.5°C/hour	EU:1-2°C/hour | US:0.5-1.5°C/hour	EU:1-2°C/hour | US:0.5-1.5°C/hour	EU:1-2°C/hour | US:0.5-1.5°C/hour	EU:1-2°C/hour | US:0.5-1.5°C/hour	EU:1-2°C/hour
SYSTEM FLOW RATE	530GAL(2006L)/H	530GAL(2006L)/H	530GAL(2006L)/H	530GAL(2006L)/H	530GAL(2006L)/H	530GAL(2006L)/H
MASSAGE BUBBLE POWER	850W	650W	650W	650W	650W	650W
CERTIFICATION	EU:CE | US:cETLus	EU:CE/GS | US:cETLus	EU:CE | US:cETLus	EU:CE | US:cETLus	EU:CE | US:cETLus	EU:CE
OUTER DIAMETER	Φ165CM x 70CM (65" x 27.6")	Φ204CM x 70CM (80.3" x 27.6")	Φ204CM x 70CM (80.3" x 27.6")	Φ204CM x 70CM (80.3" x 27.6")	Φ204CM x 70CM (80.3" x 27.6")	Φ204CM × 70CM (80.3" × 27.6")
INNER DIAMETER	Φ125CM x 70CM (49.2" x 27.6")	Φ160CM x 70CM (63" x 27.6")	Φ160CM x 70CM (63" x 27.6")	Φ160CM x 70CM (63" x 27.6")	Φ160CM x 70CM (63" x 27.6")	Φ160CM × 70CM (63" × 27.6")
BUBBLE JET HOLES	100	140	140	140	140	140
COLOR BOX SIZE	61.5CM x 45CM x 57.5CM	70CM x 56CM x 57.5CM	70CM x 56CM x 57.5CM	70CM x 56CM x 57.5CM	70CM x 56CM x 57.5CM	70CM x 56CM x 57.5CM
CASE PACK	0.158cbm/1set/1ctn	0.225cbm/1set/1ctn	0.225cbm/1set/1ctn	0.225cbm/1set/1ctn	0.225cbm/1set/1ctn	0.225cbm/1set/1ctn
WEIGHT	EU:26.35KG/58.1LB US:27.44KG/60.51LB	EU:34.9KG/76.95LB US:32.6KG/71.88LB	EU:34.9KG/76.95LB US:32.6KG/71.88LB	EU:34.9KG/76.95LB US:33.1KG/72.99LB	EU:34.9KG/76.95LB US:33.1KG/72.99LB	EU:32.9KG/72.54LB
1x20 GP	180	126	126	126	126	126
1x40 GP	366	258	258	258	258	258
1x40 HQ	425	292	292	292	292	292
PACKAGE						





Classic					SERIES
					PICTURE
NICE BLUE LASER LINE SPA 4-6 Person With Classic External Pump	VERMONT GREY BRICK SPA 3-5 Person With Classic External Pump	VERMONT BROWN RATTAN SPA 3-5 Person With Classic External Pump	VERMONT CHARCOAL WOOD SPA 3-5 Person With Classic External Pump	AURORA TRANSLUCENT LEAF SPA 4-6 Person With Classic External Pump	NAME
14195EU/US V26	17654EU/US V32	17654EU/US V31	17654EU/US V41	14195EU/US V16	ITEM NO.
I-Beam (3-ply laminated PVC)	I-Beam (3-ply laminated PVC)	I-Beam (3-ply laminated PVC)	I-Beam (3-ply laminated PVC)	I-Beam (3-ply laminated PVC)	TECHNIQUE
4-6 PLACES	3-5 PLACES	3-5 PLACES	3-5 PLACES	4-6 PLACES	SEATING CAPACITY
3-ply laminated PVC With inflatable cover	3-ply laminated PVC With aluminum foil	3-ply laminated PVC With aluminum foil	3-ply laminated PVC With aluminum foil	3-ply laminated PVC With inflatable cover	COVER
PE	PE	PE	PE	PE	GROUND CLOTH
2PCS	2PCS	2PCS	2PCS	2PCS	FILTER CARTRIDGE
980L(259gal)	800L(211gal)	800L(211gal)	800L(211gal)	980L(259gal)	WATER CAPACITY (Water level)
EU:AC 220-240V 50Hz, 2040W | US:AC 110-120V 60Hz, 1380W	EU:AC 220-240V 50Hz, 1540W | US:AC 110-120V 60Hz, 1380W	EU:AC 220-240V 50Hz, 1540W | US:AC 110-120V 60Hz, 1380W	EU:AC 220-240V 50Hz, 1540W | US:AC 110-120V 60Hz, 1380W	EU:AC 220-240V 50Hz, 2040W | US:AC 110-120V 60Hz, 1380W	POWER RATED
EU:1-2°C/hour | US:0.5-1.5°C/hour	EU:1.5-2.5°C/hour | US:1-2°C/hour	EU:1.5-2.5°C/hour | US:1-2°C/hour	EU:1.5-2.5°C/hour | US:1-2°C/hour	EU:1-2°C/hour | US:0.5-1.5°C/hour	HEATING RATE
530GAL(2006L)/H	530GAL(2006L)/H	530GAL(2006L)/H	530GAL(2006L)/H	530GAL(2006L)/H	SYSTEM FLOW RATE
650W	650W	650W	650W	650W	MASSAGE BUBBLE POWER
EU:CE | US:cETLus	EU:CE/GS | US:cETLus	EU:CE/GS | US:cETLus	EU:CE/GS | US:cETLus	EU:CE/GS | US:cETLus	CERTIFICATION
Φ204CM x 70CM (80.3" x 27.6")	195CM x 195CM x 70CM (76.8" x 76.8" x 27.6")	195CM x 195CM x 70CM (76.8" x 76.8" x 27.6")	195CM x 195CM x 70CM (76.8" x 76.8" x 27.6")	Φ204CM x 70CM (80.3" x 27.6")	OUTER DIAMETER
Φ160CM x 70CM (63" x 27.6")	154CM x 154CM x 70CM (60.6" x 60.6" x 27.6")	154CM x 154CM x 70CM (60.6" x 60.6" x 27.6")	154CM x 154CM x 70CM (60.6" x 60.6" x 27.6")	Φ160CM x 70CM (63" x 27.6")	INNER DIAMETER
140	120	120	120	140	BUBBLE JET HOLES
70CM x 56CM x 57.5CM	63CM x 56.5CM x 57.5CM	63CM x 56.5CM x 57.5CM	63CM x 56.5CM x 57.5CM	75CM x 56CM x 57.5CM	COLOR BOX SIZE
0.225cbm/1set/1ctn	0.205cbm/1set/1ctn	0.205cbm/1set/1ctn	0.205cbm/1set/1ctn	0.242cbm/1set/1ctn	CASE PACK
EU/US:32.9KG/72.54LB	EU:30.3KG/66.81LB US:31.4KG/69.24LB	EU/US:31.4KG/69.24LB	EU/US:31.4KG/69.24LB	EU:36.45KG/80.37LB US:35.45KG/78.17LB	WEIGHT
126	140	140	140	119	1x20 GP
258	286	286	286	244	1x40 GP
292	320	320	320	281	1x40 HQ
					PACKAGE

SPECIFICATION

SERIES	Premium		Deluxe		
PICTURE					
NAME	HAZE GREY MARBLE SPA 3-4 Person With Classic External Pump	HAZE GREY MARBLE SPA 4-6 Person With Classic External Pump	SEATTLE FOREST LEAF SPA 2-4 Person With Classic External Pump	BERLIN GRAY STONE SPA 3-5 Person With Classic External Pump	OSLO GRAY STONE SPA 2-4 Person With Classic External Pump
ITEM NO.	14204EU/US V17	14205EU/US V17	14191EU/US V15	14192EU/US V43	14030EU/US V43
TECHNIQUE	I-Beam (3-ply laminated PVC)	I-Beam (3-ply laminated PVC)	Drop Stitch (10CM thickness)	Drop Stitch (20CM thickness)	Drop Stitch (20CM thickness)
SEATING CAPACITY	3-4 PLACES	4-6 PLACES	2-4 PLACES	3-5 PLACES	2-4 PLACES
COVER	3-ply laminated PVC	3-ply laminated PVC With inflatable cover	3-ply laminated PVC With inflatable cover	3-ply laminated PVC With inflatable cover	3-ply laminated PVC With inflatable cover
GROUND CLOTH	PE	PE	PE	PE	PE
FILTER CARTRIDGE	2PCS	2PCS	2PCS Anti-Bacterial filter	2PCS Anti-Bacterial filter	2PCS Anti-Bacterial filter
WATER CAPACITY (Water level)	745L	1038L	800L(211gal)	790L(209gal)	780L(206GAL)
POWER RATED	EU:AC 220-240V 50Hz, 2040W	EU:AC 220-240V 50Hz, 2040W	EU:AC 220-240V 50Hz, 2040W | US:AC 110-120V 60Hz, 1380W	EU:AC 220-240V 50Hz, 2040W | US:AC 110-120V 60Hz, 1380W	EU:AC 220-240V 50Hz, 2040W | US:AC 110-120V 60Hz, 1380W
HEATING RATE	EU:1-2°C/hour	EU:1-2°C/hour	EU:1.5-2.5°C/hour | US:1-2°C/hour	EU:1.5-2.5°C/hour | US:1-2°C/hour	EU:1.5-2.5°C/hour | US:1-2°C/hour
SYSTEM FLOW RATE	530GAL(2006L)/H	530GAL(2006L)/H	530GAL(2006L)/H	530GAL(2006L)/H	530GAL(2006L)/H
MASSAGE BUBBLE POWER	650W	650W	650W	650W	650W
CERTIFICATION	EU:CE/GS | US:cETLus	EU:CE/GS | US:cETLus	EU:CE/GS | US:cETLus	EU:CE/GS | US:cETLus	EU:CE | US:cETLus
OUTER DIAMETER	Φ175CM × 70CM (68.9" × 27.6")	Φ204CM × 70CM (80.3" × 27.6")	Φ165CM x 70CM (64.9" x 27.6")	190CM x 190CM x 70CM (74.8" x 74.8" x 27.6")	170CM x 170CM x 70CM (66.9" x 66.9" x 27.6")
INNER DIAMETER	Φ140CM × 70CM (55.1" × 27.6")	Φ168CM × 70CM (66" × 27.6")	Φ145CM x 70CM (57" x 27.6")	150CM x 150CM x 70CM (59" x 59" x 27.6")	130CM x 130CM x 70CM (51.2" x 51.2" x 27.6")
BUBBLE JET HOLES	110	140	105	70	70
COLOR BOX SIZE	63CM x 56.5CM x 57.5CM	73CM x 56CM x 57.5CM	75CM x 72CM x 66CM	75CM x 72CM x 66CM	75CM x 72CM x 66CM
CASE PACK	0.205cbm/1set/1ctn	0.235cbm/1set/1ctn	0.360cbm/1set/1ctn	0.36cbm/1set/1ctn	0.36cbm/1set/1ctn
WEIGHT	"EU:28.5KG/62.84LB US:32.1KG/70.78LB"	EU/US:38.2KG/84.23LB	EU/US:33.7KG/74.31LB	EU/US:35KG/77.18LB	EU:36.4KG/80.26LB US:39.25KG/86.55LB
1x20 GP	140	122	72	72	72
1x40 GP	286	254	153	153	153
1x40 HQ	320	289	191	191	191
PACKAGE					

Deluxe		HeatLockPro™		HeatLockPro™ AIO	SERIES
					PICTURE
OSLO GRAY STONE SPA 4-6 Person With Classic External Pump	PRAHA GRAY STONE SPA 4-6 Person With Smart External Pump	SAIPAN BLACK CROCODILE CALIDONIA™ SPA 4-6 Person With Classic External Pump	AEGEAN CHARCOAL CALIDONIA™ SPA 4-6 Person With Classic External Pump	RONDA TWEED CALIDONIA™ SPA 2-4 Person With Integrated Pump	NAME
14028EU/US V43	14053EU/US V43C	17691EU/US	17621EU/US	14131EUV01	ITEM NO.
Drop Stitch (20CM thickness)	Drop Stitch (20CM thickness)	PE foam - (Faux leather outer)	PE foam -(CALIDONIA™ Outer)	PE foam - (CALIDONIA™ Outer)	TECHNIQUE
4-6 PLACES	4-6 PLACES	4-6 PLACES	4-6 PLACES	2-4 PLACES	SEATING CAPACITY
3-ply laminated PVC With inflatable cover	3-ply laminated PVC With inflatable cover	Faux leather With inflatable cover	Faux leather With inflatable cover	Faux leather With inflatable cover	COVER
PE	PE	/	/	/	GROUND CLOTH
2PCS Anti-Bacterial filter	2PCS Anti-Bacterial filter	2PCS Anti-Bacterial filter	2PCS Anti-Bacterial filter	2PCS Anti-Bacterial filter	FILTER CARTRIDGE
1380L(365gal)	1380L(365gal)	1000L(264gal)	1000L(264gal)	670L(177gal)	WATER CAPACITY (Water level)
EU:AC 220-240V 50Hz, 2040W | US:AC 110-120V 60Hz, 1380W	EU:AC 220-240V 50Hz, 2040W | US:AC 110-120V 60Hz, 1380W	EU:AC 220-240V 50Hz, 2040W | US:AC 110-120V 60Hz, 1380W	EU:AC 220-240V 50Hz, 2040W | US:AC 110-120V 60Hz, 1380W	EU:AC 220-240V 50Hz, 2045W | US:AC 110-120V 60Hz, 1380W	POWER RATED
EU:1-2°C/hour | US:0.5-1.5°C/hour	EU:1-2°C/hour | US:0.5-1.5°C/hour	EU:1.5-2.5°C/hour | US:1-2°C/hour	EU:1.5-2.5°C/hour | US:1-2°C/hour	EU:1.5-2.5°C/hour | US:1-2°C/hour	HEATING RATE
530GAL(2006L)/H	530GAL(2006L)/H	530GAL(2006L)/H	530GAL(2006L)/H	530GAL(2006L)/H	SYSTEM FLOW RATE
650W	850W	650W	650W	650W/800W	MASSAGE BUBBLE POWER
EU:CE | US:cETLus	EU:CE | US:METus	EU:CE | US:cETLus	EU:CE | US:cETLus	EU:CE	CERTIFICATION
210CM x 210CM x 70CM (82.7" x 82.7" x 27.6")	210CM x 210CM x 70CM (82.7" x 82.7" x 27.6")	Φ184CM x 73CM (72.4" x 29")	193CM x 193CM x 70CM (76" x 76" x 27.6")	Φ156CM x 70CM (61.4" x 27.6")	OUTER DIAMETER
170CM x 170CM x 70CM (66.9" x 66.9" x 27.6")	170CM x 170CM x 70CM (66.9" x 66.9" x 27.6")	Φ160CM x 73CM (63" x 29")	165CM x 165CM x 70CM (65" x 65" x 27.6")	Φ132CM x 70CM (52" x 27.6")	INNER DIAMETER
100	100	90	90	70	BUBBLE JET HOLES
75CM x 72CM x 72CM	72CM x 72CM x 72CM	BOX A: 60CM x 51CM x 65CM | BOX B: 110CM x 73CM x 76CM	106.5CM x 67CM x 81.5CM	BOX A: 75CM x 62CM x 72CM | BOX B: 85CM x 62CM x 72CM	COLOR BOX SIZE
0.39cbm/1set/1ctn	0.37cbm/1set/1ctn	0.81cbm/1set /2ctn	0.58cbm/1set/1ctn	0.71cbm/1set/2ctn	CASE PACK
EU:39.6KG/87.32LB US:47.84KG/105.49LB	EU:47.6KG/104.96LB US:47.8KG/105.4LB	EU/US:34.2KG/75.41LB	EU:44.5KG/98.12LB US:40.85KG/90.07LB	EU:27KG/59.54LB	WEIGHT
72	63	34	46	39	1x20 GP
144	144	70	96	81	1x40 GP
144	144	83	105	95	1x40 HQ
					PACKAGE

SPECIFICATION

SERIES	HeatLockPro™ AIO					
PICTURE						
NAME	RONDA GRAPHITE CALIDONIA™ SPA 2-4 Person With Integrated Pump	RONDA FLINT GREY CALIDONIA™ SPA 2-4 Person With Integrated Pump	RONDA TWEED CALIDONIA™ SPA 4-6 Person With Integrated Pump	RONDA GRAPHITE CALIDONIA™ SPA 4-6 Person With Integrated Pump	RONDA FLINT GREY CALIDONIA™ SPA 4-6 Person With Integrated Pump	WHISTLER CHARCOAL CALIDONIA™ SPA 3-5 Person With Integrated Pump
ITEM NO.	14131EUV02	14131EUV04	14133EUV01	14133EUV02	14133EUV04	14135EU
TECHNIQUE	PE foam - (CALIDONIA™ Outer)	PE foam - (CALIDONIA™ Outer)	PE foam - (CALIDONIA™ Outer)	PE foam - (CALIDONIA™ Outer)	PE foam - (CALIDONIA™ Outer)	PE foam - (CALIDONIA™ Outer)
SEATING CAPACITY	2-4 PLACES	2-4 PLACES	4-6 PLACES	4-6 PLACES	4-6 PLACES	3-5 PLACES
COVER	Faux leather With inflatable cover	Faux leather With inflatable cover	Faux leather With inflatable cover	Faux leather With inflatable cover	Faux leather With inflatable cover	Faux leather With inflatable cover
GROUND CLOTH	/	/	/	/	/	/
FILTER CARTRIDGE	2PCS Anti-Bacterial filter	2PCS Anti-Bacterial filter	2PCS Anti-Bacterial filter	2PCS Anti-Bacterial filter	2PCS Anti-Bacterial filter	2PCS Anti-Bacterial filter
WATER CAPACITY (Water level)	670L(177gal)	670L(177gal)	985L(260gal)	985L(260gal)	985L(260gal)	988L(261gal)
POWER RATED	EU:AC 220-240V 50Hz, 2045W | US:AC 110-120V 60Hz, 1380W	EU:AC 220-240V 50Hz, 2045W | US:AC 110-120V 60Hz, 1380W	EU:AC 220-240V 50Hz, 2045W | US:AC 110-120V 60Hz, 1380W	EU:AC 220-240V 50Hz, 2045W | US:AC 110-120V 60Hz, 1380W	EU:AC 220-240V 50Hz, 2045W | US:AC 110-120V 60Hz, 1380W	EU:AC 220-240V 50Hz, 2045W | US:AC 110-120V 60Hz, 1380W
HEATING RATE	EU:1.5-2.5°C/hour | US:1-2°C/hour	EU:1.5-2.5°C/hour | US:1-2°C/hour	EU:1-2°C/hour | US:0.5-1.5°C/hour	EU:1-2°C/hour | US:0.5-1.5°C/hour	EU:1-2°C/hour | US:0.5-1.5°C/hour	EU:1.5-2.5°C/hour | US:1-2°C/hour
SYSTEM FLOW RATE	530GAL(2006L)/H	530GAL(2006L)/H	530GAL(2006L)/H	530GAL(2006L)/H	530GAL(2006L)/H	530GAL(2006L)/H
MASSAGE BUBBLE POWER	650W/800W	650W/800W	650W/800W	650W/800W	650W/800W	650W/800W
CERTIFICATION	EU:CE	EU:CE	EU:CE	EU:CE	EU:CE	EU:CE
OUTER DIAMETER	Φ156CM x 70CM (61.4" x 27.6")	Φ156CM x 70CM (61.4" x 27.6")	Φ184CM x 70CM (72.4" x 27.6")	Φ184CM x 70CM (72.4" x 27.6")	Φ184CM x 70CM (72.4" x 27.6")	195CM x 195CM x 70CM (76.8" x 76.8" x 27.6")
INNER DIAMETER	Φ132CM x 70CM (52" x 27.6")	Φ132CM x 70CM (52" x 27.6")	Φ160CM x 70CM (63" x 27.6")	Φ160CM x 70CM (63" x 27.6")	Φ160CM x 70CM (63" x 27.6")	169CM x 169CM x 70CM (66.5" x 66.5" x 27.6")
BUBBLE JET HOLES	70	70	70	70	70	70
COLOR BOX SIZE	BOX A: 75CM x 62CM x 72CM | BOX B: 85CM x 62CM x 72CM	BOX A: 75CM x 62CM x 72CM | BOX B: 85CM x 62CM x 72CM	BOX A: 75CM x 72CM x 72CM | BOX B: 85CM x 72CM x 72CM	BOX A: 75CM x 72CM x 72CM | BOX B: 85CM x 72CM x 72CM	BOX A: 75CM x 72CM x 72CM | BOX B: 85CM x 72CM x 72CM	BOX A: 76CM x 73CM x 63CM | BOX B: 80CM x 76CM x 72CM
CASE PACK	0.71cbm/1set/2ctn	0.71cbm/1set/2ctn	0.83cbm/1set/2ctn	0.83cbm/1set/2ctn	0.83cbm/1set/2ctn	0.79cbm/1set/2ctn
WEIGHT	EU:27KG/59.54LB	EU:27KG/59.54LB	EU:29.8KG/65.71LB	EU:28.7KG/63.28LB	EU:29.8KG/65.71LB	EU:29.7KG/65.49LB
1x20 GP	39	39	32	32	32	35
1x40 GP	81	81	69	69	69	73
1x40 HQ	95	95	72	72	72	83
PACKAGE						

HeatLockPro™ AIO							SERIES
							PICTURE
WHISTLER GRAPHITE CALIDONIA™ SPA 3-5 Person With Integrated Pump	MUNICH TWEED CALIDONIA™ SPA 2-4 Person With Integrated Pump	MUNICH GRAPHITE CALIDONIA™ SPA 2-4 Person With Integrated Pump	MUNICH FLINT GREY CALIDONIA™ SPA 2-4 Person With Integrated Pump	MUNICH TWEED CALIDONIA™ SPA 4-6 Person With Integrated Pump	MUNICH GRAPHITE CALIDONIA™ SPA 4-6 Person With Integrated Pump	MUNICH FLINT GREY CALIDONIA™ SPA 4-6 Person With Integrated Pump	NAME
14135EUV02	14132EUV01	14132EUV02	14132EUV04	14134EUV01	14134EUV02	14134EUV04	ITEM NO.
PE foam - (CALIDONIA™ Outer)	PE foam - (CALIDONIA™ Outer)	PE foam - (CALIDONIA™ Outer)	PE foam - (CALIDONIA™ Outer)	PE foam - (CALIDONIA™ Outer)	PE foam - (CALIDONIA™ Outer)	PE foam - (CALIDONIA™ Outer)	TECHNIQUE
3-5 PLACES	2-4 PLACES	2-4 PLACES	2-4 PLACES	4-6 PLACES	4-6 PLACES	4-6 PLACES	SEATING CAPACITY
Faux leather With inflatable cover	Faux leather With inflatable cover	Faux leather With inflatable cover	Faux leather With inflatable cover	Faux leather With inflatable cover	Faux leather With inflatable cover	Faux leather With inflatable cover	COVER
/	/	/	/	/	/	/	GROUND CLOTH
2PCS Anti-Bacterial filter	2PCS Anti-Bacterial filter	2PCS Anti-Bacterial filter	2PCS Anti-Bacterial filter	2PCS Anti-Bacterial filter	2PCS Anti-Bacterial filter	2PCS Anti-Bacterial filter	FILTER CARTRIDGE
988L(261gal)	828L(219gal)	828L(219gal)	828L(219gal)	1103L(291gal)	1103L(291gal)	1103L(291gal)	WATER CAPACITY (Water level)
EU:AC 220-240V 50Hz, 2045W | US:AC 110-120V 60Hz, 1380W	EU:AC 220-240V 50Hz, 2045W | US:AC 110-120V 60Hz, 1380W	EU:AC 220-240V 50Hz, 2045W | US:AC 110-120V 60Hz, 1380W	EU:AC 220-240V 50Hz, 2045W | US:AC 110-120V 60Hz, 1380W	EU:AC 220-240V 50Hz, 2045W | US:AC 110-120V 60Hz, 1380W	EU:AC 220-240V 50Hz, 2045W | US:AC 110-120V 60Hz, 1380W	EU:AC 220-240V 50Hz, 2045W | US:AC 110-120V 60Hz, 1380W	POWER RATED
EU:1.5-2.5°C/hour | US:1-2°C/hour	EU:1.5-2.5°C/hour | US:1-2°C/hour	EU:1.5-2.5°C/hour | US:1-2°C/hour	EU:1.5-2.5°C/hour | US:1-2°C/hour	EU:1-2°C/hour | US:0.5-1.5°C/hour	EU:1-2°C/hour | US:0.5-1.5°C/hour	EU:1-2°C/hour | US:0.5-1.5°C/hour	HEATING RATE
530GAL(2006L)/H	530GAL(2006L)/H	530GAL(2006L)/H	530GAL(2006L)/H	530GAL(2006L)/H	530GAL(2006L)/H	530GAL(2006L)/H	SYSTEM FLOW RATE
650W/800W	650W/800W	650W/800W	650W/800W	650W/800W	650W/800W	650W/800W	MASSAGE BUBBLE POWER
EU:CE	EU:CE	EU:CE	EU:CE	EU:CE	EU:CE	EU:CE	CERTIFICATION
195CM x 195CM x 70CM (76.8" x 76.8" x 27.6")	160CM x 160CM x 70CM (63" x 63" x 27.6")	160CM x 160CM x 70CM (63" x 63" x 27.6")	160CM x 160CM x 70CM (63" x 63" x 27.6")	180CM x 180CM x 70CM (70.9" x 70.9" x 27.6")	180CM x 180CM x 70CM (70.9" x 70.9" x 27.6")	180CM x 180CM x 70CM (70.9" x 70.9" x 27.6")	OUTER DIAMETER
169CM x 169CM x 70CM (66.5" x 66.5" x 27.6")	130CM x 130CM x 70CM (51.2" x 51.2" x 27.6")	130CM x 130CM x 70CM (51.2" x 51.2" x 27.6")	130CM x 130CM x 70CM (51.2" x 51.2" x 27.6")	150CM x 150CM x 70CM (59.1" x 59.1" x 27.6")	150CM x 150CM x 70CM (59.1" x 59.1" x 27.6")	150CM x 150CM x 70CM (59.1" x 59.1" x 27.6")	INNER DIAMETER
70	60	60	60	70	70	70	BUBBLE JET HOLES
BOX A: 76CM x 73CM x 63CM | BOX B: 80CM x 76CM x 72CM	BOX A: 68CM x50CM x56CM | BOX B: 82CM x62CM x72CM | BOX C: 82CM x62CM x72CM | BOX D: 124CM x32.5CM x9CM	BOX A: 68CM x50CM x56CM | BOX B: 82CM x62CM x72CM | BOX C: 82CM x62CM x72CM | BOX D: 124CM x32.5CM x9CM	BOX A: 68CM x50CM x56CM | BOX B: 82CM x62CM x72CM | BOX C: 82CM x62CM x72CM | BOX D: 124CM x32.5CM x9CM	BOX A: 76CM x54CM x57.5CM | BOX B: 92CM x63CM x72CM | BOX C: 92CM x63CM x72CM | BOX D: 144CM x32.5CM x9CM	BOX A: 76CM x54CM x57.5CM | BOX B: 92CM x63CM x72CM | BOX C: 92CM x63CM x72CM | BOX D: 144CM x32.5CM x9CM	BOX A: 76CM x54CM x57.5CM | BOX B: 92CM x63CM x72CM | BOX C: 92CM x63CM x72CM | BOX D: 144CM x32.5CM x9CM	COLOR BOX SIZE
0.79cbm/1set/2ctn	0.96cbm/1set/4ctn	0.96cbm/1set/4ctn	0.96cbm/1set/4ctn	1.11cbm/1set/4ctn	1.11cbm/1set/4ctn	1.11cbm/1set/4ctn	CASE PACK
EU:29.7KG/65.49LB	EU:26.3KG/57.99LB	EU:26.3KG/57.99LB	EU:26.3KG/57.99LB	EU:29.5KG/65.05LB	EU:29.5KG/65.05LB	EU:29.5KG/65.05LB	WEIGHT
35	29	29	29	25	25	25	1x20 GP
73	60	60	60	52	52	52	1x40 GP
83	69	69	69	60	60	60	1x40 HQ
							PACKAGE

ACCESSORIES
Compatibility

SPA		Built in pump	Classic External Pump	Smart External Pump	Spray Brush Head 290998	SPA Filter Cartridge 290760	SPA Anti-Bacterial Filter Cartridge 290802	Cleaning Kit 290850	Cleaner 290851/290721 290986EU/US
AIO	14151EUV17	•			•	•	•	•	•
	14015EUV23	•			•	•	•	•	•
	14015EUV31	•			•	•	•	•	•
	14015EUV32	•			•	•	•	•	•
	14016EU	•			•	•	•	•	•
	14014EU	•			•	•	•	•	•
	14014EUV31	•			•	•	•	•	•
	14014EUV32	•			•	•	•	•	•
Classic	17612EU/US		•		•	•	•	•	•
	17605EU/US		•		•	•	•	•	•
	14051EU/US V01C			•	•	•	•	•	•
	14196EU/US V21		•		•	•	•	•	•
	14196EU/US V31		•		•	•	•	•	•
	14196EU/US V32		•		•	•	•	•	•
	14196EU/US V41		•		•	•	•	•	•
	14196EU/US V12		•		•	•	•	•	•
	14195EU/US V26		•		•	•	•	•	•
	17654EU/US V32		•		•	•	•	•	•
	17654EU/US V31		•		•	•	•	•	•
	17654EU/US V41		•		•	•	•	•	•
	14195EU/US V16		•		•	•	•	•	•
Premium	14204EU/US V17		•		•	•	•	•	•
	14205EU/US V17		•		•	•	•	•	•
Deluxe	14191EU/US V15		•		•	•	•	•	•
	14192EU/US V43		•		•	•	•	•	•
	14030EU/US V43		•		•	•	•	•	•
	14028EU/US V43		•		•	•	•	•	•
	14053EU/US V43C			•	•	•	•	•	•
HeatLockPro™	17691EU/US		•		•	•	•	•	•
	17621EU/US		•		•	•	•	•	•
HeatLockPro™ AIO	14131EU/US V01	•			•	•	•	•	•
	14131EU/US V02	•			•	•	•	•	•
	14131EU/US V04	•			•	•	•	•	•
	14133EU/US V01	•			•	•	•	•	•
	14133EU/US V02	•			•	•	•	•	•
	14133EU/US V04	•			•	•	•	•	•
	14135EU/US	•			•	•	•	•	•
	14135EU/US V02	•			•	•	•	•	•
	14132EU/US V01	•			•	•	•	•	•
	14132EU/US V02	•			•	•	•	•	•
	14132EU/US V04	•			•	•	•	•	•
	14134EU/US V01	•			•	•	•	•	•
	14134EU/US V02	•			•	•	•	•	•
	14134EU/US V04	•			•	•	•	•	•

ACCESSORIES
Compatibility

Test Strips 290471	Chemical Floater 290468	Inflatable lid 14023	Inflatable lid 14024	Inflatable lid 14029	Inflatable lid 14017	Inflatable lid 14018	Inflatable lid 14241	Inflatable lid 14019	SPA	
•	•								GLACIER GREY MARBLE SPA	AIO
•	•	•							BOSTON NATURAL WOOD SPA	
•	•	•							BOSTON BROWN RATTAN SPA	
•	•	•							BOSTON GREY BRICK SPA	
•	•					•			CHICAGO CLASSIC BLACK SPA	
•	•							•	CHICAGO CLASSIC BLACK SPA	
•	•							•	CHICAGO BROWN RATTAN SPA	
•	•							•	CHICAGO GREY BRICK SPA	
•	•				•				LONDON CLASSIC BLACK SPA	Classic
•	•		•						CANNES CLASSIC BLACK SPA	
•	•				•				NUREMBERG LIGHT BEIGE SPA	
•	•							•	NICE IVORY WEAVE SPA	
•	•							•	NICE BROWN RATTAN SPA	
•	•							•	NICE GREY BRICK SPA	
•	•							•	NICE CHARCOAL WOOD SPA	
•	•							•	NICE STRAW WEAVE PATTERN SPA	
•	•							•	NICE BLUE LASER LINE SPA	
•	•								VERMONT GREY BRICK SPA	
•	•								VERMONT BROWN RATTAN SPA	
•	•								VERMONT CHARCOAL WOOD SPA	
•	•							•	AURORA TRANSLUCENT LEAF SPA	
•	•		•						HAZE GREY MARBLE SPA	Premium
•	•							•	HAZE GREY MARBLE SPA	
•	•						•		SEATTLE FOREST LEAF SPA	Deluxe
•	•								BERLIN GRAY STONE SPA	
•	•		•						OSLO GRAY STONE SPA	
•	•			•					OSLO GRAY STONE SPA	
•	•			•					PRAHA GRAY STONE SPA	
•	•							•	SAIPAN BLACK CROCODILE CALIDONIA™ SPA	HeatLockPro™
•	•								AEGEAN CHARCOAL CALIDONIA™ SPA	
•	•					•			RONDA TWEED CALIDONIA™ SPA	HeatLockPro™ AIO
•	•					•			RONDA GRAPHITE CALIDONIA™ SPA	
•	•					•			RONDA FLINT GREY CALIDONIA™ SPA	
•	•								RONDA GRAY LINEN CALIDONIA™ SPA	
•	•								RONDA GRAPHITE CALIDONIA™ SPA	
•	•								RONDA FLINT GREY CALIDONIA™ SPA	
•	•								WHISTLER CHARCOAL CALIDONIA™ SPA	
•	•								WHISTLER GRAPHITE CALIDONIA™ SPA	
•	•								MUNICH GRAY LINEN CALIDONIA™ SPA	
•	•								MUNICH GRAPHITE CALIDONIA™ SPA	
•	•								MUNICH FLINT GREY CALIDONIA™ SPA	
•	•								MUNICH TWEED CALIDONIA™ SPA	
•	•								MUNICH GRAPHITE CALIDONIA™ SPA	
•	•								MUNICH FLINT GREY CALIDONIA™ SPA	

ACCESSORIES
Compatibility

SPA		Inflatable lid 14020	Heat-LockPro™ SPA Cover 370985	Heat-LockPro™ SPA Cover 370987	Heat-LockPro™ SPA Cover 370988	Heat-LockPro™ SPA Cover 291077	Heat-LockPro™ SPA Cover 291107	HeatLockPro™ SPA Tent 370986	HeatLockPro™ Floor Mat 290996	HeatLockPro™ Floor Mat 290997	HeatLockPro™ Solar Cover 291005 291004	4mm PE Pool/ Spa floor protector (Blue)/(Grey) 290972/291235	Headrest & Cup Holder Set For Inflatable Spa 290410
AIO	14151EUV17							•	•	•		•	•
	14015EUV23				•			•	•	•		•	•
	14015EUV31				•			•	•	•		•	•
	14015EUV32				•			•	•	•		•	•
	14016EU		•					•	•	•	•		•
	14014EU			•				•	•	•			•
	14014EUV31			•				•	•	•			•
	14014EUV32			•				•	•	•			•
Classic	17612EU/US		•					•					•
	17605EU/US					•		•				•	•
	14051EU/US V01C		•					•					•
	14196EU/US V21			•				•			•		•
	14196EU/US V31			•				•			•		•
	14196EU/US V32			•				•			•		•
	14196EU/US V41			•				•			•		•
	14196EU/US V12			•				•			•		•
	14195EU/US V26			•				•			•		•
	17654EU/US V32	•						•					•
	17654EU/US V31	•						•					•
	17654EU/US V41	•						•					•
	14195EU/US V16			•				•			•		•
Premium	14204EU/US V17							•					•
	14205EU/US V17			•				•					•
Deluxe	14191EU/US V15							•					•
	14192EU/US V43	•						•					•
	14030EU/US V43					•		•	•	•			•
	14028EU/US V43							•	•	•			•
	14053EU/US V43C							•	•	•			•
HeatLockPro™	17691EU/US							•	•	•	•		
	17621EU/US						•	•	•	•			
HeatLockPro™ AIO	14131EU/US V01							•	•	•			
	14131EU/US V02							•	•	•			
	14131EU/US V04							•	•	•			
	14133EU/US V01							•	•	•	•		
	14133EU/US V02							•	•	•	•		
	14133EU/US V04							•	•	•	•		
	14135EU/US	•						•	•	•			
	14135EU/US V02	•						•	•	•			
	14132EU/US V01							•	•	•			
	14132EU/US V02							•	•	•			
	14132EU/US V04							•	•	•			
	14134EU/US V01							•	•				
	14134EU/US V02							•	•				
	14134EU/US V04							•	•				

ACCESSORIES
Compatibility

Headrest & Cup Holder Set For Inflatable Spa 291172	Headrest with Cup Holder For Aegean/Saipan Spa 290671	Aromatherapy Port 395169	Aromatherapy Scents Crystals 290787	RGB LED Underwater Light Ring	LED Lamp 290795	Comfort Booster Cushion 14146	Foot Basin 137205-1	Seat Cushion 97265	SPA	
•				•	•	•	•	•	GLACIER GREY MARBLE SPA	AIO
•				•	•	•	•	•	BOSTON NATURAL WOOD SPA	
•				•	•	•	•	•	BOSTON BROWN RATTAN SPA	
•			•	•	•	•	•	•	BOSTON GREY BRICK SPA	
•			•	•	•	•	•	•	CHICAGO CLASSIC BLACK SPA	
•			•	•	•	•	•	•	CHICAGO CLASSIC BLACK SPA	
•			•	•	•	•	•	•	CHICAGO BROWN RATTAN SPA	
•			•	•	•	•	•	•	CHICAGO GREY BRICK SPA	
•		•	•	•	•	•	•	•	LONDON CLASSIC BLACK SPA	Classic
•		•	•	•	•	•	•	•	CANNES CLASSIC BLACK SPA	
•		•	•	•	•	•	•	•	NUREMBERG LIGHT BEIGE SPA	
•		•	•	•	•	•	•	•	NICE IVORY WEAVE SPA	
•		•	•	•	•	•	•	•	NICE BROWN RATTAN SPA	
•		•	•	•	•	•	•	•	NICE GREY BRICK SPA	
•		•	•	•	•	•	•	•	NICE CHARCOAL WOOD SPA	
•		•	•	•	•	•	•	•	NICE STRAW WEAVE PATTERN SPA	
•		•	•	•	•	•	•	•	NICE BLUE LASER LINE SPA	
•		•	•	•	•	•	•	•	VERMONT GREY BRICK SPA	
•		•	•	•	•	•	•	•	VERMONT BROWN RATTAN SPA	
•		•	•	•	•	•	•	•	VERMONT CHARCOAL WOOD SPA	
•		•	•	•	•	•	•	•	AURORA TRANSLUCENT LEAF SPA	
•		•	•	•	•	•	•	•	HAZE GREY MARBLE SPA	Premium
•		•	•	•	•	•	•	•	HAZE GREY MARBLE SPA	
•		•	•	•	•	•	•	•	SEATTLE FOREST LEAF SPA	Deluxe
•		•	•	•	•	•	•	•	BERLIN GRAY STONE SPA	
•		•	•	•	•	•	•	•	OSLO GRAY STONE SPA	
•		•	•	•	•	•	•	•	OSLO GRAY STONE SPA	
•		•	•	•	•	•	•	•	PRAHA GRAY STONE SPA	
	•	•	•	•	•	•	•	•	SAIPAN BLACK CROCODILE CALIDONIA™ SPA	HeatLockPro™
	•	•	•	•	•	•	•	•	AEGEAN CHARCOAL CALIDONIA™ SPA	
	•			•	•	•	•	•	RONDA TWEED CALIDONIA™ SPA	HeatLockPro™ AIO
	•			•	•	•	•	•	RONDA GRAPHITE CALIDONIA™ SPA	
	•			•	•	•	•	•	RONDA FLINT GREY CALIDONIA™ SPA	
	•			•	•	•	•	•	RONDA GRAY LINEN CALIDONIA™ SPA	
	•			•	•	•	•	•	RONDA GRAPHITE CALIDONIA™ SPA	
	•			•	•	•	•	•	RONDA FLINT GREY CALIDONIA™ SPA	
	•			•	•	•	•	•	WHISTLER CHARCOAL CALIDONIA™ SPA	
	•			•	•	•	•	•	WHISTLER GRAPHITE CALIDONIA™ SPA	
				•	•	•	•	•	MUNICH GRAY LINEN CALIDONIA™ SPA	
				•	•	•	•	•	MUNICH GRAPHITE CALIDONIA™ SPA	
				•	•	•	•	•	MUNICH FLINT GREY CALIDONIA™ SPA	
				•	•	•	•	•	MUNICH TWEED CALIDONIA™ SPA	
				•	•	•	•	•	MUNICH GRAPHITE CALIDONIA™ SPA	
				•	•	•	•	•	MUNICH FLINT GREY CALIDONIA™ SPA	